# Measuring Tools

**FatMax® Tape Measures**
- Yellow/Black ABS case
- 11' blade standout

| Part No. | Blade |
|---|---|
| 33-716 | 1-1/4" x 16' |
| 33-719 | 1-1/4" x 5m/16' |
| 33-725 | 1-1/4" x 25' |
| 33-726 | 1-1/4" x 8m/26' |
| 33-805 | 1-1/4" x 10m/33' |
| 33-735 | 1-1/4" x 35' |
| 33-740L | 1-1/4" x 40' |

**MAX™ Tape Measures**
- Yellow hi-impact ABS case
- 10' blade standout
- Slip-resistant cushion grip

| Part No. | Blade |
|---|---|
| 33-279 | 1-1/8" x 25' |

**Powerlock® Tape Measure**
- Chrome ABS case
- 7' blade standout

| Part No. | Blade |
|---|---|
| Cat. No. | 1" x 25' |
| 33-428 | 1" x 8m/26' |

**FatMax® Long Tape Measure**
- Yellow/Black ABS case
- Slip-resistant cushion grip

| Part No. | Blade |
|---|---|
| 34-132 | 3/8" x 100'/30m |

**Stanley® Long Tape Measure**
- Yellow hi-impact ABS case
- Steel blade and belt clip

| Part No. | Blade |
|---|---|
| 34-107 | 3/8" x 100'/30m |

**Stanley® Tape Measures**
- Yellow Hi-impact ABS case

| Part No. | Blade |
|---|---|
| 30-485 | 1/2" x 12' |
| 30-495 | 3/4" x 16' |
| 30-496 | 3/4" x 5m/16' |
| 30-455 | 1" x 25' |
| 30-456 | 1" x 8m/26' |
| 30-464 | 1" x 30' |

STANLEY®

**FatMax® Fiberglass Long Tape Measure**
- Yellow hi-impact ABS case
- 2-sides blade graphics

| Part No. | Blade |
|---|---|
| 34-813L | 3/4" x 100'/30m |

**Fiberglass Long Tape Measure**
- Yellow hi-impact ABS case
- 2-sides blade graphics

| Part No. | Blade |
|---|---|
| 34-794 | 1/2" x 200'/60m |

# Layout Tools

**Stanley® Shock-Resistant Magnetic Torpedo Level**
- Aluminum frame, 3 vials
- Top read vial & pipe groove
- Rubber ends, non-marring feet

| Part No. | Description |
|---|---|
| 43-511 | 9" Yellow/Black |

STANLEY®

**FatMax® Xtreme® Magnetic Torpedo Level**
- Die-cast aluminum body
- 180° rotating vial
- Rare earth magnets
- 2-hang holes & pipe groove

| Part No. | Description |
|---|---|
| 43-609 | 9", 3 vials |

**FatMax® Box Beam Levels**
- Aluminum box beam style
- 2 rubber gripped hand hole
- Shock absorbing end caps
- Supplied with 3 vials

| Part No. | Description |
|---|---|
| 43-524 | 24" non-magnetic |
| 43-525 | 24" magnetic |
| 43-548 | 48" non-magnetic |
| 43-549 | 48" magnetic |
| 43-572 | 72" non-magnetic |



**Stanley® Hi-impact Plastic Magnetic Torpedo Level**

| Part No. | Description |
|---|---|
| 42-291 | 9" Black |



**Stanley® Cast Aluminum Magnetic Torpedo Level**
- Magnetic strip, tinted vials
- Top read vial window

| Part No. | Description |
|---|---|
| 42-465 | 9" Silver/Yellow |




**ProLevel™ I-Beam Level**
- I-Beam/box beam style
- Easy view vial covers

| Part No. | Description |
|---|---|
| 43-024 | 24", 3 vials |
| 43-048 | 48", 3 vials |

**Yellow ABS Levels**
- Non-marring material
- Top read center vial

| Part No. | Description |
|---|---|
| 42-466 | 12", 3 vials |
| 42-468 | 24", 3 vials |
| 42-470 | 48", 3 vials |

STANLEY®



**Stanley® Line Levels**
- Line hooks & flat bottom
- Single vial, 3" lengths

| Part No. | Description |
|---|---|
| 42-193 | Yellow plastic body |
| 42-287 | Silver aluminum body |




**Light Weight Aluminum Levels Silver I-Beam Construction**
- Non-marring end caps
- Top read center vial

| Part No. | Description |
|---|---|
| 42-074 | 24", 3 vials |
| 42-076 | 48", 3 vials |

# Layout Tools

**FatMax® Chalk Line Reel**
- High-impact ABS case
- With 4 oz blue chalk
- Includes fine tip marker
- Rewinds 3 times faster

| Part No. | Description |
|---|---|
| 47-681L | 100'/30m |

**FatMax® Xtreme® Chalk Line Reel**
- Die-cast aluminum
- With 4 oz blue chalk
- Rewinds 5 times faster

| Part No. | Description |
|---|---|
| 47-482L | 100'/30m |



**Contractor Measuring Wheels**
- Wheel calibrated to counter
- Measure as fast as you can walk
- Folded length 30" Extended 41"

| Part No. | Description |
|---|---|
| APX-MW38TP | feet/inches in 8ths |
| APX-MW38M | meters/decimeters |

**PowerWinder® Chalk Line Reel**
- High-impact non-slip ABS case
- Complete with 4 oz blue chalk
- Includes line level
- Rewinds 3.5 times faster

| Part No. | Description |
|---|---|
| 47-464 | 100'/30m |



**Chalk Line Reel**
- Made of die-cast aluminum
- Can be used as a plumb bob

| Part No. | Description |
|---|---|
| 47-099 | 100'/30m |

STANLEY®

**Stanley® Chalk Refills**
- Easy pour, chalk powder

| Part No. | Description |
|---|---|
| 47-803 | 8 oz bottle of Blue |
| 47-804 | 8 oz bottle of Red |
| 47-806 | 8 oz bottle of White |
| 47-808 | 8 oz bottle of Black |
| 47-502 | 80 oz jug of Blue |
| 47-505 | 80 oz jug of Red |

**Replacement Nylon Chalk Line**
- On plastic reel

| Part No. | Description |
|---|---|
| 47-101 | 100'/30m |

**Stanley® Brass Plumb Bobs**

| Part No. | Description |
|---|---|
| 47-973 | 8 oz solid brass |
| 47-974 | 16 oz solid brass |

# Layout Tools



**Plumb Box, Hex Steel**

| Part No. | Size | Description |
|---|---|---|
| PLUMB8 | 8 oz. | zinc plated |



**Rafter Square, Aluminum**
- Aircraft grade aluminum
- Embossed english graduations
- Corrosion resistant finish
- 24"x2" body, 16"x1.5" tongue

| Part No. | Description |
|---|---|
| 45-011 | Black surface treated |



**Carpenter's Square, Aluminum**
- Embossed english graduations
- 24"x2" body, 16"x1.5" tongue

| Cat. No. | Description |
|---|---|
| 45-300 | Clear lacquer finish |

**Mason's Line**
- Black & White twisted polyester
- 18 lbs test

| Part No. | Description |
|---|---|
| 47-119 | 250' spool |

**T-Bevel**
- Great for Transferring Angles
- Stainless-steel blade
- Built-in blade lock
- Tough plastic handle

| Part No. | Description |
|---|---|
| 46-825 | 8" adjustable blade |



**Rafter Square, Steel**
- Embossed english graduations
- 24"x2" body, 16"x1.5" tongue

| Part No. | Description |
|---|---|
| 45-910 | Clear lacquer finish |



**Carpenter's Square, Steel**
- Embossed english graduations

With reverse reading scale
- 24"x2" body, 16"x1.5" tongue

| Part No. | Description |
|---|---|
| 45-500 | Clear lacquer finish |



**Try/Miter Square**
- Aluminum Body
- Durable plastic handle
- Embossed english graduations
- For laying-out 45° & 90° angles

| Part No. | Description |
|---|---|
| 46-502 | 1-1/2" x 8" blade |




**Stanley® 36" Straight Edge**

| Part No. | Description |
|---|---|
| 35-338 | 1" x 36" aluminum |

STANLEY®

**Carpenter's Square, 12" Steel**
- Embossed english graduations
- With reverse reading scale
- 12"x1.5" body, 8"x1" tongue

| Part No. | Description |
|---|---|
| 45-912 | Clear lacquer finish |

# Layout Tools & Stud Sensors



**Combination Square, 16"**
**Yellow Die-cast Handle**
- Embossed english graduations
- Built-in scriber & easy read vial
- Stainless-steel blade

| Part No. | Description |
|---|---|
| 46-131 | 1" x 16" blade |



**Adjustable Quick Square®**
**Premium Layout Tool**
- Black body, yellow graduations
- Aluminum Construction
- Adjustable arm

| Part No. | Description |
|---|---|
| 46-053 | 10-3/4" x 6-3/4" |



**Stanley® FatMax®**
**Stud Sensor 300™**
- Ergonomic design with soft grips
- detects studs 1.5" below surface
- Identifies live electrical wires
- Detects metal 3" below surface
- OnePass™ Center Find Technology

| Part No. | Description |
|---|---|
| FMHT77407 | Backlit LCD screen<br>9V battery required |



**Combination Square, 12"**
- Black Die-cast Handle
- Embossed english graduations
- Built-in scriber & easy read vial
- Chrome plated steel blade

| Part No. | Description |
|---|---|
| 46-222 | 1" x 12" blade |



**Quick Square®**
**Premium Layout Tool**
- Black body, yellow graduations
- Aluminum Construction

| Part No. | Description |
|---|---|
| 46-071 | 10-1/4" x 6-7/8" |



**Stanley® Stud Sensor 200™**
- Ergonomic design with soft grips
- detects studs 3/4" below surface
- Identifies live electrical wires
- Detects metal 2" below surface
- OnePass™ Center Find Technology

| Part No. | Description |
|---|---|
| STHT77406 | Backlit LCD screen<br>9V battery required |



**Combination Square, 12"**
Lightweight Plastic Handle
- Embossed english graduations
- Chrome plated steel blade

| Part No. | Description |
|---|---|
| 46-012 | 1" x 12" blade |



**Quick Square®**
**Yellow Pocket Square**
- ABS plastic body

| Part No. | Description |
|---|---|
| 46-060 | 10-1/4" x 6-7/8" |

STANLEY®

**Magnetic Stud Finder**
- Locates steel studs & screws

| Part No. | Description |
|---|---|
| 47-400 | Notched base |

# Utility Knives & Blades

**FatMax® Utility Knife Blades**
- Heat treated for flexibility
- 20% stronger than other blades

| Part No. | Description |
|---|---|
| 11-700 | Package of 3 |
| 11-700L | Package of 50 |

**Stanley® Classic 199® All-Metal Fixed Blade Utility Knife**

| Part No. | Description |
|---|---|
| 10-209 | Textured handle |

**FatMax® Xtreme® Twin Blade Utility Knife**
- InstantChange™ feature
- Rubber comfort grip
- Stores up to 9 blades

| Part No. | Description |
|---|---|
| 10-789 | 2 knives in 1 |



**Heavy Duty Utility Blades**

| Part No. | Description |
|---|---|
| 11-921 | Package of 5 |
| 11-921L | Package of 50 |
| 11-921A | Package of 100 |

**Stanley® Classic 99® All-Metal Retractable Utility Knife**
- Blade storage in handle
- Contoured slip-resistant grip

| Part No. | Description |
|---|---|
| 10-099 | 3 position blade |

**Stanley® FatMax® Retractable Utility Knife**
- Push button blade change
- Soft-Touch handle grips

| Part No. | Description |
|---|---|
| 10-778 | Curved handle design |

**Roofing Utility Knife Blades**

| Part No. | Description |
|---|---|
| 11-939 | Package of 5 |




**Stanley® All-Metal Retractable Utility Knife**
- Blade storage in handle
- Contoured slip-resistant grip

| Part No. | Description |
|---|---|
| 10-079 | 3 position blade |

**Stanley® FatMax® Fixed Blade Utility Knife**
- Stores up to 5 blades
- Soft-Touch handle grips

| Part No. | Description |
|---|---|
| 10-780 | Curved handle design |

STANLEY®

# Utility Knives & Blades



**FatMax® Xtreme®**
**Snap-Off Utility Knife**
- Die-cast all metal construction
- Blade knob to lock blade
- Textured non-slip grip

| Part No. | Description |
|---|---|
| 10-817 | uses 25mm blades |

**Stanley® Standard**
**Snap-Off Utility Knife**
- Hi-impact polymer body
- Blade knob to lock blade

| Part No. | Description |
|---|---|
| 10-280 | uses 18mm blades |

**FatMax®**
**Snap-Off Utility Blades**

| Part No. | Description |
|---|---|
| 11-718T | 18mm package of 10 |
| 11-718L | 18mm package of 50 |
| 11-725 | 25mm package of 5 |
| 11-725L | 25mm package of 50 |



**Snap-Off Hook Utility Blades**

| Part No. | Description |
|---|---|
| 11-618 | 18mm package of 5 |
| 11-625 | 25mm package of 5 |

**Stanley® FatMax®**
**Snap-Off Utility Knife**
- Stainless steel barrel
- Non-slip soft grip

| Part No. | Description |
|---|---|
| 10-481 | uses 18mm blades |
| 10-486 | uses 25mm blades |

**Stanley® QuickSlide™**
**Sport & Utility Knife**
- Uses standard utility blades
- 3" serrated sport blade

| Part No. | Description |
|---|---|
| 10-813 | Multipurpose |



**Razor Blade Scraper**
- Uses single edge razor blades
- Retractable blade design

| Part No. | Description |
|---|---|
| 28-500 | Comes with 5 blades |



**Stanley® DynaGrip®**
**Snap-Off Utility Knife**
- Hi-impact polymer body
- Blade knob to lock blade

| Part No. | Description |
|---|---|
| 10-418 | uses 18mm blades |



**Linoleum Flooring Knife**

| Part No. | Description |
|---|---|
| 10-509 | Wooden handle |

STANLEY®



**Single Edge Razor Blades**
- Carbon steel blades

| Part No. | Description |
|---|---|
| 28-510 | Package of 10 blades |

# Saws

**FatMax® Back Saw**
- For precise fine finish cutting

| Part No. | Description |
|---|---|
| 17-202 | 13 TPI, 14" blade |



**FatMax® Coping Saws**
- Cushion grip handle

| Part No. | Description |
|---|---|
| 15-104 | 4-3/4" frame depth |
| 15-106 | 6-3/4" frame depth |

**FatMax® Tool Box Saw With BladeArmor™ Coating**
- SharpTooth Saw Technolgy
- Non-slip tri-material handle
- 45° & 90° angle built into handle

| Part No. | Description |
|---|---|
| 20-046 | 8TPI, 15" blade |
| 20-047 | 8TPI, 20" blade |



**Saw Storage Miter Box & Saw**
- Holds all Stanley® back saws
- 90°, 45° & 22-1/2° miter slots

| Part No. | Description |
|---|---|
| 19-800 | with 14" back saw |



**Coping Saw Blades**

| Part No. | Description |
|---|---|
| 15-058 | 10 TPI, 6-1/2 " blade |
| 15-061 | 15 TPI, 6-1/2 " blade |
| 15-059 | 20 TPI, 6-1/2 " blade |

**FatMax® Tool Box Saw SharpTooth™ Saw Blade**
- Ergonomically designed grip
- 45° & 90° angle built into handle

| Part No. | Description |
|---|---|
| 20-445 | 8 TPI, 15" blade |

**Stanley® SharpTooth™ Fine Finish Utility Saw**
- Contoured wooden handle

| Part No. | Description |
|---|---|
| 20-221 | 11 TPI, 10" blade |

**Stanley® SharpTooth™ Finish Cut Panel Saws**
- SharpTooth Saw Technolgy

| Part No. | Description |
|---|---|
| 20-526 | 11 TPI, 15" blade |
| 20-527 | 11 TPI, 20" blade |



**Clamping Miter Box & Saw**
- Cuts miters on 45° & 90°angles
- Face angle 45° & 90°angles
- Built-in saw stop

| Part No. | Description |
|---|---|
| 20-600 | with 14" back saw |



**Stanley® SharpTooth™ General Purpose Hand Saw**
- Induction Hardened Teeth
- 45° & 90° angle built into handle

| Part No. | Description |
|---|---|
| 15-775 | 8 TPI, 20" blade |
| 15-726 | 7 TPI, 26" blade |

**Stanley® Universal Hardpoint Hand Saw**
- Cushioned Grip
- Precision ground teeth

| Part No. | Description |
|---|---|
| 20-002 | 15 TPI, 15" Blade |

STANLEY®

# Saws

**FatMax® Reversible Flush Cut Saw**

- Reversible cushion grip handle
- Designed for precise cutting
- Extra wide 3" blade

| Part No. | Description |
|---|---|
| 15-252K | 14 TPI, 10" blade |

**FatMax® Pull Saws Mini Flush Cut**

- For flush cutting pins & dowels
- Double sided flexible blade

| Part No. | Description |
|---|---|
| 20-331 | 22 TPI, 4-3/4" blade |



**FatMax® Pull Saws**

- For flush and finish cuts
- Double edge, flexible thin blade
- Cushion grip handle

| Part No. | Description |
|---|---|
| 20-501 | 7 & 14 TPI, 9.5" blade |



**SharpTooth™ Drywall Saw**

- Comfortable wooden handle
- Teeth hold up against drywall

| Part No. | Description |
|---|---|
| 15-025 | 8TPI, 15" blade |



**4-WAY™ Keyhole Saw**

- 4 way blade positioning
- Close quarter applications
- Cuts both wood & metal

| Part No. | Description |
|---|---|
| 15-275 | 9 TPI, 7" wood blade |
| | 24 TPI, 7" metal blade |



**Bow Saws**

| Part No. | Description |
|---|---|
| 15-451 | 24" blade |
| 15-453 | 30" blade |

**Bow Saw Blades**

| Part No. | Description |
|---|---|
| 15-446 | 24" blade only |
| 15-448 | 30" blade only |

STANLEY®

# Hacksaws and Jabsaws

**High-Tension Hacksaw**
- Integrated Blade Storage
- Quick blade release

| Part No. | Description |
|---|---|
| 15-113 | for 12" blades |



**Mini-Hacksaw**
- Chrome plated metal frame
- With a plastic handle

| Part No. | Blade | Description |
|---|---|---|
| 10320 | 5-3/4" | wire frame |



**Hacksaw, Upward #430**
**Xtra Heavy Duty**

| Part No. | Blade | Description |
|---|---|---|
| 10341 | 12" | rubber handle |



**Hacksaw, Upward #330**
**High Tension**
- 3 position blade mounting
- Blade storage in handle

| Part No. | Blade | Description |
|---|---|---|
| 10342 | 12" | alum. handle |

**Cushion Grip Jab Saw**
- Cushion grip handle, sharp tip

| Part No. | Description |
|---|---|
| 15-556 | 8 TPI, 6" blade |



**Junior Hacksaw**
- Chrome plated metal frame

| Part No. | Blade | Description |
|---|---|---|
| 10319 | 5-3/4" | wire frame |



**Hacksaw, Upward #230**
**Tubular Style,Professional**
- Oval shaped tube frame

| Part No. | Blade | Description |
|---|---|---|
| 10343 | 10"/12" | metal handle |

**FatMax® Jab Saw**
- SharpTooth Saw Technolgy
- Cushion grip handle, sharp tip
- For wood, plastic & drywall

| Part No. | Description |
|---|---|
| 20-556 | 8 TPI, 6" blade |



**Junior Hacksaw Blades**

| Part No. | Blade | TPI | Pkg |
|---|---|---|---|
| 10321 | 5-3/4" | 25 | 5 |
| 10323 | 5-3/4" | 32 | 5 |



**Hacksaw, Upward #130**
**Tubular, General Purpose**
- Round tube, adjustable frame

| Part No. | Blade | Description |
|---|---|---|
| 10345 | 10"/12" | metal handle |

**Jab Saw**
- Wooden handle & sharp tip

| Part No. | Description |
|---|---|
| 15-206 | 8 TPI, 6" blade |

STANLEY®

**Close-Quarter Hacksaw**
- For Flush cuts in confined areads
- Thumb adjustment screw
- Molded plastic handle

| Part No. | Blade Capacity |
|---|---|
| 10344 | 10" / 12" |

HandPower

# Hammers

**Stanley® FatMax® Anti-Vibe**
**22 oz Framing Claw Hammer**
- Forged one piece construction
- Magnetic nail start feature
- Torsion Control technology
- AntiVibe™ technology

| Part No. | Description |
|---|---|
| 51-214 | 22 oz Framing Claw |

**Curve Claw Nailing Hammer**
**Yellow Fiberglass Shaft**
- Smooth face, 13" O/A length

| Part No. | Description |
|---|---|
| 51-621 | 16 oz head |

**Curve Claw Nailing Hammer**
**Wooden Handle**
- Smooth face, 13" O/A length

| Part No. | Description |
|---|---|
| 51-616 | 16 oz. head |

**Stanley® FatMax® Anti-Vibe**
**24 oz Framing Claw Hammer**
- Forged one piece construction
- Magnetic nail start feature
- Torsion Control technology
- AntiVibe™ technology
- Checkered face surface

| Part No. | Description |
|---|---|
| 51-215 | 24 oz Framing Claw |

**Stanley® FatMax® Xtreme®**
**20 oz Ripping Claw Hammer**
- Oversized striking face
- Forged one piece construction
- Magnetic nail start feature
- Torsion Control technology
- AntiVibe™ technology

| Part No. | Description |
|---|---|
| 51-218 | 20 oz Ripping Claw with bigger sweet spot |

**Stanley® FatMax® Xtreme®**
**20 oz Ripping Claw Hammer**
- Forged one piece construction
- Magnetic nail start feature
- Torsion Control technology
- AntiVibe™ technology

| Part No. | Description |
|---|---|
| 51-212 | 20 oz Ripping Claw |

**Stanley® FatMax® Checkered Face**
**22 oz Overstrike Framing Hammer**
- Overstrike steel protection plate
- Double wedged head assembly
- Checkered face surface
- Magnetic nail start feature
- Wooden 18" axe handle

| Part No. | Description |
|---|---|
| 51-403 | 22 oz Framing Claw |

**Ball Pein Hammers**
**Hickory Wood Handles**
Polished face and pein

| Part No. | Description |
|---|---|
| 54-016 | 16 oz. Head |
| 54-024 | 24 oz. Head |
| 54-032 | 32 oz. Head |

STANLEY®

**FatMax® AntiVibe™**
**Drywall Hammer**
- Ideal for installing drywall
- Slip resistant handle

| Part No. | Description |
|---|---|
| 54-015 | 14 oz. Head |

# Hammers, Mallets and Sledges

**Claw Hammers**
**Wooden handle**

| Part No. | Description |
|---|---|
| C1614 | 16 oz head, 14" handle |
| C2014 | 20 oz head, 14" handle |



**Claw Hammers**
**Fiberglass handle**

| Part No. | Description |
|---|---|
| CFG1614 | 16 oz head, 14" handle |
| CFG2014 | 20 oz head, 14" handle |



**Claw Hammer**
**Solid Steel Shank & Handle**

| Part No. | Description |
|---|---|
| CS1614 | 16 oz head, 14" handle |
| CS2014 | 20 oz head, 14" handle |



**Brick Hammer**
•With Wooden Handle

| Part No. | Description |
|---|---|
| B2414 | 24 oz head, 14" handle |

**Black Rubber Mallet**
**With Wooden Handle**

| Part No. | Description |
|---|---|
| 21252 | 2-1/4" dia x 1.5 lbs |
| 21254 | 2-3/4" d x 2 lbs. |
| 21256 | 3-3/8" dia x 3 lbs. |

**White Rubber Mallet**
**With Wooden Handle**

| Part No. | Description |
|---|---|
| 21262 | 2-1/4" dia x 1.5 lbs |
| 21264 | 2-3/4" d x 2 lbs. |
| 21266 | 3-3/8" dia x 3 lbs. |



**Wooden Mallet**
**With Wooden Handle**

| Part No. | Description |
|---|---|
| 21290 | 2-3/4" dia x 22 oz |



**Welders Flux Chipping Hammer**
•Quickly removes welding flux

| Part No. | Description |
|---|---|
| JET-740901 | Steel Coil Handle |

HandPower



**Ball Pein Hammers**
•Wooden handle

| Part No. | Description |
|---|---|
| 21201 | 4 oz head, 10" handle |
| 21202 | 8 oz head, 12" handle |
| 21203 | 12 oz head, 12" handle |
| 21204 | 16 oz head, 14" handle |
| 21206 | 24 oz head, 16" handle |
| 21207 | 32 oz head, 16" handle |
| 21208 | 40 oz head, 18" handle |

**Club Hammers**
•Wooden handle

| Part No. | Description |
|---|---|
| 21025 | 2-1/2 lbs, 12" handle |
| 21026 | 3 lbs, 12" handle |
| 21027 | 4 lbs, 13" handle |



**Sledge Hammers**
•Wooden handle

| Part No. | Description |
|---|---|
| 21037 | 4 lbs head, 32" handle |
| 21041 | 6 lbs head, 32" handle |
| 21049 | 8 lbs head, 36" handle |
| 21053 | 10 lbs head, 36" handle |
| 21057 | 12 lbs head, 36" handle |
| 21059 | 14 lbs head, 36" handle |

**Blacksmith Hammer**
•With Wooden Handle

| Part No. | Description |
|---|---|
| CP1500 | 3 lbs., wood handle |

# Dead Blow Hammers, Picks & Handles



**Standard Head, Soft Face Dead Blow Hammer**

| Part No. | Description |
|---|---|
| 21874 | 1-1/4" face x 13 oz |
| 21876 | 1-3/4" face x 21 oz |
| 21877 | 2" face x 26 oz |
| 21879 | 2-1/4" face x 45 oz |
| 21880 | 2-3/4" face x 13 oz |

**Slimline Head Soft Face Dead Blow Hammer**

| Part No. | Description |
|---|---|
| 21885 | 1-1/4" face x 18 oz |
| 21886 | 1-1/2" face x 22 oz |
| 21888 | 1-3/4" face x 26 oz |

**Hatchet**

| Part No. | Description |
|---|---|
| A150-16 | 1-1/2 lbs. Head with wooden handle |

**Axe**

| Part No. | Description |
|---|---|
| A350-36 | 3-1/2 lbs. head with 36 " wooden handle |

**Clay Pick Head**

| Part No. | Description |
|---|---|
| CP6 | 6 lbs. |

**Pick Mattock Head**

| Part No. | Description |
|---|---|
| **PM5** | **5 lbs.** |

**Cutter Mattock Head**

| Part No. | Description |
|---|---|
| CM500 | **5 lbs.** |



**Pick Handles**
- Pre-slit lacquered wood
- With Wedges and hang-up hooks

| Part No. | Description |
|---|---|
| W2538 | 36" wooden |

HandPower

**Ball Pien Hammer Handles**
- Pre-slit lacquered wood
- With Wedges and hang-up hooks

| Part No. | Description |
|---|---|
| W2312 | 12" fits 8 oz hammers |
| W2313 | 12" fits 12 oz hammers |
| W2314 | 14" fits 16-20 oz hammer |
| W2316 | 15" fits 24 oz hammers |
| W2317 | 16" fits 32 oz hammers |
| W2318 | 16" fits 32-40 oz hammer |

**Claw Hammer Handles**
- Pre-slit lacquered wood
- With Wedges and hang-up hooks

| Part No. | Description |
|---|---|
| W2214 | 14" fits 16 oz hammers |
| W2216 | 16" fits 20 oz hammers |
| W2217 | 16" fits 24 oz hammers |

**Sledge Hammer Handles**
- Pre-slit lacquered wood
- With Wedges and hang-up hooks

| Part No. | Description |
|---|---|
| W2428 | 28" fits 4-6 lbs. heads |
| W2432 | 32" fits 6-8 lbs. heads |
| W2437 | 36" fits 10-16 lbs. heads |

**Club (Drilling) Hammer Handles**
- Pre-slit lacquered wood
- With Wedges and hang-up hook

| Part No. | Description |
|---|---|
| W2511 | 10" fits 2-1/2-3 lbs. Head |
| W2414 | 11" fits 4 lbs. Head |

# Punches and Chisels

**Steel Wedges, Bulk Packed**

| Part No. | Description | Pkg |
|---|---|---|
| W3-S | fits 4-16 oz | 50 |
| W5-S | fits 20-48 oz | 50 |
| W6-S | fits 4-20 lbs | 50 |



**Wooden Wedges, Bulk Packed**

| Part No. | Description | Pkg |
|---|---|---|
| W3-W | fits 4-16 oz | 50 |
| W5-W | fits 20-48 oz | 50 |
| W6-W | fits 4-20 lbs | 50 |
| W8-W | fits Axes | 50 |

**Pin Punches - Standard Length**

• For removing pins & keys

| Part No. | Pin Size | Pin Length | O/A Length |
|---|---|---|---|
| PP2 | 1/16" | 1-1/2" | 5-3/4" |
| PP3 | 3/32" | 1-1/2" | 5-3/4" |
| PP4 | 1/8" | 2" | 6-1/4" |
| PP5 | 5/32" | 2" | 6-1/4" |
| PP6 | 3/16" | 2" | 6-1/4" |
| PP7 | 7/32" | 2" | 6-1/4" |
| PP8 | 1/4"" | 2" | 6-1/4" |
| PP10 | 5/16" | 2" | 6-1/4" |
| PP12 | 3/8" | 2" | 6-1/4" |



**Rivet Buster Punch**

• For removing rivet heads

| Part No. | Description |
|---|---|
| 24051 | 3/4" Cut x 9" Length |

**Lining-Up (Drift) Punches**

• For aligning holes in metal
• For facilitating pin, bolt & rivet insertion

| Part No. | Description |
|---|---|
| DP4 | 1/8" tip dia x 8" length |
| DP5 | 5/32" tip dia x 9" length |
| DP6 | 3/16" tip dia x 10" length |
| DP8 | 1/4" tip dia x 12" length |
| DP10 | 5/16" tip dia x 12" length |

HandPower

**Pin Punches - Long Length**

• For removing pins & keys

| Part No. | Pin Size | Pin Length | O/A Length |
|---|---|---|---|
| PPL4 | 1/8" | 3-1/2" | 8" |
| PPL5 | 5/32" | 3-1/2" | 8" |
| PPL6 | 3/16" | 3-1/2" | 8" |
| PPL7 | 7/32" | 3-1/2" | 8" |
| PPL8 | 1/4" | 3-1/2" | 8" |
| PPL10 | 5/16" | 3-1/2" | 8" |
| PPL12 | 3/8" | 3-1/2" | 8" |

**Cold Chisels, Standard Length**

| Part No. | Description |
|---|---|
| C8 | 1/4" cut x 5" length |
| C10 | 5/16" cut x 5" length |
| C12 | 3/8" cut x 5-1/2" length |
| C14 | 7/16" cut x 6" length |
| C16 | 1/2" cut x 6" length |
| C20 | 5/8" cut x 6" length |
| C24 | 3/4" cut x 7" length |
| C28 | 7/8" cut x 8" length |
| C32 | 1" cut x 8" length |
| C36 | 1-1/8" cut x 10" length |
| C38 | 1-1/4" cut x 10" length |

**Cold Chisels, Long Length**

| Part No. | Description |
|---|---|
| CL16 | 1/2" cut x 9" length |
| CL24 | 3/4" cut x 12" length |
| CL32 | 1" cut x 12" length |
| CEL20 | 5/8" cut x 18" length |
| CEL24 | 3/4" cut x 18" length |
| CEL32 | 1" cut x 18" length |



**Center Punches**

| Part No. | Description |
|---|---|
| CP4 | 1/8" point x 4-1/2" |
| CP5 | 5/32" point x 5" |
| CP6 | 3/16" point x 6" |
| CP8 | 1/4" point x 6-1/2" |

# Punches and Chisels

### Prick Punches

- For scribing or punching starting holes

| Part No. | Description |
|---|---|
| PRP10 | 5/16" body x 4-1/2" |
| PRP12 | 3/8" body x 5" |
| PRP14 | 7/16" body x 6" |
| PRP16 | 1/2" body x 6-1/2" |

### Half Round Nose (Gouge) Chisel

- For cutting around grooves in metal

| Part No. | Size | Pin length |
|---|---|---|
| CHR4 | 1/8" | 5-1/2" |
| CHR6 | 3/16" | 6" |
| CHR8 | 1/4" | 6-1/4" |
| CHR10 | 5/16" | 6-1/4" |
| CHR12 | 3/8" | 7" |
| CHR16 | 1/2" | 8" |



### Diamond Point Chisels

- For making V shaped grooves in metal

| Part No. | Size | Pin length |
|---|---|---|
| CPD4 | 1/8" | 5" |
| CPD6 | 3/16" | 5-1/2" |
| CPD8 | 1/4" | 5-3/4" |
| CPD10 | 5/16" | 6" |
| CPD12 | 3/8" | 7" |
| CPD16 | 1/2" | 7" |

### Solid or Starter Punches

- For loosening frozen or tight pins & keys
- For knocking out rivets

| Part No. | Pin Size | O/A Length |
|---|---|---|
| PS2 | 1/16" | 6" |
| PS3 | 3/32" | 6" |
| PS4 | 1/8" | 6" |
| PS5 | 5/32" | 6" |
| PS6 | 3/16" | 6" |
| PS8 | 1/4"" | 6" |
| PS10 | 5/16" | 6" |
| PS12 | 3/8" | 6" |
| PS16 | 1/2" | 6-1/2"" |

HandPower



### Roll Pin or Spring Punch

- For the removal of spring or roll pins

| Part No. | Size | Pin length | O/A Length |
|---|---|---|---|
| RPP2 | 1/16" | 1" | 3-1/2" |
| RPP2.5 | 5/64" | 1-1/2" | 4-1/2" |
| RPP3 | 3/32" | 1-1/2" | 4-1/2" |
| RPP4 | 1/8" | 2-1/2" | 5-1/4" |
| RPP5 | 5/32" | 2-1/2" | 5-1/4" |
| RPP6 | 3/16" | 2-1/2" | 5-1/4" |
| RPP7 | 7/32" | 3" | 5-1/4" |
| RPP8 | 1/4" | 3-1/2" | 6-1/2" |
| RPP10 | 5/16" | 4" | 7" |
| RPP12 | 3/8" | 4" | 7" |
| RPP14 | 7/16" | 4" | 7" |
| RPP16 | 1/2" | 4" | 7" |

### Wad Punches

- Punching holes in rubber, leather or other gasketing

| Part No. | Size | Pkg |
|---|---|---|
| WP6 | 3/16" | 1 |
| WP8 | 1/4" | 1 |
| WP10 | 5/16" | 1 |
| WP12 | 3/8" | 1 |
| WP14 | 7/16" | 1 |
| WP16 | 1/2" | 1 |
| WP18 | 9/16" | 1 |
| WP20 | 5/8" | 1 |
| WP22 | 11/16" | 1 |
| WP24 | 3/4" | 1 |
| WP26 | 13/16" | 1 |
| WP28 | 7/8" | 1 |
| WP30 | 15/16" | 1 |
| WP32 | 1" | 1 |
| WP34 | 1-1/16' | 1 |
| WP36 | 1-1/8" | 1 |
| WP38 | 1-3/16' | 1 |
| WP40 | 1-1/4" | 1 |
| WP42 | 1-5/16' | 1 |
| WP44 | 1-3/8" | 1 |
| WP46 | 1-7/16' | 1 |
| WP48 | 1-1/2" | 1 |

(1-9/16" to 3" are A.O.R.)

### Cape Chisels

- For cutting & grooving keyholes & slots

| Part No. | Size | Pin length |
|---|---|---|
| CC4 | 1/8" | 5-1/2" |
| CC6 | 3/16" | 6" |
| CC8 | 1/4" | 6-1/2" |
| CC10 | 5/16" | 6-1/2" |
| CC12 | 3/8" | 7" |
| CC16 | 1/2" | 8" |

# Wood and Masonry Chisels



**Mason Chisel w/Handguard**
- Cutting, trimming brick, block, mortar

| Part No. | Blade Size | O/A length |
|---|---|---|
| CM72 | 1-1/4" | 9" |

**Flat Brick Chisel w/Handguard**
- Cutting, scoring, trimming brick

| Part No. | Blade Size | O/A length |
|---|---|---|
| FBC36 | 1-1/8" | 12" |



**Brick Bolster Chisel w/Handguard**
- For cutting and scoring brick

| Part No. | Blade Size | O/A length |
|---|---|---|
| BB96 | 3" | 9" |
| BB128 | 4" | 9" |



**Tooth Chisel w/Handguard**
- Cutting, scoring and trimming soft stone

| Part No. | Blade Size | O/A length |
|---|---|---|
| CT72 | 2-1/4" | 9" |

**Bull Point Chisel w/Handguard**
- Bursting concrete and brick work

| Part No. | Body Size | O/A length |
|---|---|---|
| BP24 | 3/4" | 12" |
| BP28 | 7/8" | 12" |
| BPL24 | 3/4" | 18" |
| BPL28 | 7/8" | 18" |



**Plug Chisel w/Handguard**
- For removing old mortar from brick & block

| Part No. | Blade Size | O/A length |
|---|---|---|
| PC8 | 1/4" | 10" |



**Steel Stamps - Numbers / Letters**

| Part No. | Size | Characters |
|---|---|---|
| JET-391104 | 1/8" | Letters A to Z |
| JET-391107 | 3/16" | Letters A to Z |
| JET-391110 | 1/4" | Letters A to Z |
| JET-391103 | 1/8" | Numbers 0 to 9 |
| JET-391106 | 3/16" | Numbers 0 to 9 |
| JET-391109 | 1/4" | Numbers 0 to 11 |

HandPower

HandPower

**Cold Chisel With Handguard**

| Part No. | Size | Length |
|---|---|---|
| 24221 | 3/4" | 7" |
| 24224 | 7/8" | 8" |
| 24227 | 1" | 8" |
| 24230 | 1-1/8" | 10" |
| 24233 | 1-1/4" | 10" |
| 24237 | 5/8" | 12" |
| 24239 | 3/4" | 12" |
| 24242 | 1" | 12" |
| 24243 | 5/8" | 18" |
| 24244 | 3/4" | 18" |
| 24245 | 1" | 18" |

**Wood Chisels**
- Plastic form fitted handle

| Part No. | Blade Size | O/A length |
|---|---|---|
| WC8 | 1/4" | 8-3/8" |
| WC12 | 3/8" | 8-3/8" |
| WC16 | 1/2" | 8-3/8" |
| WC20 | 5/8" | 8-3/8" |
| WC24 | 3/4" | 8-3/8" |
| WC32 | 1" | 8-3/8" |
| WC38 | 1-1/4" | 8-3/8" |
| WC48 | 1-1/2" | 8-3/8" |
| WC64 | 2" | 8-3/8" |



**Wood Chisel Set**

| Part No. | Description |
|---|---|
| 24569 | 3 piece set (1/2" 3/4" 1") |

# Nail Sets, Planes and Scrapers



**Cushion Grip Nail Sets**
- For setting nails into materials
- Colour coded by tip size
- Contains 1/32", 2/32" & 3/32"

| Part No. | Description |
|---|---|
| 58-930 | 3 piece set |

**Self-Centering Nail Sets**
- For setting nails and brads

| Part No. | Description |
|---|---|
| 58-011 | 3-5/32" O/A length |

**7-1/4" Surform® Shaver**
- Works on the pull stroke
- 1-1/4" curved blade

| Part No. | Description |
|---|---|
| 21-115 | Regular cut |
| 21-515 | Replacement blade |

**6" Surform® Pocket Plane**
- 1-5/8" x 5-1/2" blade
- Die-cast alloy body

| Part No. | Description |
|---|---|
| 21-399 | Fine cut |
| 21-398 | Replacement blade |

STANLEY®

**Automatic Center Punch**
- Adjustable depth of impression controls

| Part No. | Description |
|---|---|
| JET-775592 | 5"length |




**Putty Knives**
- With black nylon handle

| Part No. | Size | Blade |
|---|---|---|
| BEN-FLEX114 | 1-1/4" | Flexible |
| BEN-FLEX112 | 1-1/2" | Flexible |
| BEN-FLEX2 | 2" | Flexible |
| BEN-FLEX3 | 3" | Flexible |
| BEN-FLEX4 | 4" | Flexible |
| BEN-FLEX5 | 5" | Flexible |
| BEN-FLEX6 | 6" | Flexible |




**Scrapers**

| Part No. | Size | Blade |
|---|---|---|
| BEN-STIFF114 | 1-1/4" | Stiff |
| BEN-STIFF2 | 2" | Stiff |
| BEN-STIFF3 | 3" | Stiff |

**Chisel Blade Scraper**

| Part No. | Description |
|---|---|
| BEN-CHISEL114 | 1-1/4" stiff blade |

BENNETT



**Taping Knives, Flexible Blade**
- With foam hande

| Part No. | Description |
|---|---|
| BEN-TAPING-8 | 8" blade |
| BEN-TAPING-10 | 10" blade |
| BEN-TAPING-12 | 12" blade |



**5 IN 1 Scraper Tool**

| Part No. | Description |
|---|---|
| BEN-5IN1TOOL | scraper, putty remover, spreader, paint roller cleaner crack cleaner |

**Wood Paint Scraper**

| Part No. | Description |
|---|---|
| BEN-SCRP-1 | 1" x 6" |
| BEN-SCRP-134 | 1-3/4" x 8" |
| BEN-SCRP-212-14 | 2-1/2" x 14" |



**Replacement Blades for Wood Paint Scraper**

| Part No. | Description |
|---|---|
| BULKBLD-1 | 1" blade only |
| BULKBLD-134 | 1-3/4" blade only |
| BULKBLD-212 | 2-1/2" blade only |

# Trowels, Scrapers and Drywall Hawks



**Bent Burnoff Scraper**
•With wood handle

| Part No. | Description |
|---|---|
| BEN-BBS3 | 3" bent blade |



**Finishing Trowel, Wooden Handle**

| Part No. | Description |
|---|---|
| BEN-FTR104 | 10" x 4" blade |



**Pointing Trowels**

| Part No. | Description |
|---|---|
| BEN-PTR-5 | 5" blade |
| BEN-PTR-7 | 7" blade |



**Brick Trowel**

| Part No. | Description |
|---|---|
| BEN-BTR-10 | 10" Blade |



**Cement Trowel**

| Part No. | Description |
|---|---|
| BEN-CTR144 | 14" x 4" blade |

**Margin Trowel**

| Part No. | Description |
|---|---|
| BEN-MT-5-2 | 5" x 2" |



**Brick Jointer**

| Part No. | Description |
|---|---|
| BEN-BJ38-12 | 3/8" x 1/2" |

**Joint Trowels**

| Part No. | Description |
|---|---|
| BEN-JTR6X12 | 6" x 1/2" |
| BEN-JTR6X38 | 6" x 3/8" |



**Gauging Trowel**

| Part No. | Description |
|---|---|
| BEN-GTR-7 | 7" x 3-1/4" |




**Edging Trowels**

| Part No. | Description |
|---|---|
| BEN-ET-CENTER | center groove |
| BEN-ET-CORNER | corner radius |
| BEN-ET-INSIDE | inside corner |
| BEN-ET-OUTSIDE | outside corner |



**Aluminum Drywall Hawk**
•With wooden handle

| Part No. | Description |
|---|---|
| BEN-HAWK-10 | 10' x 10" |



**Corner Trowel**

| Part No. | Description |
|---|---|
| BEN-6200CT | 4" x 5" w/103°pro |

BENNETT

# Wrecking and Utility Bars

**Stanley® FuBar® Utility Bars**
- One piece 4-in-1 tool
- Textured non-slip grip

| Part No. | Description |
|---|---|
| 55-119 | 2.5 lbs, 15" O/A, 1" blade |
| 55-099 | 4 lbs, 18" O/A, 1.5" blade |
| 55-120 | 9 lbs, 30" O/A, 2" blade |

**Super Wonder Bar®**
- Hi-leaverage arched center

| Part No. | Description |
|---|---|
| 55-525 | 15.5" O/A, 1.75" blade |

**Wonder Bars®**

| Part No. | Description |
|---|---|
| 55-515 | 12.75" O/A, 1.75" blade |
| 55-045 | 7.5" O/A, 7/8" blade |

**Steel Ripping Bars**
- Forged 3/4" hex steel shaft
- Slotted claw & beveled ends

| Part No. | Description |
|---|---|
| 55-124 | 24" O/A length |
| 55-130 | 30" O/A length |
| 55-136 | 36" O/A length |

**Offset Pattern Ripping Chisel**
- Forged 3/4" hex steel shaft
- Slotted claw & beveled ends

| Part No. | Description |
|---|---|
| 55-818 | 17" O/A length<br>1" blade width |

**Nail Puller**
- Double end offset claws

| Part No. | Description |
|---|---|
| 55-035 | 11" O/A Length |

STANLEY®

# Screwdrivers



**4-in-1 Pocket Driver**

- (2) Magnetic bits, (4) drives
- Soft bi-material grip,

| Part No. | Description |
|---|---|
| 66-344 | Slots 5/32" and 1/8"<br>Phillips #1 and #2<br>5-1/4" O/A length |

**Stanley® FatMax® Screwdrivers**

- Large diameter, soft grip handles
- Chrome plated blades



**FatMax® Screwdriver sets**

- Large soft grip handles
- Chrome plated blades

| Part No. | Description |
|---|---|
| 62-600 | 7 piece set |
| 62-599 | 15 piece set |

**FatMax® Square Recess**

| Part No. | Description |
|---|---|
| 62-595 | #1(green) x 4" blade |
| 62-593 | #2(red) x 1.75" blade |
| 62-596 | #2(red) x 4" blade |
| 62-597 | #3(black) x 4" blade |



**Precision Screwdriver Set**

- Swivel-head handles
- Soft cushion grip handles
- (4) slot and (2) phillips tips

| Part No. | Description |
|---|---|
| 66-052 | Slots 1.4mm, 2.0mm,<br>2.4mm, 3.0mm and<br>Phillips #0 and #1 |





**FatMax® Ratcheting Screwdriver**

- Holds 6 bits in handle
- Quick release magnetic bit holder
- 3 position ratcheting mechanism

| Part No. | Description |
|---|---|
| 69-189 | with (6) 1" inset bits |

**FatMax® Phillips®**

| Part No. | Description |
|---|---|
| 62-588 | #1 x 3" blade |
| 62-589 | #2 x 1-3/4" blade |
| 62-590 | #2 x 4" blade |
| 62-591 | #2 x 6" blade |







**6" Scratch Awl**

| Part No. | Description |
|---|---|
| 69-122 | Wooden Handle |

**100 Plus® 4" Scratch Awl**

| Part No. | Description |
|---|---|
| 69-006 | Plastic handle |

**FatMax® Slot**

| Part No. | Description |
|---|---|
| 62-577 | 1/4" x 1.75" blade |
| 62-579 | 1/4" x 4" blade |
| 62-581 | 3/16" x 4" blade |
| 62-584 | 5/16" x 6" blade |

Hand Tools

# JET Screwdrivers and Sets

### Square Recess Screwdriver
- Jumbo grooved grip handle
- Black hardened magnetic tips

| Part No. | Blade Size |
|---|---|
| JET-721361 | #1 x 4" |
| JET-721362 | #2 x 5" |
| JET-721363 | #3 x 6" |
| JET-721372 | #2 x 1-1/2" stubby |

### Phillips® Screwdriver, Round Shank
- Jumbo grooved grip handle
- Black hardened magnetic tips

| Part No. | Blade Size |
|---|---|
| JET-720371 | #1 x 3" |
| JET-720372 | #2 x 4" |
| JET-720373 | #3 x 6" |
| JET-720382 | #2 x 1-1/2" stubby |

### Slot Screwdriver, Round Shank
- Jumbo grooved grip handle
- Black hardened magnetic tips

| Part No. | Blade Size |
|---|---|
| JET-720363 | 3/16" x 3" |
| JET-720366 | 3/16" x 6" |

### Slot Screwdriver, Square Shank
- Jumbo grooved grip handle
- Black hardened magnetic tips

| Part No. | Blade Size |
|---|---|
| JET-720354 | 1/4" x 4" |
| JET-720356 | 5/15" x 6" |
| JET-720360 | 3/8" x 10" |
| JET-720362 | 3/8" x 12" |
| JET-720392 | 1/4" x 1-1/2" stubby |

### Screwdriver Set, 6 Pc
- With plastic storage rack

| Part No. | Description |
|---|---|
| JET-720505 | (2) slot<br>(2) Phillips®<br>(2) square recess |

### Screwdriver Set, 13 Pc
- With blow moulded tool tray

| Part No. | Description |
|---|---|
| JET-720574 | (4) slot<br>(3) Phillips®<br>(6) Torx |

### 14 Piece Master Screwdriver Set
- With blow moulded tool tray

| Part No. | Description |
|---|---|
| JET-720507 | (4) slot, square shank<br>(2) slot, round shank<br>(4) Phillips®<br>(4) square Recess |

### Hollow Shank Nut Drivers
- Jumbo grooved grip handle
- 3-1/2" Chrome Vanadium shafts

| Part No. | Description |
|---|---|
| JET-721111 | 3/16" |
| JET-721112 | 1/4" |
| JET-721113 | 5/16" |
| JET-721114 | 11/32" |
| JET-721115 | 3/8" |
| JET-721116 | 7/16" |
| JET-721117 | 1/2" |

### Hollow Shank Nut Driver Set
- Jumbo grooved grip handle
- 3-1/2" Chrome Vanadium shafts

| Part No. | Description |
|---|---|
| JET-721105 | 7 piece set in pouch |

### Precision Screwdriver Set
- Rotating cap - one hand operation
- Supplied with a plastic case

| Part No. | Description |
|---|---|
| JET-720452 | (3) slot<br>(3) Phillips® |

# JET and PicQuic Screwdrivers

**Ratcheting Screwdriver Set**
**38 Piece With Carrying Case**

| Part No. | Description |
|---|---|
| JET-720591 | consisting of..... |
| | 3/16"-1/2" 1/4" Dr. sockets |
| | 5mm-13mm 1/4" Dr. sockets |
| | 19-in-1 Multi-bit screwdriver |

**Torx Screwdriver, Round Shank**
- Jumbo grooved grip handle
- Black hardened magnetic tips

| Part No. | Blade Size |
|---|---|
| JET-720911 | T10 x 4" |
| JET-720917 | T15 x 4" |
| JET-720922 | T20 x 4" |
| JET-720925 | T25 x 4" |
| JET-720929 | T27 x 4" |
| JET-720932 | T30 x 4" |

**Torx Screwdriver Set, 6 Pc**

| Part No. | Description |
|---|---|
| JET-720956 | w/terylene pouch |

**Deburring Tool**
- Large diameter plastic handle
- For left and right cutting
- Cuts steel, stainless steel, aluminum. copper and brass
- Spare blades housed in handle

| Part No. | Description |
|---|---|
| JET-739122 | 6" length |

**Deburring Tool w/Pocket Clip**
- Sleek aluminum body
- For left and right cutting
- Cuts steel, stainless steel, aluminum. copper and brass

| Part No. | Description |
|---|---|
| JET-739116 | 6" length |

**19-In-1 Multi-Bit Screwdriver**
- With 8 double ended bits
- With 3 nut drivers

| Part No. | Description |
|---|---|
| JET-720590 | Bits store in handle |

**PicQuic® SIXPACK Plus™**
**Multibit Screwdriver**
- Uses 3" x 1/4" hex insert bits

| Part No. | Description |
|---|---|
| 88003B | #1,#2, & #3 square recess |
| | #1 & #2 Phillips® |
| | 3/16" & 1/4" slotted |

**PicQuic® STUBBY™**
**Multibit Screwdriver**
- Uses 1" x 1/4" hex insert bits

| Part No. | Description |
|---|---|
| 91000 | #1 & #2 square recess |
| | #1 & #2 Phillips® |
| | 3/16" & 1/4" slotted |

**Pinch Point Crowbar**

| Part No. | Length | Weight |
|---|---|---|
| CP48-12 | 48" | 12 lbs |
| CP54-14 | 54" | 14 lbs. |
| CP60-18 | 60" | 18 lbs. |
| CP62-22 | 62" | 22 lbs. |
| CP66-26 | 66" | 66 lbs. |



**Digging Bar**

| Part No. | Length | Weight |
|---|---|---|
| DB72-16 | 72" | 16 lbs. |

# Vise-Grip™ Pliers



**Vise-Grip® Curved Jaw Locking Plier w/Wire Cutter**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 4WR | 4" | 15/16" |
| 5WR | 5" | 1-1/8" |
| 7WR | 7" | 1-1/2" |
| 10WR | 10" | 1-7/8" |



**Vise-Grip® Long Nose Locking Plier w/Wire Cutter**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 4LN | 4" | 1-1/2" |
| 6LN | 6" | 2" |
| 9LN | 9" | 2-3/4" |



**Vise-Grip® Locking Pinch-Off Tool**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| RR® | 7" | 1/4" |



**Vise-Grip® Curved Jaw Locking Plier**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 5CR | 5" | 1-1/8" |
| 7CR | 7" | 1-1/2" |
| 10CR | 10" | 1-7/8" |



**Vise-Grip® Locking Wrenches**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 4LW | 4" | 9/16" |
| 7LW | 7" | 3/4" |
| 10LW | 10" | 1-1/8" |



**Vise-Grip® Locking Chain Clamp**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 20R | 9" | 18" |



**Vise-Grip® Straight Jaw Locking Plier**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 7R | 7" | 1-5/16" |
| 10R | 10" | 1-3/4" |



**Vise-Grip® Locking Panel Clamp**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 9AC | 9" | 3/8" |



**Vise-Grip® Fast Release Locking C-Clamp w/Regular Tips**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 6R | 6" | 2-1/8" |
| 11R | 11" | 3-3/8" |



**Vise-Grip® Locking Sheet Metal Tool**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 8R | 9" | 3-1/8" |



**Vise-Grip® Large Jaw Locking Plier**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 12LC | 12" | 3-1/8" |

**Locking C-Clamp with Swivel Pads**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 4SP | 4" | 1-5/8" |
| 6SP | 6" | 2-1/8" |
| 11SP | 11" | 3-3/8" |
| 18SP | 18" | 8" |
| 24SP | 24" | 10" |
| 9SP | 9" | 4-1/2" |



**Vise-Grip® Locking Welding Clamp**

| Part No. | Size | Jaw Capacity |
|---|---|---|
| 9R | 9" | 2-3/4" |

IRWIN
VISE-GRIP

# Channellock™ Pliers



**CHANNELLOCK® Ironworkers's 9-1/2" Plier With Curved handle**
- Jaws have serrated gripping tips
- For cutting & twisting rebar wire
- Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-351S | 9-1/2" |



**CHANNELLOCK® WIREMASTER® 9-1/2" Hi-Leaverage Lineman's Round Nose Pliers**
- Rivet set closer for max-leverage
- Knife and anvil style cutter design
- Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-349 | 9-1/2" |



**CHANNELLOCK® Straight Jaw Tongue & Groove Pliers**
- Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustment |
|---|---|---|---|
| CL-424 | 4-1/2" | 1/2" | 3 |
| CL-426 | 6-1/2" | 7/8" | 5 |
| CL-420 | 9-1/2" | 1-1/2" | 5 |
| CL-430 | 10" | 2" | 7 |
| CL-440 | 12" | 2-1/4" | 7 |
| CL-460 | 16-1/2" | 4-1/4" | 8 |



**CHANNELLOCK® V-Jaw Tongue & Groove Pliers**
- More points of contact
- Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustments |
|---|---|---|---|
| CL-412 | 6-1/2" | 1" | 5 |
| CL-422 | 9-1/2" | 1-1/2" | 5 |
| CL-432 | 10" | 2" | 7 |
| CL-442 | 12" | 2-1/4" | 7 |
| CL-463 | 16-1/2" | 4-1/4" | 8 |



**CHANNELLOCK® 9-1/2" Lineman's Hi-leverage Round Nose Pliers**
- Xtreme Leverage Technology
- Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-369 | 9-1/2" |

**CHANNELLOCK® BIGAZZ® Straight Jaw Tongue & Groove Pliers**
- Built for the really big jobs
- Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustment |
|---|---|---|---|
| CL-480 | 20-1/2" | 5-1/2" | 12 |



**CHANNELLOCK® 9-1/2" Lineman's Round Nose Pliers w/Crimping Die**
- Xtreme Leverage Technology XLT™
- Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-369CRFT | 9-1/2" |



**CHANNELLOCK® Smooth Jaw Tongue & Groove Pliers**
- Will not scratch PVC pipes, chrome
- Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustments |
|---|---|---|---|
| CL-415 | 10" | 2" | 7 |



**CHANNELLOCK® Long Nose Pliers**
- Narrow profile with cutter
- Crosshatched teeth pattern
- Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-326 | 6" |
| CL-317 | 7" |
| CL-318 | 8" |

CHANNELLOCK®

# Channellock™ Pliers



**CHANNELLOCK® Diagonal Pliers**
**Straight Jaw, Box Joint Design**
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-435 | 5" |
| CL-436 | 6" |
| CL-437 | 7" |



**CHANNELLOCK® Diagonal Pliers**
**With Hi-leverage Curved Head**
•Lap Joint design
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-447 | 8" |
| CL-449 | 9" |



**CHANNELLOCK® Welder's Plier**
**Groove Nose Design**
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-360 | 9" |



**CHANNELLOCK® Bent**
**Long Nose Pliers**
•Crosshatched teeth pattern
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-386 | 6" |
| CL-E388 | 8" w/cutter |

**CHANNELLOCK® End Cutting Plier**
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-358 | 8" |



**CHANNELLOCK® NUTBUSTER®**
**Tongue & Groove Pliers**
•Parrot nose provides xtra strength
•Serves as a battery terminal plier
•Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustments |
|---|---|---|---|
| CL-410 | 9-1/2" | 1-1/4" | 4 |
| CL-414 | 13-1/2" | 2" | 6 |



**CHANNELLOCK® GRIPLOCK®**
**Tongue & Groove Pliers**
•Hi-leverage, offset head,
•Ergonomically designed
•Channellock Blue® Comfort Grips

| Part No. | Length | Jaw | Adjustments |
|---|---|---|---|
| CL-GL10 | 9-1/2" | 1-1/4" | 5 |
| CL-GL12 | 12-1/2" | 2-1/4" | 6 |

CHANNELLOCK®



**CHANNELLOCK® Fence Tool**
•Channellock Blue® Comfort Grips

| Part No. | Description |
|---|---|
| CL-85 | 10-1/2" w/staple starter, staple puller, hammer, wire stretcher, (2)cutters and wire splicers |



**CHANNELLOCK® Slip Joint Pliers**
•Crosshatched teeth pattern
•Channellock Blue® Comfort Grips

| Part No. | Length |
|---|---|
| CL-546 | 7" w/cutter |
| CL-548 | 8" w/cutter |
| CL-5410 | 10" w/cutter |



**CHANNELLOCK® Convertible**
**Retaining Ring Pliers**
**(from Internal to External)**
•With a simple switch of the tab
•(5) pairs of interchangable tips
•With built-in return spring
•Channellock Blue® Comfort Grips

| Part No. | Length | Description |
|---|---|---|
| CL-926 | 6-1/4" | 1/8" - 1" external<br>1/4" - 1" internal |
| CL-927 | 8" | 1/4" - 2" external<br>3/8" - 2" internal |

# Pliers



**Stanley®**
**Bi-Material Series Pliers**
- Slip resistant handle grips
- Drop-forged steel construction



| Slip Joint Pliers | |
|---|---|
| Part No. | Description |
| 84-055 | 6", (2) positions |
| 84-026 | 8", (2) positions |



**Plier Set**
**Bi-Material Handles**

| Part No. | Description |
|---|---|
| 84-058V | 4 piece bi-material set consisting of...<br>8" slip joint plier<br>7" diagonal plier<br>8" long nose plier<br>8" lineman plier |

| Groove Joint Pliers | |
|---|---|
| Part No. | Description |
| 84-034 | 8", (6) positions |
| 84-024 | 10", (7) positions |



| Long Nose Pliers | |
|---|---|
| Part No. | Description |
| 84-031W | 6" w/cutters |
| 84-032 | 8" w/cutters |

**FatMax® Push-Lock™**
**Adjustable Joint Pliers**
- Adjustment in (17) positions

| Part No. | Description |
|---|---|
| 84-648 | 10", 2-3/8" capacity |
| 84-649 | 12", 2-3/4" capacity |

| Diagonal Pliers | |
|---|---|
| Part No. | Description |
| 84-028 | 7" fixed joint |

| Lineman Pliers | |
|---|---|
| Part No. | Description |
| 84-029 | 8" w/wire cutters |

STANLEY®

**Staple Gun/Brad Nailer**
- Aircraft aluminum housing
- Uses Stanley® TRA700 staples
- Uses Arrow® T50® staples

Uses Stanley® SWKBN brads

| Part No. | Description |
|---|---|
| TR250 | Gray/Black colour |




**FatMax® Xtreme®**
**Heavy Duty Aviation Snips**
- Titanium coated serrated jaws

| Part No. | Cutting Direction | Colour |
|---|---|---|
| 14-206 | Straight, | Yellow |
| 14-207 | Left | Red |
| 14-208 | Right | Green |

**FatMax® Compound Action**
**Long Aviation Snips**
- Extended cutting blade

| Part No. | Cutting Direction | Colour |
|---|---|---|
| 14-566 | Straight | Yellow |

**Swivel Head Riveter**
- Sets steel & aluminum rivets
- 1/8, 3/32, 5/32 & 3/16" rivets

| Part No. | Description |
|---|---|
| MR77C | Yellow/Black colour |




**Medium-Duty Riveter**
- Spring loaded handle
- Sets steel & aluminum rivets
- 1/8, 3/32, 5/32 & 3/16" rivets

| Part No. | Description |
|---|---|
| MR33C | slim nose design |



**Bolt Cutter**
- With non-slip rubber grips

| Part No. | Description |
|---|---|
| 14-376 | 18", cuts up to 1/4" steel |

**12-in-1 Multi-Tool**
- Stainless steel construction

| Part No. | Description |
|---|---|
| 84-519K | 6-1/2" length |

STANLEY®

# WISS® Snips & Shears



**WISS® Pipe & Duct**
**Pipe & Duct Cutting Snips**
- Cuts ducts, seams,
- Vinyl tiles/plastic laminates
- Textured non-slip grips

| Part No. | Description |
|---|---|
| APX-M4R | 20 ga sheet metal |

**WISS®Aviation Snips**
**for 18 Guage Stainless Steel**
- Textured non-slip grips
- Non-slip serrated jaws

| Part No. | Cuts |
|---|---|
| APX-M1RS1 | left & straight |
| APX-M2RS1 | right & straight |

**Aviation Snips**
**For 18 Guage Steel**
- Textured non-slip grips
- Non-slip serrated jaws

| Part No. | Cuts | Colour |
|---|---|---|
| APX-M3R | straight | yellow |
| APX-M2R | right | green |
| APX-M1R | left | red |



**WISS® Bulldog**
**Aviation Snips (Heavy Stock)**
- For notching & trimming
- Textured non-slip grips
- Non-slip serrated jaws

| Part No. | Capacity | Colour |
|---|---|---|
| APX-M5R | 16 guage | red |



**WISS®Long Cut Aviation Snips**
- 3" blade cuts up to 20 guage
- Textured non-slip grips

| Part No. | Description |
|---|---|
| APX-M300 | compound action |



**Offset Aviation Snips**
**For 18 Guage Steel**
- Textured non-slip grips
- Non-slip serrated jaws

| Part No. | Cuts | Colour |
|---|---|---|
| APX-M6R | left & straight | red |
| APX-M7R | right & straight | green |

TEST PROVEN LONGEST LIFE SPRING

**Repair Springs for Aviation Snips**
- Sold in packages of 10 springs

| Part No. | Description |
|---|---|
| APX-P406 | fits M1R, M3R, M5R, M6R, M8R, 10R |
| APX-P407 | fits M2R, M7R, M9R |

WISS®



**WISS® Verticle Action Snips**
**Cuts 22 Guage Steel**
- Textured non-slip grips
- Non-slip verticle offset blades

| Part No. | Cuts | Colour |
|---|---|---|
| APX-M8R | cuts left | red |
| APX-M9R | cuts right | green |

**Industrial Shears**
- High leverage design
- 5" rounded, nickel plated blades
- Red cushion grip handles

| Part No. | Description |
|---|---|
| APX-W1225HLSP | 10-3/8" length |

# WISS® Snips & Sheet Metal Tools

**WISS® Straight Pattern Tinner's Snips**
- Cuts straight and wide curves
- Cushion grip handle

| Part No. | Length | Capacity |
|---|---|---|
| APX-A13N | 7" | 24 guage |
| APX-A12N | 8-1/4" | 24 guage |
| APX-A11N | 9-3/4" | 24 guage |
| APX-A10N | 11" | 22 guage |

**WISS® Duckbill Combination Pattern Snips**
- Cuts straight, right, left
- Cushion grip handle

| Part No. | Length | Capacity |
|---|---|---|
| APX-V10N | 10-1/4" | 24 guage |
| APX-V19N | 13" | 22 guage |

**WISS® 3 - Blade Crimper**
- Crimps male fitting end

| Part No. | Length | Throat |
|---|---|---|
| APX-WC3S | 9-3/4" | 1-1/4" |

**WISS® Straight Pattern Snips**
- Cuts straight and wide curves
- Cushion grip handle

| Part No. | Length | Capacity |
|---|---|---|
| APX-W7N | 14-1/2" | 18 guage |

**WISS® Offset Bent Pattern Snips**
- Offset blades keep hands clear of metal

| Part No. | Length | Capacity |
|---|---|---|
| APX-W7BWN | 14-1/4" | 18 guage |

**WISS® 5 - Blade Crimper**
- Crimps male fitting end
- Crimps up to 22 guage steel

| Part No. | Length | Throat |
|---|---|---|
| APX-WC5S | 9-3/4" | 1-1/4" |
| APX-WC5L | 10" | 1-5/8" |

**WISS® Bulldog Pattern Heavy Duty Snips**
- Notching, nibbling, chopping

| Part No. | Length | Capacity |
|---|---|---|
| APX-W5N | 16-1/2" | 16 guage |

**WISS® Aluminum Handle Snips**
- Head design reduces cutting effort
- For making cuts in tight places

| Part No. | Length | Blade |
|---|---|---|
| APX-W12L | 12" | 3" |
| APX-W14L | 14" | 3-1/4" |
| APX-W12LRB | blade for W12L | |
| APX-W14LRB | blade for W14L | |



**WISS® Hand Notcher**
- Cuts 30° V-Shape cut in steel

| Part No. | Length | Throat |
|---|---|---|
| APX-WHN1 | 8-3/4" | 13/16" |

# Adjustable Wrenches



**WISS® Hand Seamer**
- Bend and flatten sheet metal
- 1/4" depth markings on jaw

| Part No. | Jaw | Capacity |
|---|---|---|
| APX-WS3 | 3-1/4" | 1/4" - 1-1/4" |



**Offset Hand Seamers**
- Bend and flatten sheet metal
- 1/4" depth markings on jaw

| Part No. | Jaw | Capacity |
|---|---|---|
| APX-WS4 | 3-1/4" | 1/4" - 1-1/4" |
| APX-WS6 | 6" | 1/4" - 1-1/4" |

**WISS® Folding Tools For Sheet Metal**
- For folding channels and making uniform bends in sheet metal

| Part No. | Length | Folding |
|---|---|---|
| APX-WF12 | 12" | 3/8" and 1" |
| APX-WF18 | 18" | 3/8" and 1" |
| APX-WF24 | 24" | 3/8" and 1" |

WISS®



**Crescent® Adjustable Wrench Black Oxide Non-Slip Grip**

| Part No. | Length | Capacity |
|---|---|---|
| APX-AT14 | 4" | .500" |
| APX-AT16 | 6" | .938" |
| APX-AT18 | 8" | 1.125" |
| APX-AT110 | 10" | 1.313" |
| APX-AT112 | 12" | 1.500" |

**Crescent® Adjustable Wrench Black Oxide Non-Slip Tapered Two-Hand Grip**
- Polished head, satin finish handle

| Part No. | Length | Jaw Capacity |
|---|---|---|
| APX-AT115 | 15" | 1.688" |
| APX-AT118 | 18" | 2.063" |

**Jet Adjustable Wrenches**
- Forged chrome vanadium steel

| Part No. | Length | Capacity |
|---|---|---|
| JET-711111 | 4" | 5/8" |
| JET-711112 | 6" | 3/4" |
| JET-711113 | 8" | 1" |
| JET-711114 | 10" | 1-1/4" |
| JET-711115 | 12" | 1-1/2" |
| JET-711116 | 15" | 1-7/8" |
| JET-711137 | 18" | 2-3/8" |
| JET-711139 | 24" | 2-1/2" |




**Crescent® Adjustable Wrench**
- Polished head, satin finish handle

| Part No. | Length | Jaw Capacity |
|---|---|---|
| APX-AC14 | 4" | .500" |
| APX-AC16 | 6" | .938" |
| APX-AC18 | 8" | 1.125" |
| APX-AC110 | 10" | 1.313" |
| APX-AC112 | 12" | 1.500" |




**Crescent® Adjustable Wrench Tapered Two-Hand Grip**
- Polished head, satin finish handle

| Part No. | Length | Jaw Capacity |
|---|---|---|
| APX-AC115 | 15" | 1.688" |
| APX-AC118 | 18" | 2.063" |
| APX-AC124 | 24" | 2.438" |



**Crescent® Construction Wrench Black Oxide Non-Slip Grip**

| Part No. | Length |
|---|---|
| APX-AT115SPUD | 16" |

CRESCENT BRAND

# Inspection Mirrors, Pick-Up Tools

**Internal Snap Ring Pliers**
- Remove/install snap rings
- handles 3/8" to 1-1/4" diameter

| Part No. | Description |
|---|---|
| APX-445 | w/(5) pairs of points |

**External Snap Ring Pliers**
- Remove/install snap rings
- From 1/4" to 1-7/16" diameter

| Part No. | Description |
|---|---|
| APX-446D | w/(5) pairs of points |

**Snap Ring Plier Point Sets**
- For 445 and 446D

| Part No. | Description |
|---|---|
| APX-447 | (5) assorted pairs |
| APX-448DD | (9) assorted pairs |

**Combination**
Snap Ring Pliers
**For Internal &**
External Rings
- Tips spread up to 1-1/4"

| Part No. | Description |
|---|---|
| APX-1715D | 0.070" Tip Dia |

GEARWRENCH

**Telescopic Inspection Mirror**
**With 2-1/4" Round Face**
- Swivel mirror for viewing 360°

| Part No. | Description |
|---|---|
| JET-H1105 | 9-1/2" to 14" |

**Telescopic Inspection Mirror**
**With 1" x 2" Oval Face**
**And Pocket Clip**

| Part No. | Description |
|---|---|
| JET-H1230 | 9-1/2" to 14" |



**Telescopic Inspection Mirror**
**With Large Rectangular Face**
- Adjusts to almost any angle
- Easy grip vinyl coated handle

| Part No. | Description |
|---|---|
| JET-H3103 | 11" to 15-1/2" |



**Mechanic's 4-In-1 Pick Set**
- One master handle w/4 picks

| Part No. | Description |
|---|---|
| JET-H1244 | with storage pouch |



**Flexible Pick-Up Tool**
- Easily bends in any direction
- Mechanical gripping fingers

| Part No. | Description |
|---|---|
| JET-H1080 | 15" reach |



**Flexible Magnetic Pick-Up Tool**
- Flexible shaft will hold its set
- 5/16" dia. X 21" long

| Part No. | Description |
|---|---|
| JET-H1229 | lifts up to 5.5 lbs. |

JET™



**Adjustable Telescoping**
**Pocket Magnet**
**Extendes up to 23"**
- Convenient pocket clip

| Part No. | Description |
|---|---|
| JET-H1386 | lifts up to 3.5 lbs. |

JET™

# JET Calipers & Micrometers

**Telescoping Flex Head Magnet**
**Bright plated with plastic handle**
- Shaft telescopes from 16-3/4" to 26-3/4"

| Part No. | Description |
|---|---|
| JET-H1122 | lifts up to 5 lbs. |

**Pocket Slide Caliper**
- One side 32nds, other side mm

| Part No. | Description |
|---|---|
| APX-2527D | 4" stainless steel |

**Scriber**

| Part No. | Description |
|---|---|
| APX-2979 | 8" w/90° hook and sharp point |

**Pocket Stainless Steel Rule**
- One side 32nds, other side mm

| Part No. | Description |
|---|---|
| APX-2522D | 6" flexible blade |

GEARWRENCH



**Vernier Calipers**
- 0.001" Increments
- Measure inside,outside,depth,step
- Fine adjustment thumb wheel
- Comes with plastic storage case

| Part No. | Range |
|---|---|
| JET-310122 | 0 - 6"(150mm) |

JET




**Outside Micrometers**

| Part No. | Range | Increments |
|---|---|---|
| JET-319211 | 0 - 1" | 0.001" |
| JET-319212 | 1" - 2" | 0.001" |
| JET-319213 | 2" - 3" | 0.001" |



**Depth Micrometer**
**0 to 6" range**
- Ratcheting Friction Stop
- Base width of 4"
- Comes with plastic storage case

| Part No. | Increments |
|---|---|
| JET-310223 | 0.001" |



**LCD Digital Calipers ( 0 to 6")**
Displays metric, SAE, fractional
- Measures inside, outside, depth
- Fine adjustment thumb wheel
- Comes with plastic storage case
- Extra large LCD screen

| Part No. | Increments |
|---|---|
| JET-310133 | 0.0005"/0.01mm/1/64" |

**LCD Digital Calipers**
- 0.0005"/0.01mm Increments
- Measure inside,outside,depth,step
- Fine adjustment thumb wheel
- Comes with plastic storage case
- Extra large LCD screen

| Part No. | Range |
|---|---|
| JET-310131 | 0 - 6"(150mm) |
| JET-310132 | 0 - 8"(200mm) |
| JET-310136 | 0 - 12"(300mm) |




**LCD Digital Outside Micrometer**
**0 to 1" range**
- Five button control panel
- Comes with plastic storage case
- Extra large LCD screen

| Part No. | Increments |
|---|---|
| JET-310206 | 0.00005"/0.001mm |

JET

# Electrician's Hand Tools

Wiss®

**Tuff-Tote™ Tool Pouches**
- Eight Pockets
- Exclusive leather grab handle
- Removeable shoulder strap
- Tunnel belt loop

| Part No. | Description |
|---|---|
| 35-950 | premium leather |
| 35-950BLK | premium black leather |
| 35-311 | standard leather |

**Tuff-Tote™ Ultimate Tool Carrier**
- Multiple screwdriver & tool loops
- Reinforced, moisture resistant
- Keeps tools standing upright
- Exclusive leather grab handle
- Removeable shoulder strap

| Part No. | Description |
|---|---|
| 35-975 | premium leather |
| 35-975BLK | premium black leather |
| 35-325 | standard leather |

IDEAL®



**Electrician's Tool Pouch**
- Full length belt tunnel
- Chain tape lanyard

| Part No. | Description |
|---|---|
| 10-466 | 6 pockets |

**Adjustable Shoulder Straps**
With 2" wide shoulder pad

| Part No. | Description |
|---|---|
| 35-965 | premium leather |
| 35-965BLK | premium black leather |
| 35-338 | standard leather |

**Tool Belts**

| Part No. | Description |
|---|---|
| 35-995 | 2" x 48" leather |
| 35-995BLK | 2" x 48" black leather |
| 35-316 | 1-3/4" x 46" leather |
| 10-398 | web belt |



**Heavy Duty Cloth Apron**
- With tying strings

| Part No. | Description |
|---|---|
| APRON | with two pockets |



**Electrician's Scissors**
- Double stripping notch #19 and #23 guage wire
- Serrated along bottom blade
- Scraper/file on back side of edge
- 1-3/4" nickle plated blades

| Part No. | Description |
|---|---|
| APX-175E5V | 10-3/8" length |

**Six In-One Tapping Tool**

| Part No. | Description |
|---|---|
| 35-922 | 6/32,8/32,10/32 10/24,12/24,1/4-20 |

**Triple Tap Tool**

| Part No. | Description |
|---|---|
| 35-412 | 6/32,8/32,10/32 |

**Triple Tap Replacement Blades**

| Part No. | Tap Sizes |
|---|---|
| 35-421 | 10/24, 8/32, 6/32 |
| 35-422 | 10/32, 8/32, 6/32 |
| 35-423 | 10/24, 12/24, 1/4-20 |

# Electrician's Hand Tools



BENNETT

**Roofing Knife**

| Part No. | Description |
|---|---|
| BEN-WHROOFKV | wooden handle |



**Linoleum Knife**

| Part No. | Description |
|---|---|
| BEN-LINOKNIFE | wooden handle |

**Electrician's Knife**

| Part No. | Description |
|---|---|
| 35-285 | 2-1/4" spearpoint and screwdriver blade |

**Electrician's Hawkbill Knife**

| Part No. | Description |
|---|---|
| 35-286 | 2-1/4" curved blade |

IDEAL®

**KLEIN® Nut Driver Set**
•Full hollow shafts

| Part No. | Description |
|---|---|
| KLN-631 | 7 Pc set |



**KLEIN® Pulling**

**KLEIN® Construction Tools**

**KLEIN® Screwdrivers**

**KLEIN® Buckets & Bags**

KLEIN TOOLS, INC.

A wide variety of KLEIN® Tools A.O.R.

**KLEIN® Hi-Leverage Side-Cutting Pliers**
•Plastic dipped handles

| Part No. | Description |
|---|---|
| D213-9NE | 9-3/8" length |



**KLEIN® Long-Nose Side-Cutting Pliers**
•Plastic dipped handles

| Part No. | Description |
|---|---|
| D203-8 | 8-7/16" length |

**KLEIN® Angled Head Hi-Leverage Design Diagonal-Cutting Pliers**
•Plastic dipped handles

| Part No. | Description |
|---|---|
| D248-8 | 8-1/16" length |

**KLEIN® Hi-Leverage Diagonal-Cutting Pliers**
•Plastic dipped handles

| Part No. | Description |
|---|---|
| D228-8 | 8-1/16" length |

# Metal Working C-Clamps

**C-Clamps, Regular Throat**
**Heavy Duty Industrial**
- With heavy duty swivel pads
- Black oxide screw resists welding spatter

| Part No. | Max Opening | Throat Depth | Clamping Pressure lbs. |
|---|---|---|---|
| JET-390102 | 2-3/16" | 1" | 3,300 |
| JET-390103 | 2-5/8" | 1-1/2" | 4,350 |
| JET-390104 | 4" | 1-3/4" | 5,300 |
| JET-390105 | 4-5/8" | 2-1/16" | 5,900 |
| JET-390106 | 6-1/4" | 2-1/2" | 7,650 |
| JET-390108 | 7-1/2" | 3-1/4" | 8,850 |
| JET-390110 | 9-1/2" | 4-1/4" | 9,000 |
| JET-390112 | 11-9/16" | 4-1/2" | 13,000 |



**C-Clamps, Deep Throat**
**Heavy Duty Industrial**
- With heavy duty swivel pads
- Black oxide screw resists spatter

| Part No. | Max Opening | Throat Depth | Clamping Pressure lbs. |
|---|---|---|---|
| JET-390122 | 2-1/8" | 2-1/4" | 3500 |
| JET-390123 | 3" | 2-1/2" | 3500 |
| JET-390124 | 4-1/4" | 3-1/4" | 6200 |
| JET-390125 | 6-1/16" | 4-1/8" | 6600 |
| JET-390126 | 8-1/4" | 5" | 6900 |
| JET-390127 | 10-1/8" | 6" | 8000 |
| JET-390129 | 12-1/4" | 6-5/16" | 9300 |

**C-Clamp, Junior Series**
**Light Duty Applications**
- Powder coated frame, zinc plated screw
- With swivel pads

| Part No. | Max Opening | Throat Depth | Clamping Pressure lbs. |
|---|---|---|---|
| JET-390151 | 1" | 1" | 500 |
| JET-390153 | 1-1/2" | 1-1/2" | 850 |
| JET-390155 | 2" | 1-1/4" | 875 |
| JET-390157 | 3" | 1-3/8" | 850 |

**C-Clamps, Regular Throat**
**Medium Duty Applications**
- With swivel pads
- Black oxide screw resists welding spatter

| Part No. | Max Opening | Throat Depth | Clamping Pressure lbs. |
|---|---|---|---|
| JET-390142 | 4" | 2-11/32" | 2,640 |
| JET-390143 | 6" | 3" | 2,860 |
| JET-390144 | 8" | 3-1/8" | 2,640 |
| JET-390145 | 10" | 3-1/2" | 2,530 |
| JET-390146 | 12" | 4" | 2,530 |

JET™



**L-Clamps, Regular Throat**
**Heavy Duty Applications**
- High volume production work
- Nickle-chrome plated rails
- Extra deep throats
- With swivel pads
- 1-3/16" x 9/16" Rail Size
- 2,640 lbs clamping pressure

| Part No. | Max Opening | Throat Depth |
|---|---|---|
| JET-390202 | 6" | 4-3/4" |
| JET-390204 | 8" | 4-3/4" |
| JET-390206 | 10" | 4-3/4" |
| JET-390208 | 12" | 5-1/2" |
| JET-390210 | 16" | 4-3/4" |
| JET-390212 | 20" | 4-3/4" |



**L-Clamps, Deep Throat**
**Heavy Duty Industrial Applications**
- With heavy duty swivel pads
- Black oxide screw resists spatter
- Pads tilt to 35%
- 1-3/16" x 9/16" Rail Size
- 2,640 lbs clamping pressure

| Part No. | Opening | Throat Depth |
|---|---|---|
| JET-390224 | 8" | 5-1/2" |
| JET-390226 | 10" | 5-1/2" |
| JET-390228 | 12" | 5-1/2" |
| JET-390230 | 16" | 5-1/2" |
| JET-390232 | 20" | 5-1/2" |
| JET-390233 | 24" | 5-1/2" |

# Clamps, Vises, Bolt Cutters



## Nylon Woodworking Clamps

- Rust proof reinforced nylon
- Tilting pads adapt to various shapes
- Spring loaded design

| Part No. | Opening | Length |
|---|---|---|
| JET-390452 | 1" | 4" |
| JET-390453 | 2" | 6" |



## Steel Woodworking Clamps

- Nickel plated, spring loaded design
- Vinyl coated tips and handles

| Part No. | Opening | Length |
|---|---|---|
| JET-390457 | 1" | 4" |
| JET-390458 | 2" | 6" |



## L-Clamps, Deep Throat Super Heavy Duty Industrial Applications

- With heavy duty swivel pads
- Black oxide screw resists spatter
- 1-9/16" x 3/4" Rail Size
- 4,840 lbs clamping pressure

| Part No. | Opening | Throat Depth |
|---|---|---|
| JET-390248 | 12" | 6-3/4" |
| JET-390250 | 16" | 6-3/4" |
| JET-390252 | 20" | 6-3/4" |
| JET-390254 | 24" | 6-3/4" |



## Drill Press Vise

| Part No. | Jaw width | Max Opening | Pipe Capacity |
|---|---|---|---|
| JET-321124 | 4" | 3-1/2" | 1-3/16" |



## Pipe Clamps

- Uses standard 3/4" pipe

| Part No. | Description |
|---|---|
| JET-390482 | non-marring pads |



## Bolt Cutters

- Cuts medium grade bolts, rods, rivets, bar and lock-up chain

| Part No. | Size | Cutting Capacity Soft | Cutting Capacity Medium |
|---|---|---|---|
| JET-731112 | 12" | 3/16" | 5/32" |
| JET-731114 | 14" | 1/4" | 3/16" |
| JET-731118 | 18" | 5/16" | 1/4" |
| JET-731124 | 24" | 3/8" | 5/16" |
| JET-731130 | 30" | 1/2" | 5/16" |
| JET-731136 | 36" | 5/8" | 3/8" |
| JET-731142 | 42" | 3/4" | 7/16" |

JET™



## Vise With 360° Swivel Base

- With replaceable steel jaws
- Built-in pipe jaws

| Part No. | Jaw width | Max Opening | Pipe Capacity |
|---|---|---|---|
| JET-320151 | 4" | 4" | 1-1/2" |
| JET-320152 | 5" | 5" | 2" |
| JET-320153 | 6" | 6" | 2-1/2" |
| JET-320154 | 8" | 8" | 3-1/2" |



## Feeler Guage Set 22 Blade Go-No-Go Style

- 3" x 1/2" Blade Sizes

| Part No. | Description |
|---|---|
| JET-H3105 | .004-.006 to .025-.027 |

## 1/2" Drive Impact Driver Kit

- Drives 1/2" drive impact sockets
- Drives 5/16" shank screwdriver bits

| Part No. | Description |
|---|---|
| JET-720702 | 5/16" & 3/8" slot and #2 & #3 Phillips® |

# DELTA® Tool Chests, JET® Boxes

**Delta® Heavy-Duty Chests**

| Part No. | Description |
|---|---|
| APX-635990 | 36"L x 22"H x 19-1/2"W |
| APX-636990 | 42"L x 23-1/2"H x 20"W |
| APX-637990 | 48"L x 27-1/2"H x 24"W |
| APX-638990 | 60"L x 27-1/2"H x 24"W |

**Delta® Heavy-Duty Slope Lid Chest**

| Part No. | Description |
|---|---|
| APX-649990 | 60"L x 39-1/2"H x 30"W |

**Metal Tool boxes**

| Part No. | Width | Depth | Height |
|---|---|---|---|
| JET-842104 | 21" | 8-3/4" | 9" |
| JET-842105 | 26" | 8-3/4" | 9" |



**Delta Removable Trays**

- With built-in handles

| Part No. | Description |
|---|---|
| APX-620990 | fits 635990 |
| APX-628990 | fits 636990 |
| APX-626990 | fits 637990 and 638990 |



**Cantilever Metal Tool Box**

With Socket Trays

| Part No. | Width | Depth | Height |
|---|---|---|---|
| JET-842134 | 21-1/4 | 8-3/4" | 12" |

**Delta® Heavy-Duty Piano Box**

| Part No. | Description |
|---|---|
| APX-640990 | 60"L x 49-7/8"H x 30-1/2"W |

**Delta® Caster Sets**

- Set of (2)swivel & (2)fixed casters

| Part No. | Size |
|---|---|
| APX-1-320990 | 4" |
| APX-1-321990 | 6" |
| APX-1-324990 | 8" |



**3 Drawer Metal Tool Box**

| Part No. | Width | Depth | Height |
|---|---|---|---|
| JET-842124 | 21" | 8-3/4" | 12" |

JOBOX
PREMIUM STORAGE SOLUTIONS

JET™

# ToughSystem® Tool Boxes



**Dewalt® ToughSystem® DS150**
**Small Structural Foam Case**
•Lockable with Integrated water seal

| Part No. | Description |
|---|---|
| DWST08201 | 21"L X 6"H X 13"W |

**Dewalt® ToughSystem® DS300**
**Large Structural Foam Case**
•Lockable with Integrated water seal

| Part No. | Description |
|---|---|
| DWST08203 | 21"L X 12"H X 13"W |

**Dewalt® ToughSystem® DS400**
**X-Large Structural Foam Case**
•Lockable with Integrated water seal

| Part No. | Description |
|---|---|
| DWST08204 | 21"L X 15"H X 14"W |

DEWALT®



**Dewalt® ToughSystem® DS400**
**DS ToughSystem® Box Carrier**
•With adjustable foldable brackets

| Part No. | Description |
|---|---|
| DWST08210 | 26"L x 37"H x 9"W |

STANLEY®

# TSTAK® Organizers



**Dewalt® TSTAK® Organizers**
**A Modular Stackable System**

- All units stack on top of the other
- Removable cups and dividers
- Ball bearing Slides
- Bi-Material handle on each unit
- Rust resistant metal latches
- All units are lockable

**Dewalt® Single Deep Drawer**

| Part No. | Description |
|---|---|
| STAN-DWST17803 | 17.25"L x 12.25"H x 6.8"W TSTAK®III |



**Dewalt® Double Shallow Drawers**

| Part No. | Description |
|---|---|
| STAN-DWST17804 | 17.25"L x 12.25"H x 6.8"W TSTAK®IV |

**Dewalt® TSTAK® System Cart**

| Part No. | Description |
|---|---|
| STAN-DWST17889 | 18.9"L x 7"L x 17"W |

DEWALT



**Dewalt® Flat Top Box**

| Part No. | Description |
|---|---|
| STAN-DWST17807 | 17.25"L x 13"H x 6.3"W TSTAK®I |



**Dewalt® Long Handle Box**

| Part No. | Description |
|---|---|
| STAN-DWST17808 | 17.3"L x 13"H x 7.3"W TSTAK®II |

STANLEY®

# Tool Boxes & Organizers



**Stanley® SortMaster™ Organizer**
- Removable Dividers

| Part No. | Description |
|---|---|
| 014026R | 17"L x 13"W x3.25"H |



**Stanley® Professional Organizer**
- Break resistant clear lid
- (25) compartments

| Part No. | Description |
|---|---|
| 014725R | 16"L x 13"W x 2"H |

**Stanley® 2000 Series Tool Box With Tray**
- (2) lid organizers & tote tray
- Built-in padlock eye
- (2) nickel plated latches

| Part No. | Description |
|---|---|
| 019151M | 4.7 GAL capacity 19" L x 10 "W x 9-1/2" H |

**Stanley® Rolling Tool Box**
- Unique removable organizer
- V-Groove on top for sawing
- Lockable with 7" wheels
- Telescoping Metal Handle w/grip

| Part No. | Description |
|---|---|
| 033026R | 24"Lx14.75"Wx16.5"H |



**Stanley® FatMax® Structural Foam Tool Box**
- With water resistant seal
- V-Groove with ruler on top
- Lift out tool tray

| Part No. | Description |
|---|---|
| 028001L | 9.2 GAL capacity 27" L x 12-1/2" W x 11-1/4" H |

STANLEY®

# 3/8" Ratchets & Drive Tools



## Full Polish Offset Flex Teardrop Ratchet 3/8" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81214 | Full Polish Offset Flex Teardrop Ratchet | 11" | 0.900 |

- **60 tooth low profile ratchet**



## Quick-Release Flex Teardrop Ratchet 3/8" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81219 | Quick-Release Flex Teardrop Ratchet | 10.3" | 0.600 |

- **45 tooth standard ratchet**



## Quick-Release Teardrop Ratchet 3/8" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81218 | Quick-Release Teardrop Ratchet | 7.87" | 0.550 |

- **45 tooth standard ratchet**




## Full Polish Teardrop Ratchet 3/8" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81211 | Full Polish Teardrop Ratchet | 8.39" | 0.680 |

- **60 tooth low profile ratchet**




## Full Polish Flex Teardrop Ratchet 3/8" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81215 | Full Polish Flex Teardrop Ratchet | 13.01" | 0.850 |

- **60 tooth low profile ratchet**



## Full Polish Stubby Teardrop Ratchet

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81209 | Full Polish Stubby Teardrop Ratchet | 4.72" | 0.410 |

- **60 tooth low profile ratchet**

GEARWRENCH®

# 3/8" Ratchets & Drive Tools

## Speeder Handle 3/8" Drive



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81239 | Speeder Handle | 1.100 |

## 81200 - 4 Pc. Extension Set 3/8" Drive



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81240 | 1-1/2" Extension | 3/8" Dr. |
| 81241 | 3" Extension | 3/8" Dr. |
| 81242 | 6" Extension | 3/8" Dr. |
| 81244 | 12" Extension | 3/8" Dr. |

## Standard Extension 3/8" Drive



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81240 | 1-1/2" Standard Extension | 0.088 |
| 81241 | 3" Standard Extension | 0.154 |
| 81242 | 6" Standard Extension | 0.330 |
| 81243 | 10" Standard Extension | 0.528 |
| 81244 | 12" Standard Extension | 0.616 |

## Adapter 3/8" Drive



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81277 | Adapter 3/8"F X 1/4"M | 0.015 |
| 81278 | Adapter 3/8"F X 1/2"M | 0.046 |

## Full Polish Flex Handle 3/8" Drive



| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81221 | Full Polish Flex Handle | 12.00" | 0.400 |

## Universal Joint 3/8" Drive



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 80549 | Universal Joint | 0.132 |

GEARWRENCH®

# 6 Point Standard Sockets
# SAE & Metric 3/8" Drive



| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Bolt Clearance D | Wrench Depth (Inch) E | Length to Shoulder F | Weight (lbs) |
|---|---|---|---|---|---|---|---|---|---|
| 80350 | 1/4" | 6 Pt. Std. SAE | 0.677 | 0.394 | 0.984 | 0.197 | 0.295 | 0.453 | 0.044 |
| 80351 | 5/16" | 6 Pt. Std. SAE | 0.677 | 0.461 | 0.984 | 0.283 | 0.295 | 0.453 | 0.044 |
| 80352 | 3/8" | 6 Pt. Std. SAE | 0.677 | 0.543 | 0.984 | 0.283 | 0.295 | 0.453 | 0.046 |
| 80353 | 7/16" | 6 Pt. Std. SAE | 0.677 | 0.630 | 0.984 | 0.354 | 0.295 | 0.453 | 0.046 |
| 80354 | 1/2" | 6 Pt. Std. SAE | 0.705 | 0.685 | 0.984 | 0.354 | 0.295 | 0.453 | 0.055 |
| 80355 | 9/16" | 6 Pt. Std. SAE | 0.776 | 0.776 | 0.984 | 0.354 | 0.492 | 0.453 | 0.066 |
| 80356 | 5/8" | 6 Pt. Std. SAE | 0.874 | 0.874 | 0.984 | 0.354 | 0.492 | 0.453 | 0.088 |
| 80357 | 11/16" | 6 Pt. Std. SAE | 0.941 | 0.941 | 0.984 | 0.354 | 0.492 | 0.453 | 0.106 |
| 80358 | 3/4" | 6 Pt. Std. SAE | 1.020 | 1.020 | 0.984 | 0.354 | 0.492 | 0.453 | 0.121 |
| 80359 | 13/16" | 6 Pt. Std. SAE | 1.098 | 1.098 | 1.102 | 0.354 | 0.591 | 0.453 | 0.158 |
| 80360 | 7/8" | 6 Pt. Std. SAE | 1.169 | 1.169 | 1.102 | 0.354 | 0.591 | 0.453 | 0.158 |
| 80361 | 15/16" | 6 Pt. Std. SAE | 1.256 | 1.256 | 1.161 | 0.354 | 0.591 | 0.453 | 0.158 |
| 80362 | 1" | 6 Pt. Std. SAE | 1.335 | 1.335 | 1.319 | 0.354 | 0.709 | 0.453 | 0.160 |
| 80374 | 6 mm | 6 Pt. Std. Metric | 0.669 | 0.366 | 0.984 | 0.197 | 0.295 | 0.453 | 0.040 |
| 80375 | 7 mm | 6 Pt. Std. Metric | 0.669 | 0.425 | 0.984 | 0.197 | 0.295 | 0.453 | 0.040 |
| 80376 | 8 mm | 6 Pt. Std. Metric | 0.669 | 0.472 | 0.984 | 0.283 | 0.295 | 0.453 | 0.044 |
| 80377 | 9 mm | 6 Pt. Std. Metric | 0.669 | 0.508 | 0.984 | 0.283 | 0.295 | 0.453 | 0.044 |
| 80378 | 10 mm | 6 Pt. Std. Metric | 0.669 | 0.571 | 0.984 | 0.283 | 0.295 | 0.453 | 0.044 |
| 80379 | 11 mm | 6 Pt. Std. Metric | 0.669 | 0.622 | 0.984 | 0.354 | 0.295 | 0.453 | 0.044 |
| 80380 | 12 mm | 6 Pt. Std. Metric | 0.669 | 0.654 | 0.984 | 0.354 | 0.315 | 0.453 | 0.046 |
| 80381 | 13 mm | 6 Pt. Std. Metric | 0.720 | 0.697 | 0.984 | 0.354 | 0.315 | 0.453 | 0.059 |
| 80382 | 14 mm | 6 Pt. Std. Metric | 0.768 | 0.768 | 0.984 | 0.354 | 0.492 | 0.453 | 0.059 |
| 80383 | 15 mm | 6 Pt. Std. Metric | 0.819 | 0.819 | 0.984 | 0.354 | 0.492 | 0.453 | 0.070 |
| 80384 | 16 mm | 6 Pt. Std. Metric | 0.866 | 0.866 | 0.984 | 0.354 | 0.492 | 0.453 | 0.084 |
| 80385 | 17 mm | 6 Pt. Std. Metric | 0.917 | 0.917 | 0.984 | 0.354 | 0.492 | 0.453 | 0.095 |
| 80386 | 18 mm | 6 Pt. Std. Metric | 0.937 | 0.937 | 0.984 | 0.354 | 0.492 | 0.453 | 0.095 |
| 80387 | 19 mm | 6 Pt. Std. Metric | 0.937 | 0.937 | 0.984 | 0.354 | 0.492 | 0.453 | 0.121 |
| 80330 | 20 mm | 6 Pt. Std. Metric | 1.016 | 1.063 | 1.102 | 0.354 | 0.591 | 0.453 | 0.130 |
| 80331 | 21 mm | 6 Pt. Std. Metric | 1.051 | 1.098 | 1.102 | 0.354 | 0.591 | 0.453 | 0.140 |
| 80332 | 22 mm | 6 Pt. Std. Metric | 1.114 | 1.161 | 1.102 | 0.354 | 0.591 | 0.453 | 0.150 |

GEARWRENCH®

# 6 Point Deep Sockets
# SAE & Metric 3/8" Drive








| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Bolt Clearance D | Wrench Depth (Inch) E | Length to Shoulder F | Weight (lbs) |
|---|---|---|---|---|---|---|---|---|---|
| 80363 | 1/4" | 6 Pt. Deep SAE | 0.661 | 0.394 | 2.500 | 0.217 | 0.157 | 1.142 | 0.054 |
| 80364 | 5/16" | 6 Pt. Deep SAE | 0.661 | 0.461 | 2.500 | 0.276 | 0.197 | 1.142 | 0.055 |
| 80365 | 3/8" | 6 Pt. Deep SAE | 0.661 | 0.543 | 2.500 | 0.335 | 0.201 | 1.142 | 0.059 |
| 80366 | 7/16" | 6 Pt. Deep SAE | 0.661 | 0.630 | 2.500 | 0.335 | 0.236 | 1.142 | 0.060 |
| 80367 | 1/2" | 6 Pt. Deep SAE | 0.720 | 0.685 | 2.500 | 0.335 | 0.287 | 1.142 | 0.065 |
| 80368 | 9/16" | 6 Pt. Deep SAE | 0.780 | 0.780 | 2.500 | 0.335 | 0.350 | 1.142 | 0.085 |
| 80369 | 5/8" | 6 Pt. Deep SAE | 0.866 | 0.866 | 2.500 | 0.335 | 0.398 | 1.142 | 0.107 |
| 80370 | 11/16" | 6 Pt. Deep SAE | 0.937 | 0.937 | 2.500 | 0.335 | 0.398 | 1.142 | 0.128 |
| 80371 | 3/4" | 6 Pt. Deep SAE | 1.016 | 1.016 | 2.500 | 0.335 | 0.457 | 1.142 | 0.148 |
| 80372 | 13/16" | 6 Pt. Deep SAE | 1.094 | 1.094 | 2.500 | 0.335 | 0.480 | 1.142 | 0.165 |
| 80373 | 7/8" | 6 Pt. Deep SAE | 1.173 | 1.173 | 2.500 | 0.335 | 0.520 | 1.142 | 0.197 |
| 80592 | 15/16" | 6 Pt. Deep SAE | 1.205 | 1.252 | 2.500 | 0.335 | 0.567 | 1.142 | 0.158 |
| 80593 | 1" | 6 Pt. Deep SAE | 1.272 | 1.319 | 2.500 | 0.335 | 0.567 | 1.142 | 0.160 |
| 80388 | 6 mm | 6 Pt. Deep Metric | 0.661 | 0.508 | 2.500 | 0.315 | 0.197 | 1.142 | 0.052 |
| 80389 | 7 mm | 6 Pt. Deep Metric | 0.661 | 0.508 | 2.500 | 0.315 | 0.197 | 1.142 | 0.052 |
| 80390 | 8 mm | 6 Pt. Deep Metric | 0.661 | 0.508 | 2.500 | 0.315 | 0.197 | 1.142 | 0.052 |
| 80391 | 9 mm | 6 Pt. Deep Metric | 0.661 | 0.508 | 2.500 | 0.315 | 0.197 | 1.142 | 0.052 |
| 80392 | 10 mm | 6 Pt. Deep Metric | 0.661 | 0.571 | 2.500 | 0.335 | 0.201 | 1.142 | 0.058 |
| 80393 | 11 mm | 6 Pt. Deep Metric | 0.661 | 0.622 | 2.500 | 0.335 | 0.236 | 1.142 | 0.060 |
| 80394 | 12 mm | 6 Pt. Deep Metric | 0.661 | 0.654 | 2.500 | 0.335 | 0.260 | 1.142 | 0.067 |
| 80395 | 13 mm | 6 Pt. Deep Metric | 0.740 | 0.697 | 2.500 | 0.335 | 0.287 | 1.142 | 0.075 |
| 80396 | 14 mm | 6 Pt. Deep Metric | 0.768 | 0.768 | 2.500 | 0.335 | 0.350 | 1.142 | 0.082 |
| 80397 | 15 mm | 6 Pt. Deep Metric | 0.819 | 0.819 | 2.500 | 0.335 | 0.350 | 1.142 | 0.092 |
| 80398 | 16 mm | 6 Pt. Deep Metric | 0.866 | 0.866 | 2.500 | 0.335 | 0.398 | 1.142 | 0.102 |
| 80399 | 17 mm | 6 Pt. Deep Metric | 0.937 | 0.937 | 2.500 | 0.335 | 0.398 | 1.142 | 0.118 |
| 80400 | 18 mm | 6 Pt. Deep Metric | 0.937 | 0.937 | 2.500 | 0.335 | 0.421 | 1.142 | 0.125 |
| 80401 | 19 mm | 6 Pt. Deep Metric | 1.004 | 1.004 | 2.500 | 0.335 | 0.457 | 1.142 | 0.141 |
| 80406 | 20 mm | 6 Pt. Deep Metric | 1.016 | 1.063 | 2.500 | 0.335 | 0.480 | 1.142 | 0.150 |
| 80407 | 21 mm | 6 Pt. Deep Metric | 1.047 | 1.094 | 2.500 | 0.335 | 0.480 | 1.142 | 0.160 |
| 80408 | 22 mm | 6 Pt. Deep Metric | 1.114 | 1.161 | 2.500 | 0.335 | 0.520 | 1.142 | 0.170 |
| 80409 | 24 mm | 6 Pt. Deep Metric | 1.205 | 1.252 | 2.500 | 0.335 | 0.567 | 1.142 | 0.180 |

GEARWRENCH®

# Hex Bit Sockets
# SAE & Metric 3/8" Drive








| Item No. | Bit Size | Drive End (inch) A | Nose Dia. (inch) B | Overall Length (inch) C | Bit Length (inch) D | Length to Shoulder E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 80410 | 1/16" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80411 | 5/64" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80412 | 3/32" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80413 | 7/64" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80414 | 1/8" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80415 | 9/64" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.094 |
| 80416 | 5/32" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.094 |
| 80417 | 3/16" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.094 |
| 80418 | 7/32" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.099 |
| 80419 | 1/4" | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.099 |
| 80420 | 5/16" | 0.688 | 0.590 | 1.850 | 1.181 | 0.551 | 0.107 |
| 80421 | 3/8" | 0.750 | 0.750 | 1.181 | 1.181 | 0.000 | 0.158 |
| 80422 | 2 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80423 | 2.5 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80424 | 3 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.092 |
| 80425 | 4 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.094 |
| 80426 | 5 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.099 |
| 80427 | 6 mm | 0.688 | 0.590 | 1.653 | 0.984 | 0.551 | 0.099 |
| 80428 | 7 mm | 0.688 | 0.590 | 1.850 | 1.181 | 0.551 | 0.107 |
| 80429 | 8 mm | 0.688 | 0.590 | 1.850 | 1.181 | 0.551 | 0.107 |
| 80430 | 9 mm | 0.750 | 0.750 | 1.968 | 1.181 | 0.551 | 0.160 |
| 80431 | 10 mm | 0.750 | 0.750 | 1.968 | 1.181 | 0.551 | 0.162 |
| 80432 | 11 mm | 0.750 | 0.750 | 1.968 | 1.181 | 0.551 | 0.165 |
| 80433 | 12 mm | 0.750 | 0.750 | 1.968 | 1.181 | 0.551 | 0.173 |

GEARWRENCH®

# Hex Bit Socket Set
# 10 Piece SAE, 3/8" & 1/2" Drive

| Item No. | Description | |
|---|---|---|
| 80414 | 1/8" Hex Bit Socket | 3/8" Drive |
| 80416 | 5/32" Hex Bit Socket | 3/8" Drive |
| 80417 | 3/16" Hex Bit Socket | 3/8" Drive |
| 80418 | 7/32" Hex Bit Socket | 3/8" Drive |
| 80419 | 1/4" Hex Bit Socket | 3/8" Drive |
| 80420 | 5/16" Hex Bit Socket | 3/8" Drive |
| 80421 | 3/8" Hex Bit Socket | 3/8" Drive |
| 80654 | 1/2" Hex Bit Socket | 1/2" Drive |
| 80655 | 9/16" Hex Bit Socket | 1/2" Drive |
| 80656 | 5/8" Hex Bit Socket | 1/2" Drive |





HEXAGON

# Hex Bit Socket Set
# 10 Piece Metric, 3/8" & 1/2" Drive

| Item No. | Description | |
|---|---|---|
| 80425 | 4mm Hex Bit Socket | 3/8" Drive |
| 80426 | 5mm Hex Bit Socket | 3/8" Drive |
| 80427 | 6mm Hex Bit Socket | 3/8" Drive |
| 80428 | 7mm Hex Bit Socket | 3/8" Drive |
| 80429 | 8mm Hex Bit Socket | 3/8" Drive |
| 80430 | 9mm Hex Bit Socket | 3/8" Drive |
| 80431 | 10mm Hex Bit Socket | 3/8" Drive |
| 80661 | 12mm Hex Bit Socket | 1/2" Drive |
| 80662 | 14mm Hex Bit Socket | 1/2" Drive |
| 80663 | 17mm Hex Bit Socket | 1/2" Drive |



HEXAGON

Torx® is a registered trademark of Acument Intellectual Properties, LLC.



GEARWRENCH®

# 1/2" Ratchets & Drive Tools

## Full Polish Flex Teardrop Ratchet 1/2" DRIVE



Patented

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81306 | Full Polish Flex Teardrop Ratchet | 16.98" | 1.630 |

- **60 tooth low profile ratchet**

## Cushion Grip Teardrop Ratchet 1/2" DRIVE



Patented

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81303 | Cushion Grip Teardrop Ratchet | 11.61" | 1.360 |

- **60 tooth low profile ratchet**

## Quick Release Tear Drop Ratchet 1/2" DRIVE



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81309 | Quick Release Tear Drop Ratchet | 1.630 |

- **45 tooth standard ratchet**

## Sliding T handle 1/2" DRIVE



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81311 | Sliding T handle | 1.320 |

## Speeder Handle 1/2" DRIVE



| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81312 | Speeder Handle | 1.800 |

## Full Polish Flex Handle SAE 1/2" DRIVE



| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81307 | Full Polish Flex Handle | 15" | 0.800 |
| 81308 | Full Polish Flex Handle | 24" | 1.000 |

## Ratchet Repair Kit 1/2" DRIVE

| Item No. | Description |
|---|---|
| 81339 | Ratchet Repair Kit |

- **for non-quick release and non-roto ratchets**

GEARWRENCH®

# 1/2" Ratchets & Drive Tools





## Standard Adapter SAE 1/2" Drive

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81354 | Standard Adapter 1/2" F x 3/8" M | 0.110 |
| 81355 | Standard Adapter 1/2" F x 3/4" M | 0.440 |



## 81300 - 3 Pc. Standard Extension Set 1/2" Drive

| Item No. | Description | |
|---|---|---|
| 81341 | 5" Extension | 1/2" Dr. |
| 81342 | 10" Extension | 1/2" Dr. |
| 81343 | 15" Extension | 1/2" Dr. |



## Standard Extension SAE 1/2" Drive

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 81340 | 3" Standard Extension | 0.280 |
| 81341 | 5" Standard Extension | 0.440 |
| 81342 | 10" Standard Extension | 0.860 |
| 81343 | 15" Standard Extension | 1.360 |



## Universal Joint SAE 1/2" Drive

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 80600 | Universal Joint | 0.319 |



Patented

## Full Polish Teardrop Ratchet 1/2" Drive

| Item No. | Description | Overall Length (inch) | Weight (lbs) |
|---|---|---|---|
| 81304 | Full Polish Teardrop Ratchet | 11" | 1.630 |

- **60 tooth low profile ratchet**

GEARWRENCH®

# 6 Point Standard Sockets
# SAE & Metric 1/2" Drive




| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Bolt Clearance D | Wrench Depth (Inch) E | Length to Shoulder F | Weight (lbs) |
|---|---|---|---|---|---|---|---|---|---|
| 80602 | 7/16" | 6 Pt. Std. SAE | 0.874 | 0.669 | 1.488 | 0.283 | 0.551 | 0.748 | 0.121 |
| 80605 | 1/2" | 6 Pt. Std. SAE | 0.874 | 0.732 | 1.488 | 0.354 | 0.551 | 0.748 | 0.121 |
| 80603 | 1/2" | 6 Pt. Std. SAE | 0.874 | 0.732 | 1.488 | 0.354 | 0.551 | 0.748 | 0.121 |
| 80604 | 9/16" | 6 Pt. Std. SAE | 0.874 | 0.732 | 1.488 | 0.354 | 0.551 | 0.748 | 0.121 |
| 80606 | 11/16" | 6 Pt. Std. SAE | 0.937 | 0.937 | 1.488 | 0.472 | 0.591 | 0.748 | 0.165 |
| 80607 | 3/4" | 6 Pt. Std. SAE | 1.020 | 1.020 | 1.488 | 0.472 | 0.768 | 0.748 | 0.165 |
| 80608 | 13/16" | 6 Pt. Std. SAE | 1.098 | 1.098 | 1.488 | 0.472 | 0.768 | 0.748 | 0.191 |
| 80609 | 7/8" | 6 Pt. Std. SAE | 1.177 | 1.177 | 1.488 | 0.472 | 0.768 | 0.748 | 0.224 |
| 80610 | 15/16" | 6 Pt. Std. SAE | 1.256 | 1.256 | 1.488 | 0.472 | 0.807 | 0.748 | 0.253 |
| 80611 | 1" | 6 Pt. Std. SAE | 1.335 | 1.335 | 1.575 | 0.472 | 0.886 | 0.748 | 0.319 |
| 80612 | 1-1/16" | 6 Pt. Std. SAE | 1.413 | 1.413 | 1.575 | 0.472 | 0.886 | 0.748 | 0.341 |
| 80613 | 1-1/8" | 6 Pt. Std. SAE | 1.492 | 1.492 | 1.654 | 0.472 | 0.965 | 0.748 | 0.350 |
| 80677 | 1-3/16" | 6 Pt. Std. SAE | 1.524 | 1.571 | 1.654 | 0.453 | 0.965 | 1.496 | 0.500 |
| 80678 | 1-1/4" | 6 Pt. Std. SAE | 1.602 | 1.650 | 1.654 | 0.453 | 0.965 | 1.496 | 0.500 |
| 80679 | 1-1/2" | 6 Pt. Std. SAE | 1.913 | 1.961 | 1.969 | 0.453 | 1.220 | 1.496 | 0.550 |
| 80622 | 10mm | 6 Pt. Std. Metric | 0.866 | 0.602 | 1.488 | 0.283 | 0.551 | 0.748 | 0.110 |
| 80623 | 11mm | 6 Pt. Std. Metric | 0.866 | 0.650 | 1.488 | 0.354 | 0.551 | 0.748 | 0.114 |
| 80624 | 12mm | 6 Pt. Std. Metric | 0.866 | 0.701 | 1.488 | 0.354 | 0.551 | 0.748 | 0.114 |
| 80625 | 13mm | 6 Pt. Std. Metric | 0.866 | 0.748 | 1.488 | 0.421 | 0.551 | 0.748 | 0.121 |
| 80626 | 14mm | 6 Pt. Std. Metric | 0.866 | 0.799 | 1.488 | 0.421 | 0.571 | 0.748 | 0.125 |
| 80627 | 15mm | 6 Pt. Std. Metric | 0.866 | 0.843 | 1.488 | 0.421 | 0.571 | 0.748 | 0.125 |
| 80628 | 16mm | 6 Pt. Std. Metric | 0.866 | 0.850 | 1.488 | 0.472 | 0.571 | 0.748 | 0.132 |
| 80629 | 17mm | 6 Pt. Std. Metric | 0.941 | 0.941 | 1.488 | 0.472 | 0.591 | 0.748 | 0.158 |
| 80630 | 18mm | 6 Pt. Std. Metric | 0.980 | 0.980 | 1.488 | 0.472 | 0.591 | 0.748 | 0.172 |
| 80631 | 19mm | 6 Pt. Std. Metric | 1.020 | 1.020 | 1.488 | 0.472 | 0.768 | 0.748 | 0.176 |
| 80632 | 20mm | 6 Pt. Std. Metric | 1.094 | 1.094 | 1.488 | 0.472 | 0.768 | 0.748 | 0.198 |
| 80633 | 21mm | 6 Pt. Std. Metric | 1.098 | 1.098 | 1.488 | 0.472 | 0.768 | 0.748 | 0.187 |
| 80634 | 22mm | 6 Pt. Std. Metric | 1.177 | 1.177 | 1.488 | 0.472 | 0.768 | 0.748 | 0.220 |
| 80635 | 23mm | 6 Pt. Std. Metric | 1.256 | 1.256 | 1.488 | 0.472 | 0.807 | 0.748 | 0.264 |
| 80636 | 24mm | 6 Pt. Std. Metric | 1.256 | 1.256 | 1.488 | 0.472 | 0.807 | 0.748 | 0.275 |

GEARWRENCH®

# 6 Point Deep Sockets
# SAE & Metric 1/2" Drive






| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Bolt Clearance D | Wrench Depth (Inch) E | Length to Shoulder F | Weight (lbs) |
|---|---|---|---|---|---|---|---|---|---|
| 80684 | 7/16" | 6 Pt. Deep SAE | 0.866 | 0.669 | 3.031 | 0.394 | 0.000 | 1.496 | 0.231 |
| 80614 | 1/2" | 6 Pt. Deep SAE | 0.866 | 0.732 | 3.031 | 0.453 | 0.287 | 1.496 | 0.242 |
| 80615 | 9/16" | 6 Pt. Deep SAE | 0.866 | 0.811 | 3.031 | 0.453 | 0.350 | 1.496 | 0.253 |
| 80616 | 5/8" | 6 Pt. Deep SAE | 0.866 | 0.850 | 3.031 | 0.453 | 0.398 | 1.496 | 0.286 |
| 80617 | 11/16" | 6 Pt. Deep SAE | 0.937 | 0.937 | 3.031 | 0.453 | 0.398 | 1.496 | 0.341 |
| 80618 | 3/4" | 6 Pt. Deep SAE | 1.016 | 1.016 | 3.031 | 0.453 | 0.457 | 1.496 | 0.374 |
| 80619 | 13/16" | 6 Pt. Deep SAE | 1.094 | 1.094 | 3.031 | 0.453 | 0.480 | 1.496 | 0.418 |
| 80620 | 7/8" | 6 Pt. Deep SAE | 1.173 | 1.173 | 3.031 | 0.453 | 0.520 | 1.496 | 0.495 |
| 80621 | 15/16" | 6 Pt. Deep SAE | 1.252 | 1.252 | 3.031 | 0.453 | 0.567 | 1.496 | 0.550 |
| 80674 | 1" | 6 Pt. Deep SAE | 1.283 | 1.331 | 3.031 | 0.453 | 0.457 | 1.496 | 0.400 |
| 80675 | 1-1/16" | 6 Pt. Deep SAE | 1.362 | 1.409 | 3.031 | 0.453 | 0.457 | 1.496 | 0.400 |
| 80676 | 1-1/8" | 6 Pt. Deep SAE | 1.441 | 1.488 | 3.031 | 0.453 | 0.457 | 1.496 | 0.450 |
| 80685 | 1-1/4" | 6 Pt. Deep SAE | 1.598 | 1.646 | 3.031 | 0.453 | 0.000 | 0.000 | 0.500 |
| 80686 | 1-1/2" | 6 Pt. Deep SAE | 1.913 | 1.961 | 1.969 | 0.000 | 1.220 | 0.000 | 0.500 |
| 80637 | 10mm | 6 Pt. Deep Metric | 0.866 | 0.602 | 3.031 | 0.374 | 0.201 | 1.496 | 0.231 |
| 80638 | 11mm | 6 Pt. Deep Metric | 0.866 | 0.650 | 3.031 | 0.394 | 0.236 | 1.496 | 0.231 |
| 80639 | 12mm | 6 Pt. Deep Metric | 0.866 | 0.701 | 3.031 | 0.433 | 0.260 | 1.496 | 0.238 |
| 80640 | 13mm | 6 Pt. Deep Metric | 0.866 | 0.748 | 3.031 | 0.453 | 0.287 | 1.496 | 0.246 |
| 80641 | 14mm | 6 Pt. Deep Metric | 0.866 | 0.799 | 3.031 | 0.453 | 0.350 | 1.496 | 0.246 |
| 80642 | 15mm | 6 Pt. Deep Metric | 0.866 | 0.843 | 3.031 | 0.453 | 0.350 | 1.496 | 0.246 |
| 80643 | 16mm | 6 Pt. Deep Metric | 0.866 | 0.850 | 3.031 | 0.453 | 0.398 | 1.496 | 0.286 |
| 80644 | 17mm | 6 Pt. Deep Metric | 0.937 | 0.937 | 3.031 | 0.453 | 0.398 | 1.496 | 0.304 |
| 80645 | 18mm | 6 Pt. Deep Metric | 0.976 | 0.976 | 3.031 | 0.453 | 0.421 | 1.496 | 0.330 |
| 80646 | 19mm | 6 Pt. Deep Metric | 1.016 | 1.016 | 3.031 | 0.453 | 0.457 | 1.496 | 0.341 |

GEARWRENCH®

# Socket Sets 3/8" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80365 | 3/8" | 6 Pt. | Deep SAE Socket | 3/8" Dr |
| 80366 | 1/4" | 6 Pt. | Deep SAE Socket | 3/8" Dr |
| 80367 | 7/16" | 6 Pt. | Std. SAE Socket | 3/8" Dr |
| 80368 | 1/2" | 6 Pt. | Deep SAE Socket | 3/8" Dr |
| 80369 | 9/16" | 6 Pt. | Deep SAE Socket | 3/8" Dr |
| 80370 | 5/8" | 6 Pt. | Deep SAE Socket | 3/8" Dr |
| 80371 | 11/16" | 6 Pt. | Deep SAE Socket | 3/8" Dr |

## 80557 - 21 Pc. SAE 6 Pt. & 12 Pt. Standard & Deep Socket Set 3/8" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80372 | 3/4" | 6 Pt. | Deep SAE Socket | 3/8" Dr. |
| 80373 | 7/8" | 6 Pt. | Deep SAE Socket | 3/8" Dr. |
| 80496 | 1/4" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80497 | 5/16" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80498 | 3/8" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80499 | 7/16" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80500 | 1/2" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80501 | 9/16" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80502 | 5/8" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80503 | 11/16" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 80504 | 3/4" | 12 Pt. | Std. SAE Socket | 3/8" Dr. |
| 81241 | 3" Extension | | | 3/8" Dr. |
| 81242 | 6" Extension | | | 3/8" Dr. |
| 81211 | Full Polish Teardrop Ratchet | | | 3/8" Dr. |

| Item No. | Description | | | |
|---|---|---|---|---|
| 80392 | 10 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80393 | 11 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80394 | 12 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80395 | 13 mm | 6 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80396 | 14 mm | 6 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80397 | 15 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80398 | 16 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80399 | 17 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |

## 80559 - 24 Pc. METRIC 6 Pt. & 12 Pt. Standard & Deep Socket Set 3/8" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80400 | 18 mm | 6 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80484 | 8 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80485 | 9 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr |
| 80486 | 10 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80487 | 11 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80488 | 12 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80489 | 13 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80490 | 14 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80491 | 15 mm | 12 Pt. | Deep Metric Socket | 3/8" Dr. |
| 80492 | 16 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80493 | 17 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80494 | 18 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 80495 | 19 mm | 12 Pt. | Std. Metric Socket | 3/8" Dr. |
| 81241 | 3" Extension | | | 3/8" Dr. |
| 81242 | 6" Extension | | | 3/8" Dr. |
| 81211 | Full Polish Teardrop Ratchet | | | 3/8" Dr. |

GEARWRENCH®

# Socket Sets 1/2" Drive

## 80731 - 15 Pc. SAE 12 Pt. Standard Socket Set 1/2" DRIVE



| Item No. | Description | | | |
|---|---|---|---|---|
| 80760 | 7/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80761 | 1/2" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80762 | 9/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80763 | 5/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80764 | 11/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80765 | 3/4" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80766 | 13/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80767 | 7/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80768 | 15/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80769 | 1" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80770 | 1-1/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80771 | 1-1/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80793 | 1-3/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80794 | 1-1/4" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80680 | 1-1/2" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |

## 80703 - 11 Pc. SAE 6 Pt. Standard Socket Set 1/2" DRIVE



| Item No. | Description | | | |
|---|---|---|---|---|
| 80603 | 1/2" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80604 | 9/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80605 | 5/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80606 | 11/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80607 | 3/4" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80608 | 13/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80609 | 7/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80610 | 15/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80611 | 1" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80612 | 1-1/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80613 | 1-1/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |

## 80711 - 11 Pc. SAE 12 Pt. Standard Socket Set 1/2" DRIVE



| Item No. | Description | | | |
|---|---|---|---|---|
| 80761 | 1/2" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80762 | 9/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80763 | 5/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80764 | 11/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80765 | 3/4" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80766 | 13/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80767 | 7/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80768 | 15/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80769 | 1" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80770 | 1-1/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80771 | 1-1/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |

GEARWRENCH®

# Socket Sets 1/2" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80615 | 1/2" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80614 | 9/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80616 | 5/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80617 | 11/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80618 | 3/4" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80619 | 13/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80620 | 7/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |

## 80707- 23 Pc. SAE Standard & Deep Socket Set 1/2" DRIVE

| Item No. | Description | | | |
|---|---|---|---|---|
| 80621 | 15/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80602 | 7/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80603 | 1/2" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80604 | 9/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80605 | 5/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80606 | 11/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80607 | 3/4" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80608 | 13/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80609 | 7/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80610 | 15/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80611 | 1" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80612 | 1-1/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80613 | 1-1/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81343 | 15" Extension | | | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |

| Item No. | Description | | | |
|---|---|---|---|---|
| 80637 | 10 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80638 | 11 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80639 | 12 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80640 | 13 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80641 | 14 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80642 | 15 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80643 | 16 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80644 | 17 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80645 | 18 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80646 | 19 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |

## 80709 - 28 Pc. METRIC Standard & Deep Socket Set 1/2" DRIVE

| Item No. | Description | | | |
|---|---|---|---|---|
| 80745 | 10 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80746 | 11 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80747 | 12 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80748 | 13 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80749 | 14 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80750 | 15 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80751 | 16 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80752 | 17 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80753 | 18 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80754 | 19 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80755 | 20 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80756 | 21 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80757 | 22 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80758 | 23 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80759 | 24 mm | 12 Pt. | Std. Metric Socket | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81343 | 15" Extension | | | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |

# Socket Sets 1/2" Drive

## 80706 - 15 Pc. SAE 6 Pt. Standard Socket Set 1/2" DRIVE

| Item No. | Description | | | |
|---|---|---|---|---|
| 80602 | 7/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80603 | 1/2" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80604 | 9/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80605 | 5/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80606 | 11/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80607 | 3/4" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80608 | 13/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80609 | 7/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80610 | 15/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80611 | 1" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80612 | 1-1/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80613 | 1-1/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81343 | 15" Extension | | | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |

## 80708 - 18 Pc. METRIC 6 Pt. Standard Socket Set 1/2" DRIVE

| Item No. | Description | | | |
|---|---|---|---|---|
| 80622 | 10 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80623 | 11 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80624 | 12 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80625 | 13 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80626 | 14 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80627 | 15 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80628 | 16 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80629 | 17 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80630 | 18 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80631 | 19 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80632 | 20 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80633 | 21 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80634 | 22 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80635 | 23mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80636 | 24 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81343 | 15" Extension | | | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |

GEARWRENCH®

# Socket Sets 1/2" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80602 | 7/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80603 | 1/2" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80604 | 9/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80605 | 5/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80606 | 11/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80607 | 3/4" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80608 | 13/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80609 | 7/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80610 | 15/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80611 | 1" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80612 | 1-1/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80613 | 1-1/8" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80614 | 1/2" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80615 | 9/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80616 | 5/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80617 | 11/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80618 | 3/4" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80619 | 13/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80620 | 7/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80621 | 15/16" | 6 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80622 | 10 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80623 | 11 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80624 | 12 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80625 | 13 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80626 | 14 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |

## 80700- 49 Pc. SAE/METRIC 6 Pt. Standard & Deep Socket Set 1/2" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80627 | 15 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80628 | 16 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80629 | 17 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80630 | 18 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80631 | 19 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80632 | 20 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80633 | 21 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80634 | 22 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80635 | 23mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80636 | 24 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80637 | 10 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80638 | 11 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80639 | 12 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80640 | 13 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80641 | 14 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80642 | 15 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80643 | 16 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80644 | 17 mm | 6 Pt. | Deep Metric Socket | 1/2" Dr. |
| 80645 | 18 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80646 | 19 mm | 6 Pt. | Std. Metric Socket | 1/2" Dr. |
| 80600 | Universal Joint | | | 1/2" Dr. |
| 81340 | 3" Extension | | | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |
| 80700BM | Replacement Blow Mold Case | | | |

**SPRAY NINE®**
**Multi-Purpose Cleaner**
see page 805

GEARWRENCH®

# Socket Sets 1/2" Drive

## 80714- 33 Pc. SAE 12 Pt. Standard & Deep Socket Set 1/2" Drive

| Item No. | Description | | | |
|---|---|---|---|---|
| 80760 | 7/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80761 | 1/2" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80762 | 9/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80763 | 5/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80764 | 11/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80765 | 3/4" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80766 | 13/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80767 | 7/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80768 | 15/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80769 | 1" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80770 | 1-1/16" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80771 | 1-1/8" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80794 | 1-1/4" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80680 | 1-1/2" | 12 Pt. | Std. SAE Socket | 1/2" Dr. |
| 80772 | 7/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80773 | 1/2" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80774 | 9/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80775 | 5/8" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80776 | 11/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80777 | 3/4" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80778 | 13/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80779 | 7/8" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |

| Item No. | Description | | | |
|---|---|---|---|---|
| 80780 | 15/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80795 | 1" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80796 | 1-1/16" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80797 | 1-1/8" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80798 | 1-1/4" | 12 Pt. | Deep SAE Socket | 1/2" Dr. |
| 80799 | 1-1/2" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 81304 | Full Polish Teardrop Ratchet | | | 1/2" Dr. |
| 81340 | 3" Extension | | | 1/2" Dr. |
| 81341 | 5" Extension | | | 1/2" Dr. |
| 81307 | Full Polish Flex Handle | | | 1/2" Dr. |
| 80600 | Universal Joint | | | 1/2" Dr. |

**GRIME EATER® Natural Orange™ Hand Cleaner Lotion with Pumice**

see page 806



**Paper Towel, Single Fold**

see page 806

GEARWRENCH®

# Impact Adapters 1/2" Drive




## Impact Extension Bars SAE 1/2" DRIVE

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 84645 | 3" Extension Bar | 0.315 |
| 84646 | 5" Extension Bar | 0.498 |
| 84644 | 10" Extension Bar | 0.492 |

## Standard Impact Adapters SAE 1/2" DRIVE

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 84643 | 1/2" F x 3/8" M | 0.154 |

## Universal Impact Joints SAE 1/2" DRIVE

| Item No. | Description | Weight (lbs) |
|---|---|---|
| 80671 | 1/2" Universal Joint | 0.374 |

GEARWRENCH®

# Impact Sockets 1/2" Drive

## 84942 - 12 PC. Impact SAE Deep Socket Set 1/2" DRIVE



| Item No. | Description | | | |
|---|---|---|---|---|
| 84546 | 3/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84547 | 7/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84548 | 1/2" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84549 | 9/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84550 | 5/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84551 | 11/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84552 | 3/4" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84553 | 13/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84554 | 7/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84555 | 15/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84556 | 1" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84557 | 1-1/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |

## 84934 - 19Pc. Impact SAE Deep Socket Set 1/2" DRIVE

| Item No. | Description | | | |
|---|---|---|---|---|
| 84546 | 3/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84547 | 7/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84548 | 1/2" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84549 | 9/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84550 | 5/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84551 | 11/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84552 | 3/4" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84553 | 13/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84554 | 7/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84555 | 15/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84556 | 1" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84557 | 1-1/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84558 | 1-1/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84559 | 1-13/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84560 | 1-1/4" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84561 | 1-5/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84562 | 1-3/8" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84563 | 1-7/16" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |
| 84564 | 1-1/12" | 6 Pt. | Deep SAE Socket | 1/2" Dr. |

GEARWRENCH®

# Impact Sockets 1/2" Drive

**6 Pt. Standard Impact Sockets** | **SAE/METRIC 1/2" DRIVE**




| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Weight (lbs) |
|---|---|---|---|---|---|---|
| 84520 | 8 mm | 6 Pt. Std. Metric | 0.866 | 0.571 | 1.496 | 0.11 |
| 84521 | 9 mm | 6 Pt. Std. Metric | 0.866 | 0.614 | 1.496 | 0.11 |
| 84522 | 10 mm | 6 Pt. Std. Metric | 0.866 | 0.657 | 1.496 | 0.143 |
| 84523 | 11 mm | 6 Pt. Std. Metric | 0.866 | 0.709 | 1.496 | 0.143 |
| 84524 | 12 mm | 6 Pt. Std. Metric | 0.866 | 0.748 | 1.496 | 0.143 |
| 84525 | 13 mm | 6 Pt. Std. Metric | 0.945 | 0.795 | 1.496 | 0.176 |
| 84526 | 14 mm | 6 Pt. Std. Metric | 0.945 | 0.846 | 1.496 | 0.176 |
| 84527 | 15 mm | 6 Pt. Std. Metric | 0.984 | 0.906 | 1.496 | 0.192 |
| 84528 | 16 mm | 6 Pt. Std. Metric | 0.984 | 0.984 | 1.496 | 0.192 |
| 84529 | 17 mm | 6 Pt. Std. Metric | 1.024 | 1.024 | 1.496 | 0.209 |
| 84530 | 18 mm | 6 Pt. Std. Metric | 1.063 | 1.063 | 1.496 | 0.225 |
| 84531 | 19 mm | 6 Pt. Std. Metric | 1.102 | 1.102 | 1.496 | 0.232 |
| 84532 | 20 mm | 6 Pt. Std. Metric | 1.181 | 1.181 | 1.496 | 0.276 |
| 84533 | 21 mm | 6 Pt. Std. Metric | 1.181 | 1.181 | 1.496 | 0.276 |
| 84534 | 22 mm | 6 Pt. Std. Metric | 1.26 | 1.26 | 1.496 | 0.318 |
| 84535 | 23 mm | 6 Pt. Std. Metric | 1.299 | 1.299 | 1.496 | 0.34 |
| 84536 | 24 mm | 6 Pt. Std. Metric | 1.339 | 1.339 | 1.496 | 0.353 |
| 84537 | 25 mm | 6 Pt. Std. Metric | 1.417 | 1.417 | 1.654 | 0.443 |
| 84538 | 26 mm | 6 Pt. Std. Metric | 1.417 | 1.417 | 1.654 | 0.43 |
| 84539 | 28 mm | 6 Pt. Std. Metric | 1.496 | 1.496 | 1.654 | 0.494 |
| 84540 | 29 mm | 6 Pt. Std. Metric | 1.614 | 1.614 | 1.654 | 0.584 |
| 84541 | 30 mm | 6 Pt. Std. Metric | 1.496 | 1.654 | 1.654 | 0.558 |
| 84542 | 31 mm | 6 Pt. Std. Metric | 1.496 | 1.654 | 1.654 | 0.558 |
| 84543 | 32 mm | 6 Pt. Std. Metric | 1.496 | 1.732 | 1.654 | 0.573 |
| 84544 | 36 mm | 6 Pt. Std. Metric | 1.496 | 1.968 | 1.968 | 0.573 |

GEARWRENCH®

# Impact Sockets 1/2" Drive

## 6 Pt. Standard Impact Sockets | SAE/METRIC 1/2" DRIVE



| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Weight (lbs) |
|---|---|---|---|---|---|---|
| 84500 | 3/8" | 6 Pt. Std. SAE | 0.866 | 0.63 | 1.496 | 0.143 |
| 84501 | 7/16" | 6 Pt. Std. SAE | 0.866 | 0.709 | 1.496 | 0.143 |
| 84502 | 1/2" | 6 Pt. Std. SAE | 0.866 | 0.787 | 1.496 | 0.143 |
| 84503 | 9/16" | 6 Pt. Std. SAE | 0.945 | 0.866 | 1.496 | 0.176 |
| 84504 | 5/8" | 6 Pt. Std. SAE | 0.984 | 0.984 | 1.496 | 0.194 |
| 84505 | 11/16" | 6 Pt. Std. SAE | 1.024 | 1.024 | 1.496 | 0.209 |
| 84506 | 3/4" | 6 Pt. Std. SAE | 1.102 | 1.102 | 1.496 | 0.234 |
| 84507 | 13/16" | 6 Pt. Std. SAE | 1.181 | 1.181 | 1.496 | 0.265 |
| 84508 | 7/8" | 6 Pt. Std. SAE | 1.26 | 1.26 | 1.496 | 0.32 |
| 84509 | 15/16" | 6 Pt. Std. SAE | 1.339 | 1.339 | 1.496 | 0.357 |
| 84510 | 1" | 6 Pt. Std. SAE | 1.417 | 1.417 | 1.496 | 0.419 |
| 84511 | 1-1/16" | 6 Pt. Std. SAE | 1.496 | 1.496 | 1.575 | 0.467 |
| 84512 | 1-1/8" | 6 Pt. Std. SAE | 1.496 | 1.575 | 1.575 | 0.492 |
| 84513 | 1-3/16" | 6 Pt. Std. SAE | 1.496 | 1.654 | 1.575 | 0.518 |
| 84514 | 1-1/4" | 6 Pt. Std. SAE | 1.496 | 1.732 | 1.575 | 0.551 |
| 84515 | 1-5/16" | 6 Pt. Std. SAE | 1.496 | 1.772 | 1.693 | 0.646 |
| 84516 | 1-3/8" | 6 Pt. Std. SAE | 1.496 | 1.85 | 1.693 | 0.675 |
| 84517 | 1-7/16" | 6 Pt. Std. SAE | 1.496 | 1.89 | 1.693 | 0.679 |
| 84518 | 1-1/2" | 6 Pt. Std. SAE | 1.496 | 1.968 | 1.693 | 0.765 |

GEARWRENCH®

# Impact Sockets 1/2" Drive




**6 Pt. Deep Impact Sockets** SAE/METRIC 1/2" DRIVE

| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Weight (lbs) |
|---|---|---|---|---|---|---|
| 84546 | 3/8" | 6 Pt. Deep SAE | 0.866 | 0.63 | 3.071 | 0.331 |
| 84547 | 7/16" | 6 Pt. Deep SAE | 0.866 | 0.709 | 3.071 | 0.335 |
| 84548 | 1/2" | 6 Pt. Deep SAE | 0.866 | 0.787 | 3.071 | 0.335 |
| 84549 | 9/16" | 6 Pt. Deep SAE | 0.945 | 0.866 | 3.071 | 0.368 |
| 84550 | 5/8" | 6 Pt. Deep SAE | 0.984 | 0.984 | 3.071 | 0.401 |
| 84551 | 11/16" | 6 Pt. Deep SAE | 1.024 | 1.024 | 3.071 | 0.419 |
| 84552 | 3/4" | 6 Pt. Deep SAE | 1.102 | 1.102 | 3.071 | 0.485 |
| 84553 | 13/16" | 6 Pt. Deep SAE | 1.181 | 1.181 | 3.071 | 0.54 |
| 84554 | 7/8" | 6 Pt. Deep SAE | 1.26 | 1.26 | 3.071 | 0.624 |
| 84555 | 15/16" | 6 Pt. Deep SAE | 1.339 | 1.339 | 3.071 | 0.706 |
| 84556 | 1" | 6 Pt. Deep SAE | 1.417 | 1.417 | 3.071 | 0.807 |
| 84557 | 1-1/16" | 6 Pt. Deep SAE | 1.496 | 1.496 | 3.071 | 0.915 |
| 84558 | 1-1/8" | 6 Pt. Deep SAE | 1.496 | 1.575 | 3.071 | 0.937 |
| 84560 | 1-1/4" | 6 Pt. Deep SAE | 1.496 | 1.732 | 3.071 | 1.08 |
| 84561 | 1-5/16" | 6 Pt. Deep SAE | 1.496 | 1.772 | 3.071 | 1.224 |
| 84562 | 1-3/8" | 6 Pt. Deep SAE | 1.496 | 1.85 | 3.071 | 1.259 |
| 84563 | 1-7/16" | 6 Pt. Deep SAE | 1.496 | 1.89 | 3.071 | 1.336 |
| 84564 | 1-1/2" | 6 Pt. Deep SAE | 1.496 | 1.968 | 3.071 | 1.413 |
| 84559 | 1-13/16" | 6 Pt. Deep SAE | 1.496 | 1.654 | 3.071 | 1.036 |
| 84566 | 8 mm | 6 Pt. Deep Metric | 0.866 | 0.571 | 3.071 | 0.309 |
| 84567 | 9 mm | 6 Pt. Deep Metric | 0.866 | 0.614 | 3.071 | 0.309 |
| 84568 | 10 mm | 6 Pt. Deep Metric | 0.866 | 0.657 | 3.071 | 0.335 |
| 84569 | 11 mm | 6 Pt. Deep Metric | 0.866 | 0.709 | 3.071 | 0.342 |
| 84570 | 12 mm | 6 Pt. Deep Metric | 0.866 | 0.748 | 3.071 | 0.331 |
| 84571 | 13 mm | 6 Pt. Deep Metric | 0.945 | 0.795 | 3.071 | 0.386 |

GEARWRENCH®

# Impact Sockets 1/2" Drive

## 6 Pt. Deep Impact Sockets SAE/METRIC 1/2" DRIVE







| Item No. | Size | Description | Drive End (inch) A | Wrench End (inch) B | Overall Length (inch) C | Weight (lbs) |
|---|---|---|---|---|---|---|
| 84572 | 14 mm | 6 Pt. Deep Metric | 0.945 | 0.846 | 3.071 | 0.37 |
| 84573 | 15 mm | 6 Pt. Deep Metric | 0.945 | 0.945 | 3.071 | 0.377 |
| 84574 | 16 mm | 6 Pt. Deep Metric | 0.984 | 0.984 | 3.071 | 0.426 |
| 84575 | 17 mm | 6 Pt. Deep Metric | 1.024 | 1.024 | 3.071 | 0.419 |
| 84576 | 18 mm | 6 Pt. Deep Metric | 1.024 | 1.024 | 3.071 | 0.397 |
| 84577 | 19 mm | 6 Pt. Deep Metric | 1.102 | 1.102 | 3.071 | 0.485 |
| 84578 | 20 mm | 6 Pt. Deep Metric | 1.181 | 1.181 | 3.071 | 0.573 |
| 84579 | 21 mm | 6 Pt. Deep Metric | 1.181 | 1.181 | 3.071 | 0.54 |
| 84580 | 22 mm | 6 Pt. Deep Metric | 1.26 | 1.26 | 3.071 | 0.631 |
| 84581 | 23 mm | 6 Pt. Deep Metric | 1.26 | 1.26 | 3.071 | 0.609 |
| 84582 | 24 mm | 6 Pt. Deep Metric | 1.339 | 1.339 | 3.071 | 0.692 |
| 84583 | 25 mm | 6 Pt. Deep Metric | 1.417 | 1.417 | 3.071 | 0.794 |
| 84584 | 26 mm | 6 Pt. Deep Metric | 1.417 | 1.417 | 3.071 | 0.798 |
| 84585 | 27 mm | 6 Pt. Deep Metric | 1.496 | 1.496 | 3.071 | 0.893 |
| 84586 | 28 mm | 6 Pt. Deep Metric | 1.575 | 1.575 | 3.071 | 0.983 |
| 84587 | 29 mm | 6 Pt. Deep Metric | 1.575 | 1.575 | 3.071 | 0.959 |
| 84588 | 30 mm | 6 Pt. Deep Metric | 1.496 | 1.654 | 3.071 | 0.999 |
| 84589 | 31 mm | 6 Pt. Deep Metric | 1.496 | 1.732 | 3.071 | 1.036 |
| 84590 | 32 mm | 6 Pt. Deep Metric | 1.496 | 1.732 | 3.071 | 1.091 |
| 84591 | 33 mm | 6 Pt. Deep Metric | 1.496 | 1.811 | 3.071 | 1.105 |
| 84592 | 34 mm | 6 Pt. Deep Metric | 1.496 | 1.89 | 3.071 | 1.129 |
| 84593 | 35 mm | 6 Pt. Deep Metric | 1.496 | 1.89 | 3.071 | 1.158 |
| 84594 | 36 mm | 6 Pt. Deep Metric | 1.496 | 1.968 | 3.071 | 1.235 |

GEARWRENCH®

# Combination Wrenches

**Open Stock - Long Pattern Combination Non-Ratcheting Wrenches SAE/METRIC**

| Item No. | Opening Inches/Metric | Overall Length (inch) A | Width Open End (inch) B | Thickness Open End (inch) C | Width Box End (inch) D | Thickness Box End (inch) E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 81650 | 1/4" | 5.090 | 0.520 | 0.161 | 0.449 | 0.197 | 0.046 |
| 81651 | 9/32" | 5.440 | 0.567 | 0.169 | 0.484 | 0.209 | 0.062 |
| 81652 | 5/16" | 5.800 | 0.654 | 0.177 | 0.535 | 0.217 | 0.071 |
| 81653 | 11/32" | 6.220 | 0.728 | 0.185 | 0.583 | 0.244 | 0.093 |
| 81654 | 3/8" | 6.540 | 0.807 | 0.213 | 0.634 | 0.272 | 0.121 |
| 81655 | 7/16" | 7.290 | 0.894 | 0.236 | 0.685 | 0.295 | 0.143 |
| 81656 | 1/2" | 8.110 | 1.051 | 0.252 | 0.780 | 0.335 | 0.196 |
| 81657 | 9/16" | 8.740 | 1.138 | 0.276 | 0.846 | 0.366 | 0.273 |
| 81658 | 5/8" | 9.520 | 1.291 | 0.303 | 0.941 | 0.413 | 0.328 |
| 81659 | 11/16" | 10.230 | 1.382 | 0.319 | 1.016 | 0.433 | 0.408 |
| 81660 | 3/4" | 10.972 | 1.551 | 0.362 | 1.098 | 0.476 | 0.525 |
| 81661 | 13/16" | 11.827 | 1.701 | 0.390 | 1.201 | 0.520 | 0.635 |
| 81662 | 7/8" | 12.520 | 1.783 | 0.406 | 1.264 | 0.539 | 0.705 |
| 81663 | 15/16" | 13.252 | 1.945 | 0.429 | 1.327 | 0.579 | 0.899 |
| 81664 | 1" | 14.035 | 2.024 | 0.445 | 1.398 | 0.598 | 0.977 |
| 81733 | 1-1/16" | 14.750 | 2.220 | 0.469 | 1.531 | 0.650 | 1.496 |
| 81734 | 1-1/8" | 16.000 | 2.469 | 0.500 | 1.685 | 0.697 | 1.848 |
| 81735 | 1-1/4" | 16.000 | 2.634 | 0.524 | 1.811 | 0.724 | 2.134 |
| 81749 | 1-5/16" | 18.740 | 3.102 | 0.610 | 2.185 | 0.925 | 2.056 |
| 81750 | 1-1/2" | 19.720 | 3.102 | 0.610 | 2.185 | 0.925 | 2.061 |

GEARWRENCH®

# Combination Wrenches




**Open Stock - Long Pattern Combination Non-Ratcheting Wrenches SAE/METRIC**

| Item No. | Opening Inches/Metric | Overall Length (inch) A | Width Open End (inch) B | Thickness Open End (inch) C | Width Box End (inch) D | Thickness Box End (inch) E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 81736 | 6 mm | 5.094 | 0.520 | 0.161 | 0.449 | 0.197 | 0.066 |
| 81737 | 7 mm | 5.445 | 0.567 | 0.169 | 0.484 | 0.209 | 0.077 |
| 81665 | 8 mm | 5.799 | 0.654 | 0.177 | 0.535 | 0.217 | 0.064 |
| 81666 | 9 mm | 6.220 | 0.728 | 0.185 | 0.583 | 0.244 | 0.090 |
| 81667 | 10 mm | 6.543 | 0.807 | 0.213 | 0.634 | 0.272 | 0.123 |
| 81668 | 11 mm | 7.291 | 0.894 | 0.236 | 0.685 | 0.295 | 0.141 |
| 81669 | 12 mm | 7.736 | 0.969 | 0.244 | 0.728 | 0.327 | 0.176 |
| 81670 | 13 mm | 8.114 | 1.051 | 0.252 | 0.780 | 0.335 | 0.185 |
| 81671 | 14 mm | 8.740 | 1.138 | 0.276 | 0.846 | 0.366 | 0.236 |
| 81672 | 15 mm | 9.134 | 1.213 | 0.291 | 0.890 | 0.390 | 0.287 |
| 81673 | 16 mm | 9.524 | 1.291 | 0.303 | 0.941 | 0.413 | 0.340 |
| 81674 | 17 mm | 10.232 | 1.382 | 0.319 | 1.016 | 0.433 | 0.414 |
| 81675 | 18 mm | 10.602 | 1.461 | 0.339 | 1.047 | 0.453 | 0.428 |
| 81676 | 19 mm | 10.970 | 1.55 | 0.360 | 1.080 | 0.472 | 0.550 |
| 81677 | 20 mm | 11.400 | 1.65 | 0.381 | 1.110 | 0.491 | 0.620 |
| 81678 | 21 mm | 11.830 | 1.700 | 0.400 | 1.140 | 0.510 | 0.683 |
| 81679 | 22 mm | 12.520 | 1.783 | 0.406 | 1.264 | 0.539 | 0.708 |
| 81741 | 23 mm | 12.752 | 1.870 | 0.417 | 1.287 | 0.559 | 0.902 |
| 81742 | 24 mm | 13.252 | 1.945 | 0.429 | 1.327 | 0.579 | 1.034 |
| 81751 | 25 mm | 14.035 | 2.024 | 0.445 | 1.398 | 0.598 | 2.077 |
| 81752 | 26 mm | 14.331 | 2.138 | 0.449 | 1.472 | 0.622 | 2.891 |
| 81743 | 27 mm | 14.752 | 2.220 | 0.469 | 1.531 | 0.650 | 1.540 |
| 81753 | 28 mm | 16.000 | 2.469 | 0.500 | 1.685 | 0.697 | 2.931 |
| 81744 | 30 mm | 17.000 | 2.555 | 0.524 | 1.685 | 0.724 | 2.046 |
| 81745 | 32 mm | 17.362 | 2.634 | 0.524 | 1.811 | 0.724 | 2.047 |

GEARWRENCH®

# Combination Ratcheting Wrenches

**"Original"** *Ratcheting Wrench*




***Open Stock - Combination Ratcheting Wrench SAE***

| Item No. | Opening Inches/Metric | Overall Length (inch) A | Width Open End (inch) B | Thickness Open End (inch) C | Width Box End (inch) D | Thickness Box End (inch) E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 9008 | 1/4" | 4.921 | 0.567 | 0.181 | 0.610 | 0.256 | 0.061 |
| 9010 | 5/16" | 5.508 | 0.768 | 0.197 | 0.665 | 0.272 | 0.073 |
| 9011 | 11/32" | 5.882 | 0.768 | 0.213 | 0.701 | 0.272 | 0.083 |
| 9012 | 3/8" | 6.256 | 0.862 | 0.224 | 0.780 | 0.303 | 0.119 |
| 9014 | 7/16" | 6.508 | 0.953 | 0.252 | 0.854 | 0.323 | 0.145 |
| 9016 | 1/2" | 7.008 | 1.146 | 0.319 | 0.984 | 0.339 | 0.206 |
| 9018 | 9/16" | 7.504 | 1.228 | 0.327 | 1.035 | 0.370 | 0.225 |
| 9020 | 5/8" | 8.201 | 1.358 | 0.346 | 1.201 | 0.406 | 0.313 |
| 9022 | 11/16" | 8.878 | 1.492 | 0.362 | 1.272 | 0.421 | 0.374 |
| 9024 | 3/4" | 9.764 | 1.626 | 0.374 | 1.339 | 0.441 | 0.488 |
| 9026 | 13/16" | 11.476 | 1.811 | 0.390 | 1.535 | 0.512 | 0.739 |
| 9028 | 7/8" | 11.476 | 1.811 | 0.390 | 1.535 | 0.512 | 0.768 |
| 9030 | 15/16" | 13.114 | 2.055 | 0.429 | 1.791 | 0.571 | 1.081 |
| 9032 | 1" | 13.114 | 2.055 | 0.429 | 1.791 | 0.571 | 1.065 |
| 9034 | 1-1/16" | 14.142 | 2.220 | 0.571 | 1.929 | 0.610 | 1.329 |
| 9036 | 1-1/8" | 15.846 | 2.469 | 0.492 | 2.154 | 0.669 | 1.972 |
| 9038 | 1-1/4" | 16.764 | 2.634 | 0.508 | 2.283 | 0.689 | 2.183 |
| 9060 | 1-5/16" | 18.110 | 2.744 | 0.539 | 2.362 | 0.689 | 2.640 |
| 9062 | 1-3/8" | 18.110 | 2.744 | 0.539 | 2.362 | 0.689 | 2.640 |
| 9040 | 1-7/16" | 19.685 | 3.114 | 0.646 | 2.520 | 0.807 | 3.861 |
| 9042 | 1-1/2" | 19.685 | 3.114 | 0.646 | 2.520 | 0.807 | 3.828 |
| 9044 | 1-9/16" | 22.638 | 3.409 | 0.709 | 2.677 | 0.866 | 5.183 |
| 9046 | 1-5/8" | 22.638 | 3.409 | 0.709 | 2.677 | 0.866 | 5.141 |
| 9048 | 1-11/16" | 24.213 | 3.626 | 0.791 | 2.835 | 0.925 | 5.691 |
| 9050 | 1-3/4" | 24.213 | 3.626 | 0.791 | 2.835 | 0.925 | 5.641 |
| 9052 | 1-13/16" | 25.394 | 3.850 | 0.835 | 2.992 | 0.984 | 7.647 |
| 9054 | 1-7/8" | 25.394 | 3.850 | 0.835 | 2.992 | 0.984 | 7.594 |
| 9056 | 2" | 25.787 | 4.134 | 0.835 | 3.150 | 1.043 | 8.336 |

GEARWRENCH®

# Combination Ratcheting Wrenches

## "Original" *Ratcheting Wrench*




**Open Stock - Combination Ratcheting Wrench METRIC**

| Item No. | Opening Inches/Metric | Overall Length (inch) A | Width Open End (inch) B | Thickness Open End (inch) C | Width Box End (inch) D | Thickness Box End (inch) E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 9106 | 6 mm | 4.921 | 0.567 | 0.181 | 0.610 | 0.256 | 0.616 |
| 9107 | 7 mm | 5.236 | 0.642 | 0.189 | 0.622 | 0.256 | 0.076 |
| 9108 | 8 mm | 5.508 | 0.768 | 0.197 | 0.665 | 0.272 | 0.073 |
| 9109 | 9 mm | 5.882 | 0.768 | 0.213 | 0.701 | 0.272 | 0.089 |
| 9110 | 10 mm | 6.256 | 0.862 | 0.224 | 0.780 | 0.303 | 0.117 |
| 9111 | 11 mm | 6.508 | 0.953 | 0.252 | 0.854 | 0.323 | 0.135 |
| 9112 | 12 mm | 6.756 | 1.047 | 0.291 | 0.906 | 0.339 | 1.707 |
| 9113 | 13 mm | 7.008 | 1.146 | 0.319 | 0.984 | 0.339 | 0.193 |
| 9114 | 14 mm | 7.504 | 1.228 | 0.327 | 1.035 | 0.370 | 0.236 |
| 9115 | 15 mm | 7.854 | 1.327 | 0.327 | 1.130 | 0.390 | 0.255 |
| 9116 | 16 mm | 8.201 | 1.358 | 0.346 | 1.201 | 0.406 | 0.306 |
| 9117 | 17 mm | 8.878 | 1.492 | 0.362 | 1.272 | 0.421 | 0.376 |
| 9118 | 18 mm | 9.311 | 1.583 | 0.370 | 1.307 | 0.441 | 0.45 |
| 9119 | 19 mm | 9.764 | 1.626 | 0.374 | 1.339 | 0.441 | 0.499 |
| 9120 | 20 mm | 11.476 | 1.811 | 0.390 | 1.535 | 0.512 | 0.78 |
| 9121 | 21 mm | 11.476 | 1.811 | 0.390 | 1.535 | 0.512 | 0.721 |
| 9122 | 22 mm | 11.476 | 1.811 | 0.390 | 1.535 | 0.512 | 0.734 |
| 9124 | 24 mm | 13.114 | 2.055 | 0.429 | 1.791 | 0.571 | 1.074 |
| 9125 | 25 mm | 13.114 | 2.055 | 0.429 | 1.791 | 0.571 | 1.08 |
| 9127 | 27 mm | 14.142 | 2.220 | 0.571 | 1.929 | 0.610 | 1.333 |
| 9130 | 30 mm | 15.846 | 2.469 | 0.492 | 2.154 | 0.669 | 1.849 |
| 9132 | 32 mm | 16.764 | 2.634 | 0.508 | 2.283 | 0.689 | 2.102 |
| 9134 | 34 mm | 18.110 | 2.744 | 0.539 | 2.362 | 0.689 | 2.665 |
| 9136 | 36 mm | 19.685 | 3.114 | 0.646 | 2.520 | 0.807 | 3.874 |
| 9141 | 41 mm | 22.638 | 3.409 | 0.709 | 2.677 | 0.866 | 5.150 |
| 9146 | 46 mm | 25.394 | 3.850 | 0.835 | 2.992 | 0.984 | 7.643 |
| 9150 | 50 mm | 25.787 | 4.134 | 0.835 | 3.150 | 1.043 | 8.369 |

GEARWRENCH®

# Combination Ratcheting Wrenches

**"Original"** *Ratcheting Wrench*

### 9416 - 16 Pc. Combination Ratcheting Wrench Set METRIC

| Item No. | Description | |
|---|---|---|
| 9108 | 8 mm | Combination Ratcheting Wrench |
| 9109 | 9 mm | Combination Ratcheting Wrench |
| 9110 | 10 mm | Combination Ratcheting Wrench |
| 9111 | 11 mm | Combination Ratcheting Wrench |
| 9112 | 12 mm | Combination Ratcheting Wrench |
| 9113 | 13 mm | Combination Ratcheting Wrench |
| 9114 | 14 mm | Combination Ratcheting Wrench |
| 9115 | 15 mm | Combination Ratcheting Wrench |
| 9116 | 16 mm | Combination Ratcheting Wrench |
| 9117 | 17 mm | Combination Ratcheting Wrench |
| 9118 | 18 mm | Combination Ratcheting Wrench |
| 9119 | 19 mm | Combination Ratcheting Wrench |
| 9120 | 20 mm | Combination Ratcheting Wrench |
| 9121 | 21 mm | Combination Ratcheting Wrench |
| 9122 | 22 mm | Combination Ratcheting Wrench |
| 9124 | 24 mm | Combination Ratcheting Wrench |

### 9312 - 13 Pc. Combination Ratcheting Wrench Set SAE

| Item No. | Description | |
|---|---|---|
| 9008 | 1/4" | Combination Ratcheting Wrench |
| 9010 | 5/16" | Combination Ratcheting Wrench |
| 9012 | 3/8" | Combination Ratcheting Wrench |
| 9014 | 7/16" | Combination Ratcheting Wrench |
| 9016 | 1/2" | Combination Ratcheting Wrench |
| 9018 | 9/16" | Combination Ratcheting Wrench |
| 9020 | 5/8" | Combination Ratcheting Wrench |
| 9022 | 11/16" | Combination Ratcheting Wrench |
| 9024 | 3/4" | Combination Ratcheting Wrench |
| 9026 | 13/16" | Combination Ratcheting Wrench |
| 9028 | 7/8" | Combination Ratcheting Wrench |
| 9030 | 15/16" | Combination Ratcheting Wrench |
| 9032 | 1" | Combination Ratcheting Wrench |

GEARWRENCH®

# Ratcheting & Torque Wrenches



**"Original"** *Ratcheting Wrench*

## 9317 - 7 Pc. Combination Ratcheting Wrench Set SAE

| Item No. | Description | |
|---|---|---|
| 9010 | 15/16" | Combination Ratcheting Wrench |
| 9012 | 3/8" | Combination Ratcheting Wrench |
| 9014 | 17/16" | Combination Ratcheting Wrench |
| 9016 | 1/2" | Combination Ratcheting Wrench |
| 9018 | 9/16" | Combination Ratcheting Wrench |
| 9020 | 5/8" | Combination Ratcheting Wrench |
| 9024 | 3/4" | Combination Ratcheting Wrench |



## 9417 - 7 Pc. Combination Ratcheting Wrench Set METRIC

| Item No. | Description | |
|---|---|---|
| 9108 | 8 mm | Combination Ratcheting Wrench |
| 9110 | 10 mm | Combination Ratcheting Wrench |
| 9112 | 12 mm | Combination Ratcheting Wrench |
| 9113 | 13 mm | Combination Ratcheting Wrench |
| 9114 | 14 mm | Combination Ratcheting Wrench |
| 9115 | 15 mm | Combination Ratcheting Wrench |
| 9118 | 18 mm | Combination Ratcheting Wrench |



## 3/8" Drive - Micrometer Torque Wrench

| Item No. | Torque Range | Weight (lbs) |
|---|---|---|
| 85051 | 25 - 250 in/lbs | 2.5 |
| 85052 | 10 - 100 ft/lbs | 3.2 |



## 1/2" Drive - Micrometer Torque Wrench

| Item No. | Torque Range | Weight (lbs) |
|---|---|---|
| 85053 | 20 - 150 ft/lbs | 4.2 |
| 85054 | 20 - 250 ft/lbs | 5 |



## 85055 - Micrometer Torque Wrench 3/4" Drive

| Torque Range | Weight (lbs) |
|---|---|
| 100 - 600 ft/lbs | 16 |



GEARWRENCH®

# ALLEN® Hex Keys & Sets



**ALLEN® Hex Key Fold-Up Set**

| Part No. | Keys | Range |
|---|---|---|
| APX-56316 | 9 - SAE | 5/64"- 1/4" |
| APX-56314 | 8 - SAE | 0.050"- 5/32 |
| APX-56360 | 7 - Metric | 1.5 - 6mm |
| APX-56323 | 7 - Torx | T-10 - T-40 |

**ALLEN® Long Arm Hex Key Set In Storage Pouch**

| Part No. | Keys | Range |
|---|---|---|
| APX-56014 | 15 - SAE | 5/64" - 3/4" |
| APX-56013D | 13 - SAE | 0.050 - 3/8" |
| APX-56150 | 11 - SAE | 0.050 - 3/8" |
| APX-56034 | 9 - SAE | 5/64" - 3/8" |

**ALLEN® Long Arm Hex Key Set In Colour Coded Key Caddy**

| Part No. | Keys | Range |
|---|---|---|
| APX-56152 | 12 - SAE | 0.050"-5/16" |
| APX-56081 | 13 - SAE | 0.050"-3/8" |
| APX-56148 | 7 - SAE | 5/64"-3/16" |
| APX-56018D | 9-Met | 1.5 - 10mm |

**ALLEN® Long Hex Key Fold-Up Set**

| Part No. | Keys | Range |
|---|---|---|
| APX-56318 | 9 - SAE | 5/64"- 1/4" |
| APX-56320 | 5 - SAE | 3/16"- 3/8" |
| APX-56362 | 5 - Metric | 4 - 10mm |




**ALLEN® Short Arm Hex Key Set In Metal Storage Case**

| Part No. | Keys | Range |
|---|---|---|
| APX-56026 | 18 - SAE | 0.028"-5/8" |
| APX-56028D | 15 - SAE | 0.028"-3/8" |
| APX-56036D | 15-Met | 0.7 - 17mm |
| APX-56038 | 12-Met | 0.7 - 10mm |

**ALLEN® Long Arm Hex Key Set SAE/Metric on Hinged Key Caddy**

| Part No. | Keys | Range |
|---|---|---|
| APX-56609G | 22 | SAE /Metric |
| | | 0.050"- 3/8" |
| | | 1.5 - 10mm |

ALLEN



**ALLEN® Short Arm Hex Key Set In Storage Pouch**

| Part No. | Keys | Range |
|---|---|---|
| APX-56004D | 7 - SAE | 5/64"- 1/4" |
| APX-56122D | 9 - SAE | 5/64"- 1/4" |
| APX-56030 | 11 - SAE | 0.050"-3/8" |
| APX-56032 | 15 - SAE | 0.028"-3/8" |
| APX-56011D | 20 - SAE | 0.028"-3/4" |

**ALLEN® Long Arm Hex Key Set In Metal Storage Case**

| Part No. | Keys | Range |
|---|---|---|
| APX-56128D | 13 - SAE | 1/16"- 1/2" |
| APX-56085 | 10-Met | 1.5 - 12mm |

**ALLEN® Short Arm Hex Key Set In Colour Coded Key Caddy**

| Part No. | Keys | Range |
|---|---|---|
| APX-56108 | 12 - SAE | 0.050"-5/16" |
| APX-56080 | 13 - SAE | 0.050"- 3/8" |
| APX-56008D | 9 - Met | 1.5 - 10mm |

# ALLEN® Hex Keys & Sets









**ALLEN® Short Arm Hex Keys**
**Metric - Open Stock**

| Part No. | Size | Length |
|---|---|---|
| APX-57129 | 0.70mm | 1.700" |
| APX-57131 | 0.90mm | 1.723" |
| APX-57135 | 1.3mm | 1.733" |
| APX-57116 | 1.5mm | 1.733" |
| APX-57118 | 2.0mm | 1.930" |
| APX-57120 | 2.5mm | 2.146" |
| APX-57122 | 3.0mm | 2.421" |
| APX-57124 | 4.0mm | 2.677" |
| APX-57126 | 5.0mm | 3.071" |
| APX-57128 | 6.0mm | 3.465" |
| APX-57130 | 8.0mm | 3.839" |
| APX-57132 | 10.0mm | 4.291" |
| APX-57133 | 12.0mm | 4.803" |
| APX-57134 | 14.0mm | 5.374" |
| APX-57138 | 17.0mm | 6.142" |
| APX-57142 | 19.0mm | 6.890" |
| APX-57143 | 22.0mm | 7.677" |

**ALLEN® Long Arm Hex Keys**
**Metric - Open Stock A.O.R.**

**ALLEN® Short Arm Hex Keys**
**SAE - Open Stock**

| Part No. | Size | Length |
|---|---|---|
| APX-57002D | 0.028" | 1.218" |
| APX-57004D | 0.035" | 1.218" |
| APX-57006 | 0.050" | 1.656" |
| APX-57008D | 1/16" | 1.750" |
| APX-57010 | 5/64" | 1.875" |
| APX-57012 | 3/32" | 2.000" |
| APX-57013D | 7/64 | 2.125" |
| APX-57014D | 1/8" | 2.250" |
| APX-57018 | 9/64" | 2.375" |
| APX-57020D | 5/32" | 2.500" |
| APX-57022 | 3/16" | 2.750" |
| APX-57024 | 7/32" | 3.000" |
| APX-57026D | 1/4" | 3.250" |
| APX-57028 | 5/16" | 3.750" |
| APX-57030D | 3/8" | 4.250" |
| APX-57013D | 7/16" | 4.750" |
| APX-57032D | 1/2" | 5.250" |
| APX-57034D | 9/16" | 5.750" |
| APX-57036 | 5/8" | 6.250" |
| APX-57038D | 3/4" | 7.250" |
| APX-57040D | 7/8" | 8.250" |
| APX-57042 | 1" | 9.250" |
| APX-57044 | 1-1/4" | 11.250" |
| APX-57046 | 1-1/2" | 13.250" |

**ALLEN® Long Arm Hex Keys**
**SAE - Open Stock**

| Part No. | Size | Length |
|---|---|---|
| 58001D | 1/16" | 3.000" |
| 58002 | 5/64" | 3.187" |
| 58003 | 0.050" | 2.843" |
| 58004 | 3/32" | 3.375" |
| 58005D | 7/64 | 3.561" |
| 58006D | 1/8" | 3.751" |
| 58007 | 0.035" | 2.671" |
| 58010D | 9/64" | 3.937" |
| 58012 | 5/32" | 4.125" |
| 58014 | 3/16" | 4.500" |
| 58016 | 7/32" | 4.875" |
| 58018 | 1/4" | 5.250" |
| 58020 | 5/16" | 6.000" |
| 58022 | 3/8" | 6.750" |
| 58023 | 7/16" | 7.500" |
| 58024 | 1/2" | 8.250" |
| 58026 | 9/16" | 9.000" |
| 58028 | 5/8" | 9.750" |
| 58030 | 3/4" | 11.250" |
| 58032 | 7/8" | 12.750" |
| 58034 | 1" | 14.250" |

**ALLEN® SAE 6" T-Handles**
**Cushion Grip - Open Stock**

| Part No. | Description |
|---|---|
| APX-57300 | 3/32" 6" T-handle |
| APX-57302 | 7/64" 6" T-handle |
| APX-57304 | 1/8" 6" T-handle |
| APX-57306 | 9/64" 6" T-handle |
| APX-57308 | 5/32" 6" T-handle |
| APX-57310 | 3/16" 6" T-handle |
| APX-57312 | 7/32" 6" T-handle |
| APX-57314 | 1/4" 6" T-handle |
| APX-57316 | 5/16" 6" T-handle |
| APX-57318 | 3/8" 6" T-handle |

**ALLEN® 10 Pc T-Handle Set,**
**SAE Cushion Grips**
**With Metal Stand**

| Part No. | Description |
|---|---|
| APX-56064 | 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8" |





# Hex Bit Sockets & Sets
# SAE & Metric 1/2" Drive




## HEX Bit Sockets 1/2" DRIVE

| Item No. | Bit Size | Drive End (inch) A | Nose Dia. (inch) B | Overall Length (inch) C | Bit Length (inch) D | Length to Shoulder E | Weight (lbs) |
|---|---|---|---|---|---|---|---|
| 80651 | 5/16" | 0.944 | 0.665 | 2.480 | 1.490 | 0.787 | 0.206 |
| 80652 | 3/8" | 0.944 | 0.700 | 2.480 | 1.490 | 0.787 | 0.233 |
| 80653 | 7/16" | 0.944 | 0.748 | 2.480 | 1.490 | 0.787 | 0.244 |
| 80654 | 1/2" | 0.944 | 0.944 | 2.480 | 1.490 | 0.000 | 0.277 |
| 80655 | 9/16" | 1.023 | 1.023 | 2.480 | 1.490 | 0.000 | 0.334 |
| 80656 | 5/8" | 1.023 | 1.023 | 2.480 | 1.490 | 0.000 | 0.343 |
| 80657 | 3/4" | 1.102 | 1.102 | 2.480 | 1.490 | 0.000 | 0.437 |
| 80658 | 6 mm | 0.944 | 0.665 | 2.480 | 1.490 | 0.787 | 0.204 |
| 80659 | 8 mm | 0.944 | 0.665 | 2.480 | 1.490 | 0.787 | 0.206 |
| 80660 | 10 mm | 0.944 | 0.748 | 2.480 | 1.490 | 0.787 | 0.237 |
| 80661 | 12 mm | 0.944 | 0.944 | 2.480 | 1.490 | 0.000 | 0.290 |
| 80662 | 14 mm | 1.023 | 1.023 | 2.480 | 1.490 | 0.000 | 0.352 |
| 80663 | 17 mm | 1.102 | 1.102 | 2.480 | 1.490 | 0.000 | 0.426 |
| 80664 | 19 mm | 1.102 | 1.102 | 2.480 | 1.490 | 0.000 | 0.437 |



## 80721 - 7 Pc. SAE HEX Bit Socket Set 1/2" DRIVE

| Item No. | Description | |
|---|---|---|
| 80651 | 5/16" Hex Bit Socket | 1/2" Drive |
| 80652 | 3/8" Hex Bit Socket | 1/2" Drive |
| 80653 | 7/16" Hex Bit Socket | 1/2" Drive |
| 80654 | 1/2" Hex Bit Socket | 1/2" Drive |
| 80655 | 9/16" Hex Bit Socket | 1/2" Drive |
| 80656 | 5/8" Hex Bit Socket | 1/2" Drive |
| 80657 | 3/4" Hex Bit Socket | 1/2" Drive |



GEARWRENCH®

## 80720 - 7 Pc. METRIC HEX Bit Socket Set 1/2" DRIVE

| Item No. | Description | |
|---|---|---|
| 80658 | 6mm Hex Bit Socket | 1/2" Drive |
| 80659 | 8mm Hex Bit Socket | 1/2" Drive |
| 80660 | 10mm Hex Bit Socket | 1/2" Drive |
| 80661 | 12mm Hex Bit Socket | 1/2" Drive |
| 80662 | 14mm Hex Bit Socket | 1/2" Drive |
| 80663 | 17mm Hex Bit Socket | 1/2" Drive |
| 80664 | 19mm Hex Bit Socket | 1/2" Drive |

# Shovels & Rakes





**Drain Spade**

| Part No. | Description |
|---|---|
| SHOV-DRAIN | 14" D-Handle |

**Grain Scoop Aluminum Shovel**

| Part No. | Description |
|---|---|
| SHOV-GDHW | D-Handle |

**Round Mouth Shovels**

| Part No. | Description |
|---|---|
| SHOV-RMDW | D-handle |
| SHOV-RMLHW | long handle |
| SHOV-RMLHW-HD | long handle |
| (Fiberglass A.O.R.) | |

**Snow Shovel, D-Handle**

| Part No. | Description |
|---|---|
| SHOV-SNOW14 | 14"poly blade |
| SHOV-SNOW21 | 21"poly blade |
| SHOV-SNOW21M | 21"poly blade with metal edge |

**Level Rake, Wood Handle**

| Part No. | Description |
|---|---|
| RAKE-T | 14" (C14) |



**Square Mouth Shovels**

| Part No. | Description |
|---|---|
| SHOV-SMDHW | D-handle |
| SHOV-SMLHW | long handle |
| (Fiberglass A.O.R.) | |



**Lawn Rake**

| Part No. | Description |
|---|---|
| RAKE-L | 24" wide |



**Rebar Wire Dispenser**

| Part No. | Description |
|---|---|
| RWD | accepts donut coils of rebar wire |

**Wheel Barrow, 6 Cubic Feet**

| Part No. | Description |
|---|---|
| 190990 | Plastic Tray |

**Floor Scraper**

| Part No. | Description |
|---|---|
| SCRAPER | 9" Blade w/54" wood Handle |