


FIBERGLASS STEP, EXTENSION, PLATFORM LADDERS



Louisville®

Fiberglass Standard Step Ladders

- Type 1A , 300 lbs Capacity
- SHOX impact absorption system
- ProTop w/magnet & tool slots
- Da Boot slip resistant foot

Part No.	Description
FS1504	4 foot
FS1505	5 foot
FS1506	6 foot
FS1507	7 foot
FS1508	8 foot
FS1510	10 foot
FS1512	12 foot



WERNER®

Fiberglass Standard Step Ladders

- Type 1A , 300 lbs Capacity
- Proguard Boot™ slip-resist footing
- Holster Top® lock-in tool system
- Traction-Tread® steps

Part No.	Description
WER-6104CA	4 foot
WER-6106CA	6 foot
WER-6108CA	8 foot
WER-61010CA	10 foot
WER-61012CA	12 foot

Louisville®

Fiberglass Platform Step Ladders With Extended Handrail

- Type 1A , 300 lbs Capacity
- SHOX impact absorption system
- ProTop w/magnet & tool slots
- Da Boot slip resistant foot

Part No.	Description
FXP1704	4 foot
FXP1705	5 foot
FXP1706	6 foot
FXP1708	8 foot
FXP1710	10 foot



WERNER®

Fiberglass Platform Step Ladders With Safety Guard Rail

- Type 1A , 300 lbs Capacity
- Large Work Platform
- EDGE® molded brace & foot pad
- Traction-Tred® slip resistant steps

Part No.	Height (Size) to platform
WER-P6204CA	4 foot
WER-P6206CA	6 foot
WER-P6208CA	8 foot
WER-P6210CA	10 foot

Louisville®

Fiberglass Extension Ladders

- Type 1A , 300 lbs Capacity
- D-shape slip resistant rungs
- Non-marring rail end caps
- QuickLatch rung lock system
- Swivel safety shoes
- Outside slide guides

Part No.	Description
FE3216	16 foot, 2 sections
FE3220	20 foot, 2 sections
FE3224	24 foot, 2 sections
FE3228	28 foot, 2 sections
FE3232	32 foot, 2 sections

WERNER®

Fiberglass Extension Ladders

- Type 1A , 300 lbs Capacity
- Traction-Tred® D-rungs
- Non-marring rail end caps
- Rugged gravity spring locks
- Shu-Lok® foot pad & spur plate
- Interlocking Side Rails

Part No.	Description
WER-D6216-2CA	16', 2 sections
WER-D6220-2CA	20', 2 sections
WER-D6224-2CA	24', 2 sections
WER-D6228-2CA	28', 2 sections
WER-D6232-2CA	32', 2 sections

ALUMINUM AND ROLLING STEEL LADDERS




Rolling Steel Ladders & Platforms
With and Without Hand Rails



Aluminum Heavy Duty Stepladder

- Type 1A , 300 lbs Capacity
- ProTop w/magnet & tool slots
- Slip-Resistant rubber feet
- With pail shelf


Part No.	Description
AS3003	3 foot
AS3004	4 foot
AS3005	5 foot
AS3006	6 foot
AS3008	8 foot
AS3010	10 foot



Aluminum Extension Ladder

- Type 1 , 250 lbs Capacity
- D-shape slip resistant rungs
- Non-marring rail end caps
- QuickLatch rung lock system
- Swivel safety shoes
- Outside slide guides

Part No.	Description
AE3216	16 foot, 2 sections
AE3220	20 foot, 2 sections
AE3224	24 foot, 2 sections
AE3228	28 foot, 2 sections
AE3232	32 foot, 2 sections
AE3236	36 foot, 2 sections
AE3240	40 foot, 2 sections




Telescopic Ladders

Jaws Telescopic Aluminum Ladders

- Type 1AA , 375 lbs Capacity
- Mechanical interlocking hinges

Part No.	Folded	Extended	Weight
JLT18	4'-9"	9' to 15'	36 lbs.
JLT22	5'-9"	11' to 19'	41 lbs.
JLT26	6'-9"	13' to 23'	52 lbs.

FEATHERLITE
INDUSTRIAL LADDERS




Aluminum Platform Step Ladders

Light Weight, w/Top Rail Guard


- Type III , 200 lbs Capacity
- Slip resistant platform and feet

Part No.	Description
AP8005	3 foot
AP8004	4 foot




Aluminum Saw Horses

Part No.	Size	Width
3702	2'	32"
3703	3'	34"
3704	4'	35"

METALTECH™ EXTERIOR SCAFFOLDING


**60" x 60" Standard Frame
M-MF6060PS-A**

- Blue powder coating
- Flip locking system
- Includes coupling pins
- Includes spring-locks




**60" x 60" Standard Frame
M-MF6060GVPS**

- Galvanized finish
- Includes coupling pins
- Includes spring-locks




**60" x 30" Standard Frame
M-MF6030PS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




**60" x 60" Standard Frame
M-MF6060SL**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




**36" x 60" Standard Frame
M-MF3060GVPS**

- Galvanized finish
- Includes coupling pins
- Includes spring-locks




**60" x 48" Standard Frame
M-MF6048PS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




**60" x 30" Standard Frame
M-MF6030GVPS**

- Galvanized finish
- Includes coupling pins
- Includes spring-locks




**60" x 36"/60"
Adjustable Frame
M-MF60EPS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




**76" x 60" Standard Frame
M-MF7660PS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks

METALTECH™ EXTERIOR SCAFFOLDING


72" x 60" Standard Frame
M-MF7260PS

- Blue powder coating
- Includes coupling pins
- Includes spring-locks

**Walk - Thru
Arch Frames**


120" x 78" Hoarding Frame
M-MA12078GV

- Galvanized finish
- Includes coupling pins
- Includes spring-locks




76" x 42"
Walk-Thru Arch Frames
M-MA7642GVPS

- Galvanized finish
- Includes coupling pins
- Includes spring-locks




76" x 42"
Walk-Thru Arch Frames
M-MA7642PS

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




121" x 60" Starting
Walk-Thru Arch Frames
M-MA12160DEGV

- Blue powder coating
- Includes coupling pins
- Includes spring-locks




78" x 60"
Walk-Thru Arch Frames
M-MA7860GVPS

- Galvanized finish
- Includes coupling pins
- Includes spring-locks



76" x 60"
Walk-Thru Arch Frames
M-MA7660GVPS


- Galvanized finish
- Includes coupling pins
- Includes spring-locks



78" x 60"
Walk-Thru Arch Frames
M-MA7860PS

- Blue powder coating
- Includes coupling pins
- Includes spring-locks

METALTECH™ EXTERIOR SCAFFOLDING




76" x 60"

**Walk-Thru Arch Frames
M-MA7660PS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks


Ladder Arch Frames



78" x 60"

**Ladder Arch Frames
M-MA7860LGVPs**


- Galvanized finish
- Includes coupling pins
- Includes spring-locks



76" x 60"

**Ladder Arch Frames
M-MA7660LGVPs**


- Galvanized finish
- Includes coupling pins
- Includes spring-locks



78" x 60"

**Ladder Arch Frames
M-MA7860LPS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks



76" x 60"


**Ladder Arch Frames
M-MA7660LPS**

- Blue powder coating
- Includes coupling pins
- Includes spring-locks


Cross Braces & Accessories



**Gravity Lock (galvanized)
M-MTOGGLE**



**4' Wall Attachment and Plate
M-MTWAGVPL**




Swivel Wedge Clamps

1.69"-1.90" (galvanized)

M-MTCSW2

1.90" (galvanized)

M-MTCSW1



Wedge Clamps

1.69"-1.90" (galvanized)

M-MTCFW2

1.90" (galvanized)

M-MTCFW1

METALTECH™ EXTERIOR SCAFFOLDING**Galvanized Diagonal Braces**

10' Span for 60" frame

M-MDB60120







10' Span for 30" frame

M-MDB30120

7' Span for 60" frame

M-MDB6084

7' Span for 30" frame

M-MDB3084**Bolted Swivel Clamp (Galv.)****M-MTCSDU****Pig Tail (Galvanized)****M-MLG****Bolted 90° Fixed Clamp (Galv.)****M-MTCF DU****Spring-Lock (Galvanized)****M-MLS****Galvanized Cross Braces**

4' x 10'

M-MC48120

3' x 10'

M-MC36120

27.75" x 10'

M-MC27.75120

2' x 10'

M-MC24120

4' x 7'

M-MC4884

3' x 7'

M-MC3684

27.75" x 7'

M-MC27.7584

2' x 7'

M-MC2484**Lock Arm**

29"-31" (blue powder coated)

M-MLA2931


29"-31" (galvanized)










M-MLA2931GV

13" (galvanized)

M-MLA13GV

13" (blue powder coated)


M-MLA13**Aluminum Tube**10' **M-MTA120**20' **M-MTA240****Coupling Pin (Galvanized)****M-MLC1** (with 1" collar)**1.375" Coupling Pin and Spring-Lock****M-MLC1S**

METALTECH™ EXTERIOR SCAFFOLDING**Tie-off Bars****Aluminum Tie-Off Bars****7' Lifeline Anchor Beam****M-BAA07****10' Lifeline Anchor Beam****M-BAA10****Toeboards****Galvanized Toeboard****120" M-MGT120****84" M-MGT84****60" M-MGT60****30" M-MGT30****24" Galvanized Leveling Jack
With Swivel Plate (Solid)****M-MBSJPSW24****Guardrails****Guardrail Post (Galvanized)****With Wedge Clamp****M-MGPUSLGV****Galvanized Guardrail****120" M-MGR10****84" M-MGR7****60" M-MGR5****48" M-MGR4****30" M-MGR30****24" Galvanized Levelling Jack
With Plate (Solid)****M-MBSJP24****24" Galvanized Levelling Jack
With Socket (Solid)****M-MBSJS24****Levelling Jacks****24" Galvanized Leveling Jack
With Swivel Plate (Hollow)****M-MBSJPSW24H****24" Galvanized Levelling Jack
With Plate (Hollow)****M-MBSJP24H****Guardrail Post (blue powder)****With Wedge Clamp****M-MGPUSL**

METALTECH™ EXTERIOR SCAFFOLDING




Outriggers




32" Outrigger
Galvanized Finish
M-M032GV

32" Outrigger
Blue powder coating
M-M032



20" End Bracket
Blue powder coating
M-ME20




Side Brackets

40" Blue powder coating
M-MS40


30" Blue powder coating
M-MS30

20" Blue powder coating
M-MS20


20" Galvanized
M-MS20GV



24" Galvanized Levelling Jack
With Socket (Hollow)
M-MBSJS24H




6" x 6" Swivel Base Plate
Galvanized finish
M-MBBSGV



36" Galvanized Levelling Jack
With Socket (Solid)
M-MBSJS36


36" Galvanized Levelling Jack
With Plate (Solid)
M-MBSJP36



6" x 6" Base Plate
Galvanized finish
M-MBBFGV

6" x 6" Base Plate
Blue powder coating
M-MBBF


Casters



8" Caster, M-MBC8

8" Caster, H/D, M-MBC8HD


Plates



6" x 6" Swivel Base Plate
Blue powder coating
M-MBBS

METALTECH™ MOBILE JOBSITE SCAFFOLDING

Platforms



10" x 19"


All Aluminum Platform

M-MPA1019

7" x 19"

All Aluminum Platform

M-MPA719



Aluminum Platforms


With 5/8" Plywood Deck

10' x 24" M-MPP1024

10' x 19" M-MPP1019

7' x 24" M-MPP724

7' x 19" M-MPP719



Aluminum Platforms With


5/8" Anti-Slip Plywood Deck

10' x 24" M-MPP1024AS

10' x 19" M-MPP1019AS

7' x 24" M-MPP724AS

7' x 19" M-MPP719AS




BAKER™ Style Scaffolding Replacement Parts

Part No.	Description
M-I-CICAS5	5" locking caster
M-I-C4CAS5	5" caster set
M-I-CAS5PIN	locking Pin
M-I-CISP	platform

BAKER™ Style Scaffolding


- Stackable up to 3 Units
 - 1,000 lbs load capacity
 - 74.75"L x 29.75"W x 75"H
- | Part No. | Description |
|----------|-------------------------|
| M-I-CISC | with 5" locking casters |



Set of 4 Extra Wide 46" Outriggers W/Casters

• 52.5"L x 3.75"W x 52.25"H


Part No.	Description
M-I-CIS04TT	w/5" casters



Half Scaffold Extension

- Stacks onto I-CISC scaffold
 - 73.75"L x 29"W x 42.5"H
- | Part No. | Description |
|-----------------|-------------|
| M-I-ISEX4PPNCAS | 39" height |

Wagons




Scaffold Wagons

Adjustable from 7' to 10'

M-MW71026, w/26" Wheels


M-MW71016, w/16" Wheels



Set of 4 Outriggers W/Casters

• 15.75"L x 2.5"W x 24"H

Part No.	Description
M-I-CIS04	w/5" casters



Guardrail System

- Stacks onto I-CISC scaffold
 - 69.5"L x 30"W x 41.5"H
- | Part No. | Description |
|-----------|----------------------------|
| M-I-CISGR | w/gates and 4 locking pins |