

JET™ MANUAL CHAIN HOISTS

Material Handling



JET™ Manual Chain Hoists

"Super Heavy Duty" L-90 Series

- Class V+ load chain
- Chrome Molybdenum load gears
- Custom lifts A.O.R.
- Safety Hooks, Top and Bottom
- Triple spur gear

Part No.	Rated Capacity	Lift
JET-101202	1/2 Ton	10'
JET-101204	1/2 Ton	15'
JET-101206	1/2 Ton	20'
JET-101212	1 Ton	10'
JET-101214	1 Ton	15'
JET-101216	1 Ton	20'
JET-101222	1-1/2 Ton	10'
JET-101224	1-1/2 Ton	15'
JET-101226	1-1/2 Ton	20'
JET-101232	2 Ton	10'
JET-101234	2 Ton	15'
JET-101236	2 Ton	20'
JET-101252	3 Ton	10'
JET-101254	3 Ton	15'
JET-101256	3 Ton	20'
JET-101262	5 Ton	10'
JET-101264	5 Ton	15'
JET-101266	5 Ton	20'
JET-101283	10 Ton	11.5'
JET-101292	15 Ton	11.5'



JET™ Manual Chain Hoists

"Heavy Duty" Series

- Grade 100 load chain
- Custom lifts A.O.R.
- Safety Hooks, Top and Bottom
- Triple spur gear

Part No.	Rated Capacity	Lift
JET-101102	1/2 Ton	10'
JET-101106	1/2 Ton	20'
JET-101112	1 Ton	10'
JET-101116	1 Ton	20'
JET-101132	2 Ton	10'
JET-101136	2 Ton	20'
JET-101142	3 Ton	10'
JET-101146	3 Ton	20'
JET-101152	5 Ton	10'
JET-101156	5 Ton	20'
JET-101162	10 Ton	10'
JET-101172	15 Ton	10'




JET™ Manual Chain Hoists


"Standard Duty" Series

- Grade 80 load chain
- Custom lifts A.O.R.
- Safety Hooks, Top and Bottom
- Triple spur gear

Part No.	Rated Capacity	Lift
JET-101002	1/2 Ton	10'
JET-101006	1/2 Ton	20'
JET-101012	1 Ton	10'
JET-101016	1 Ton	20'
JET-101032	2 Ton	10'
JET-101036	2 Ton	20'



SUMO™ & JET™ LEVER CHAIN PULLERS



SUMO™ Lever Chain Puller "Standard Duty" Series

- Galvanized chain
- Short lever for confined spaces
- All hooks have safety latches

Part No.	Rated Capacity	Lift
JET-E06961	1/4 Ton	5'
JET-E06962	1/2 Ton	5'



JET™ Lever Chain Puller "Heavy Duty" Series

- Grade 100 load chain
- Custom lifts A.O.R.
- Safety Hooks, Top and Bottom
- Non-asbestos brake disc


Part No.	Rated Capacity	Lift
JET-110402	3/4 Ton	5'
JET-110406	3/4 Ton	10'
JET-110403	1-1/2 Ton	5'
JET-110407	1-1/2 Ton	10'
JET-110404	3 Ton	5'
JET-110408	3 Ton	10'
JET-110406	6 Ton	5'




JET™ Lever Chain Puller "Standard Duty" Series

- Grade 80 load chain
- Custom lifts A.O.R.
- Safety Hooks, Top and Bottom
- Dual pawl Weston style brake


Part No.	Rated Capacity	Lift
JET-110302	3/4 Ton	5'
JET-110303	1-1/2 Ton	5'
JET-110304	3 Ton	5'




JET™ WIRE ROPE & HAND CABLE PULLERS



111136



111137



111138

JET™ Wire Rope Puller "Heavy Duty" Series (Wire rope not included)

- Shear pin overload protection
- Telescopic handle

Part No.	Rated Capacity	Rope
JET-111136	1,760 lbs.	5/16"
JET-111137	3,520 lbs.	7/16"
JET-111138	7,040 lbs.	5/8"



JET™ Hand Cable Puller "Heavy Duty" Series

- (2) Ton pulling capacity
 - (1) Ton lifting capacity
 - (14") polished ratcheting arm
- | Part No. | Wire Size/Length |
|------------|------------------|
| JET-111225 | 3/16" x 12' |




JET™ Hand Cable Puller "Super Heavy Duty" Series

- (4) Ton pulling capacity
 - (2) Ton lifting capacity
 - (18") polished ratcheting arm
- | Part No. | Wire Size/Length |
|------------|------------------|
| JET-111228 | 1/4" x 10' |

JET™ Wire Rope Puller Cable Assemblies w/Hook

- Safety hook included
 - Galvanized for longer life
- | Part No. | Wire Size/Length |
|------------|------------------|
| JET-111152 | 5/16" x 66' |
| JET-111153 | 7/16" x 66' |
| JET-111154 | 5/8" x 66' |
| JET-111162 | 5/16" x 100' |
| JET-111163 | 7/16" x 100' |



JET™ Beam Clamp "Heavy Duty" Series

Part No.	Capacity	Flange Range
JET-120603	1 Ton	2.95" to 9.05"
JET-120605	2 Ton	2.95" to 9.05"
JET-120606	3 Ton	3.35" to 11"
JET-120607	5 Ton	3.35" to 12"



JET™ Manual Trolley "Heavy Duty" Series

Part No.	Capacity	Flange Range
JET-120251	1/2 Ton	3.25" to 8"
JET-120252	1 Ton	4" to 8"
JET-120253	1-1/2 Ton	4" to 8"
JET-120254	2 Ton	4" to 8"
JET-120255	3 Ton	4" to 8"
JET-120256	5 Ton	4-1/2" to 8"
JET-120257	10 Ton	4-15/16" to 8"





JET™ SNATCH BLOCKS & LIFTING



JET™ Snatch Blocks "Single Sheave" Style

- Cast iron sheaves
- Hook c/w safety latch
- Side plate swings open

Part No.	Size	Capacity	Rope Dia.
JET-130103	3"	1/2 Ton	3/8"
JET-130104	4"	1 Ton	7/16"
JET-130105	5"	1-1/2 Ton	1/2"
JET-130106	6"	2 Ton	5/8"
JET-130108	8"	4 Ton	3/4"



JET™ Drum Lifter


Part No.	Capacity
JET-109392	1 Ton



JET™ Snatch Blocks "Double Sheave" Style

- Cast iron sheaves
- Hook c/w safety latch
- Side plate swings open

Part No.	Size	Capacity	Rope Dia.
JET-130203	3"	1/2 Ton	3/8"
JET-130204	4"	1 Ton	7/16"



JET™ Plate Clamp "Heavy Duty" Series

Part No.	Capacity	Jaw Range
JET-109322	1/2 Ton	Up to 19/32"
JET-109323	1 Ton	Up to 13/16"
JET-109325	2 Ton	Up to 1"
JET-109327	3 Ton	Up to 1-3/16"



JET™ Hydraulic Scissors Lift

"Heavy Duty" Series Hand Cart

- Wheel stops for cart positioning
- Foot pedal for easy table lifting
- 33-1/2" x 19-3/4" Table
- 11-1/2" minimum table height
- 35-3/4" maximum table height

Part No.	Max Capacity
JET-190968	1,100 lbs.



Tuff Grade™ Pallet Truck


- 3 Position control lever
- Grease fittings at key points
- Built-in Overload Protection

Part No.	Max Capacity
JET-190918	5,500 lbs.

SHELVING, POSTS & HYDRAULIC JACKS

225


140



Slotted Angle

Part No.	Description
CON-DEXION225	2-3/8" x 1-3/8" x 12'
CON-DEXION140	1-3/8" x 1-3/8" x 12'

(More lengths available)




Metal Shelves

Part No.	Description
CON-SH12X36	12" x 36"
CON-SH12X48	12" x 48"

(More sizes available)


Corner Gusset Plate

Part No.	Description
CON-GUSSET5X5	5" x 5"



Shelf Clips

Part No.	Description
CON-SHELFCLIP	for quick shelf construction



Kick Plates

Part No.	Description
CON-KICKPLATE36	36" x 3"
CON-KICKPLATE48	48" x 3"

(More sizes available)



(See page 6 to 8
for Bolts & Nuts)

JET™

Hydraulic Bottle Jack

"Super Heavy Duty" Series

•For angle, verticle or horizontal use

Part No.	Maximum Capacity	Height Min. to Max.
JET-140101	2 Ton	7-1/8"-13-5/8"
JET-140102	3 Ton	7-1/2"-14-3/8"
JET-140103	5 Ton	7-7/8"-15-3/8"
JET-140104	8 Ton	7-7/8"-15-3/8"
JET-140105	12-1/2 Ton	9-1/2"-18-1/2"
JET-140106	12-1/2 Ton	6-3/4"-13-1/2"
JET-140107	17-1/2 Ton	10-7/16"-20-1/16"
JET-140108	17-1/2 Ton	6-3/4"-13"
JET-140109	22-1/2 Ton	10-5/8"-16-7/8"
JET-140110	22-1/2 Ton	7-1/8"-12-1/16"
JET-140111	35 Ton	11"-17-1/4"
JET-140112	60 Ton	12"-18-3/4"


JET


JET™

Hydraulic Screw Jack

"Heavy Duty" Series

Part No.	Max. Capacity	Height Min. to Max.
JET-141503	5 Ton	9.45"-13.39"
JET-141505	10 Ton	11.50"-17.83"
JET-141508	15 Ton	13.86"-21.38"
JET-141512	20 Ton	15.83"-24.88"
JET-141516	25 Ton	16.61"-26.34"




JET™

Hydraulic Toe Jack


"Super Heavy Duty" Series

•Load applied to Toe or Head

Part No.	Toe Cap.	Head Cap.
JET-149123	5 Ton	6 Ton
JET-149125	10 Ton	14 Ton



SUMNER® CONTRACTOR LIFTS



Hold-Down Bar

Standard hold-down bar retains carriage assembly during transport. Hold-down bar is spring-loaded, retracts and stores behind mast when not in use.

Part No. 783040



Reversible Forks

Forks easily remove by pulling plunger pins and can be reversed for added height or to get flush with ceiling.

**Available
in optional
galvanized
finish!**



**Part No.
776270**



SUMNER

Ideal for compact storage

No tools or loose hardware to worry about. Leg lock mechanism releases by pulling plunger pins and locks in the stored position. Leg rollers allow lift to be wheeled around. Forks also remove by pulling plunger pins.



Series 2100

Part No.	Description	Max Height		Lifting Capacity		Lift Weight		Shipping Weight	
		Feet	Meter	lbs	kg	lbs	kg	lbs	kg
783650	2112 Contractor Lift	12' 11-3/8"	3.9	650	300.0	252	114.5	287	130.5
783651	2118 Contractor Lift	18' 4-3/8"	5.6	650	300.0	321	145.9	356	161.8
783652	2124 Contractor Lift	23' 9-3/8"	7.2	650	300.0	366	166.0	399	181.4


SUMNER

Roust-A-Bout


Material Handling

*The versatile lift that makes
one man a crew!*

- ✓ Lifts 1,500 lb (680 Kg)
- ✓ Moves vertically and horizontally
- ✓ 15, 18 and 25 foot heights
(4.6, 5.5 and 7.6 m)
- ✓ 2 Winches: operate load and mast
elevation separately
- ✓ 4-Speed Load winches
- ✓ Infinite load height adjustment
- ✓ Ideal for job or shop




Mast and base sections
separate quickly for ease of
transportation and storage.



Available in
optional
galvanized
finish!



Two Winch System



- ✓ Enables one man to perform as a crew – pays for itself in days!
- ✓ Lift and place loads in tight locations impossible for other lifts
- ✓ 8" casters (200 mm) permit full load to be positioned with ease
- ✓ Tee Head Extension available for wider loads up to 1,000 lbs (455 kg)
- ✓ Eliminates the need for come alongs,
scaffolds, monorails and swing booms

Part No.	Description	Weight		A		B		C/D		Base		Max Height	
		lbs	kg	inch	cm	inch	cm	inch	cm	inch	cm		
780300	R-100 Roust-A-Bout 15' Top Height	330	150	79	200	20	50	12	30	32 x 40	80 x 100	15' 2-1/2"	4.6
780301	R-150 Roust-A-Bout 15' Top Height	336	152	79	200	20	50	12	30	40 x 40	100 x 100	15' 2-1/2"	4.6
780302	R-180 Roust-A-Bout 18' Top Height	403	183	126	320	25	63	14.5	36	50 x 50	125 x 125	17' 11-5/8"	5.5
780303	R-250 Roust-A-Bout 25' Top Height	493	224	119	302	30	75	17.5	44	60 x 60	150 x 150	25' 3/8"	7.6

GH2T

GANTRY SERIES



SUMNER

All New 2-Ton Aluminum Gantry



- ✓ Available in 8', 10', 12' & 15' or 3 m, 4 m & 5 m beam lengths
- ✓ 2 Metric Ton (4,400 lb) Capacity
- ✓ Lightweight & Extremely Portable
- ✓ Quick Two-Person Assembly
- ✓ Adjustable Span
- ✓ Minimum Pieces – 2 A-Frames with 8" casters, Trolley, Cross Beam and attaching hardware
- ✓ Aluminum Frames & Beam
- ✓ Anodized frame
- ✓ 8" Locking Casters
- ✓ Quick Height Adjustment
- ✓ Pinch Point Free

Innovative Mast Height Adjustment

1




Adjust mast lifting handle with plunger pin to comfortable lifting position



8' (2.4 m) Beam


Chain hoist not included

2



Lift mast and remove quick-action mast locking pin – no bolts!

3




When lifting handle is next to frame, mast holes are aligned for locking pin

Adjust height in 6" (15 cm) increments

GH2T Gantry Lift Dimensions

Material Handling



Part No.	Gantry Model	A Max/Min Height To Lifting Eye	B Max Height To Top Of Trolley	C Max Working Span	D Span Between Wheels	E Height Adjust- ment	F Span Adjustment*	G Max Width Of "A" Frame	H Stored Height of "A" Frame
785100	GH2T-15 (15' Beam)	114" (289.56 cm)	128.5" (326.39 cm)	142" (360.68 cm)	15' 1" (459.74 cm)				
785101	GH2T-12 (12' Beam)			106" (269.24 cm)	12' (365.76 cm)	6" (15.24 cm)	13" (33.02 cm)	60.625" (153.98 cm)	100" (254 cm)
785102	GH2T-10 (10' Beam)	84" (213.36 cm)		82" (208.28 cm)	10' (304.8 cm)				
785103	GH2T-8 (8' Beam)			58" (147.32 cm)	8' (243.84 cm)				


GH2T Gantry comes with 2 A-Frames with 8" casters, Trolley, Cross Beam and attaching hardware.

*15 ft beam has 3 adjustment positions.
8 ft beam has none.

Gantry Part No.	Gantry Model	Weight		Beam Part No.	Beam Model	Weight	
		lbs	kg			lbs	kg
785100	GH2T-15 (15' Beam)	323.0	146.5	785150	15'	82.0	37.1
785101	GH2T-12 (12' Beam)	307.0	139.2	785151	12'	65.6	29.7
785102	GH2T-10 (10' Beam)	296.0	134.2	785152	10'	54.7	24.8
785103	GH2T-8 (8' Beam)	285.0	129.2	785153	8'	47.7	21.6



Set screw holds
trolley in place




Large positioning
handle on trolley



Convenient carrying
straps on beam


MATERIAL HANDLING EQUIPMENT



JET™ Hand Winch


- With non-asbestos brake discs
- "Free Wheeling" enables fast cable payout
- Will not "Free Wheel" under load

Part No.	Lifting Capacity
JET-113261	220 lbs.
JET-113263	882 lbs.
JET-113264	1,653 lbs.




Appliance Cart

- 24" x 5" toe plate
 - 800 lbs capacity
 - Roller Stairclimbers
- | Part No. | Description |
|----------|---------------|
| APPCART | 8"x 2" wheels |



GRAY TOOLS



Lifting Eye, Shoulder Pattern Bare Metal Self Colour Finish

Part No.	Size(in)	Eye(in)	WLL(lbs.)
GRABS08	1/4-20	3/4	650
GRABS10	5/16-18	7/8	1,200
GRABS12	3/8-16	1	1,550
GRABS16	1/2-13	1-3/16	2,600
GRABS18	9/16-12	1-1/4	3,200
GRABS20	5/8-11	1-3/8	5,200
GRABS24	3/4-10	1-1/2	7,200
GRABS28	7/8-9	1-11/16	10,600
GRABS32	1-8	1-13/16	13,300
GRABS36	1-1/8-7	2	17,000
GRABS40	1-1/4-7	2-3/16	21,000

(Available up to 2" thread size)

MASTER DISTRIBUTION SERVICES



Rubbermaid® Platform Truck Black Duramold™ Composite

- With 2 fixed and 2 swivel casters
 - Maximum capacity of 1,000 lbs.
- | Part No. | Description |
|--------------|--------------------|
| FG443600-BLA | 24" x 48" Platform |

Tuff Grade™ Hand Trucks With Hard Rubber Wheels

- 600 lbs. capacity
 - Dark blue finish
 - Steel hub, steel ball bearings
- | Part No. | Handle | Height |
|----------|----------|--------|
| TGHT-002 | Dual | 46" |
| TGHT-004 | Loop "P" | 52" |

Tuff Grade™ Hand Trucks With Pneumatic Wheels

- 600 lbs. capacity
 - Dark blue finish
 - Steel hub, steel ball bearings
- | Part No. | Handle | Height |
|----------|----------|--------|
| TGHT-001 | Dual | 46" |
| TGHT-003 | Loop "P" | 52" |

MATERIAL HANDLING EQUIPMENT

CANWAY
EQUIPMENT MFG. INC.
Material Handling Equipment



Drywall Cart

- With 2 fixed and 2 swivel casters
 - Maximum capacity of 1,000 lbs.
 - Blue powder coat finish
- | | |
|---------------|----------------|
| Part No. | Description |
| 22X44-DW-5RSX | 24"Wx36"Lx35"H |



Steel Platform Truck

"Medium Duty" Series

Welded Steel Construction

- Steel tube handle
- With 2 fixed and 2 swivel casters
- Maximum capacity of 1,200 lbs.
- Blue powder coat finish

Part No.	Platform
24X48-SD-5RSX	24" x 48"



Steel Service Cart

"Heavy Duty" Series

- With 2 fixed and 2 swivel casters
- Maximum capacity of 1,000 lbs.
- Blue powder coat finish
- 14 ga. Steel trays, 1-1/2" lips

Part No.	Description
24X36SC2-5RSX	24"Wx36"Lx35"H

MASTER
DISTRIBUTION SERVICES



Rubbermaid® Utility Cart

Structural Foam Construction "Light Duty" With 2 Shelves

- 300 lbs. rated capacity

Part No.	Description
9T67	40"L x 26"W x 32"H



Rubbermaid® Utility Cart

Structural Foam Construction "Heavy Duty" With 2 Shelves

- 500 lbs. rated capacity

Part No.	Description
4520-88-BLA	45"L x 26"W x 33"H






Rubbermaid® Tilt Truck

Structural Foam Construction "Standard Duty" Series

Part No.	Description	Capacity
9T14	1/2 cubic yard	850 lbs.
9T15	1 cubic yard	1,250 lbs.

MATERIAL HANDLING EQUIPMENT


 Closed Head
Steel Drum

 Open Head
Steel Drum

Web Slings

Type 3, 2 Ply Nylon, Double Eye

- 6,400 lbs. Verticle WLL
- 4,800 lbs. Choker WLL
- 12,800 lbs. Basket WLL

Part No.	Width	Length
TGWS0202	2"	2'
TGWS0204	2"	4'
TGWS0206	2"	6'
TGWS0208	2"	8'
TGWS0210	2"	10'
TGWS0212	2"	12'
TGWS0216	2"	16'

AKRO-MILS® AKROBINS™

Stackable Plastic Storage Bins


Part No.	Size (Inches)
30239BLUE	10.75 x 8.25 x 7
30239RED	10.75 x 8.25 x 7
30239YELLOW	10.75 x 8.25 x 7
30240BLUE	14.75 x 8.25 x 7
30240RED	14.75 x 8.25 x 7
30240YELLOW	14.75 x 8.25 x 7
30265BLUE	18 x 8.25 x 9
30265RED	18 x 8.25 x 9
30265YELLOW	18 x 8.25 x 9

Steel Drum, Reconditioned

For general storage applications

- 55 gallon capacity

Part No.	Description
STEELDRUM-OT	open top style
STEELDRUM-CT	closed top style




Wire Rope Slings

"Eye and Eye" Style

Part No.	Size	Length
WRS 12X3	1/2"	3'
WRS 12X4	1/2"	4'
WRS 12X5	1/2"	5'
WRS 12X6	1/2"	6'
WRS 12X7	1/2"	7'
WRS 12X8	1/2"	8'
WRS 12X9	1/2"	9'

(Also available in 1/4", 3/8", 5/8", 3/4", 7/8" and 1" cable diameters, in a variety of sling lengths)



Corrugated Bin Boxes

Kraft Colour, Folding Style

Part No.	Description
BOX-2H	2"W x 12"L x 4-1/2"H
BOX-2H-18	2"W x 18"L x 4-1/2"H
BOX-4H	4"W x 12"L x 4-1/2"H
BOX-4H-18	4"W x 18"L x 4-1/2"H
BOX-6H	6"W x 12"L x 4-1/2"H
BOX-6H-18	6"W x 18"L x 4-1/2"H


(More sizes A.O.R.)



Standard Drum Truck

- Blue powder coated finish
- Solid rubber wheels, 10" x 2"

Part No.	Capacity
3001-10SR	1,000 lbs.



Swivel Drum Rocker

- Blue powder coated finish
- 2 fixed & 2 swivel wheels

Part No.	Capacity
3014-SW	1,000 lbs.