


**BUILDERS HARDWARE**

**Barrel Bolts  
Regular Duty**

- bright zinc plated
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-563XV | 2-1/2" |
| ON-559XV | 3"     |
| ON-560XV | 4"     |
| ON-561XV | 5"     |
| ON-562XV | 6"     |


**Barrel Bolts  
Padlockable**

- bright zinc plated
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-565XV | 5"     |
| ON-564XV | 8"     |


**HASP, Regular Duty**

- bright zinc plated
- mounting screws included
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-315XV | 3-1/2" |
| ON-316XV | 4-1/2" |
| ON-318XV | 6"     |


**HASP, Heavy Duty**

- bright zinc plated
- mounting screws included
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-312XV | 8"     |
| ON-320XV | 9-3/8" |


**HASP, Hinge Style**

- bright zinc plated
- mounting screws included
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-319XV | 4"     |


**HASP  
Strap Hinge Style**

- bright zinc plated
- mounting screws included
- packaged (1) per bag

| Part No. | Length |
|----------|--------|
| ON-344XV | 3"     |
| ON-345XV | 4"     |


**HASP, Locking Style**

- chrome plated
- mounting screws included
- packaged (1) per blister pack

| Part No. | Length |
|----------|--------|
| ON-322CR | 4-1/2" |


**HASP, Locking Style  
Heavy Duty**

- bright zinc plated
- mounting screws included
- packaged (1) per blister pack

| Part No.  | Length |
|-----------|--------|
| ON-3225XR | 4-1/2" |


**Tee Hinge**

- bright zinc plated
- a bag consisting of (2) units
- with fixed pin

| Part No. | Height |
|----------|--------|
| ON-905XV | 3"     |
| ON-906XV | 4"     |
| ON-907XV | 5"     |
| ON-908XV | 6"     |

**BUILDERS HARDWARE**

**Strap Hinge, Light Duty**

- bright zinc plated
- a bag consisting of (2) units
- with fixed pin

| Part No. | Height |
|----------|--------|
| ON-901XV | 3"     |
| ON-902XV | 4"     |
| ON-903XV | 5"     |
| ON-904XV | 6"     |


**Black Flap Hinge**

- bright zinc plated
- a bag consisting of (2) units
- with fixed pin

| Part No. | Height |
|----------|--------|
| ON-885XV | 1"     |
| ON-886XV | 1-1/2" |
| ON-887XV | 2"     |


**Narrow Butt Hinge**

- a bag consisting of (2) units
- with loose pin

| Part No. | Width  | Height | Finish |
|----------|--------|--------|--------|
| ON-841BV | 1-1/2" | 1-1/2" | brass  |
| ON-841XV | 1-1/2" | 1-1/2" | zinc   |
| ON-842BV | 1-1/2" | 2"     | brass  |
| ON-842XV | 1-1/2" | 2"     | zinc   |
| ON-843BV | 1-5/8" | 2-1/2" | brass  |
| ON-843XV | 1-5/8" | 2-1/2" | zinc   |
| ON-844BV | 1-7/8" | 3"     | brass  |
| ON-844XV | 1-7/8" | 3"     | zinc   |


**Full Mortise Butt Hinge  
Brass Plated Steel  
1/4" Radius Corner Style**

- with removable pins
- box of (2) hinges
- #9 flat head screws required
- mounting screws included

| Part No.  | Description |
|-----------|-------------|
| ON-2820BB | 3" x 3"     |
| ON-2821BB | 3.5" x 3.5" |
| ON-2822BB | 4" x 4"     |


**Full Mortise Butt Hinge  
Brass Plated Steel  
Square Corner Style**

- with removable pins
- box of (2) hinges
- #9 flat head screws required
- mounting screws included

| Part No. | Description |
|----------|-------------|
| ON-820BB | 3" x 3"     |
| ON-821BB | 3.5" x 3.5" |
| ON-822BB | 4" x 4"     |


**Gate Latch, Adjustable**


- bright zinc plated steel
- mounting screws included

| Part No.  | Description |
|-----------|-------------|
| ON-3012XR | (1) per bag |


**Full Mortise Butt Hinge  
Brass Plated Steel  
Square Corner Style**

- with removable pins
- box of (2) hinges
- #9 flat head screws required
- mounting screws NOT included

| Part No. | Description |
|----------|-------------|
| ON-827XB | 3"          |
| ON-828XB | 3.5"        |
| ON-829XB | 4"          |


**Piano Hinge**

- steel with fixed pin
- in 72" lengths

| Part No.    | Width   | Finish |
|-------------|---------|--------|
| ON-895BB    | 1-1/16" | brass  |
| ON-895NB    | 1-1/16" | nickel |
| ON-8912SSBC | 1-1/16" | s/s    |
| ON-896BB    | 1-1/4"  | brass  |
| ON-896NB    | 1-1/4"  | nickel |
| ON-896SSB   | 1-1/4"  | s/s    |
| ON-897BB    | 1-1/2"  | brass  |
| ON-897NB    | 1-1/2"  | nickel |
| ON-897SSB   | 1-1/2"  | s/s    |
| ON-895BB    | 2"      | brass  |
| ON-895NB    | 2"      | nickel |
| ON-898SSB   | 2"      | s/s    |



## BUILDERS HARDWARE



### Weld-On Hinge Plain Steel, Non-Swag

- plain steel, square corner
- with removable pins

| Part No.   | Width | Height |
|------------|-------|--------|
| ON-1827PSB | 3"    | 3"     |
| ON-1828PSB | 3.5"  | 3.5"   |
| ON-1829PSB | 4"    | 4"     |



### Gate Latch

- galvanized steel
- mounting screws included

| Part No.  | Description |
|-----------|-------------|
| ON-301GAV | (1) per bag |



### Gate Hook with Eye

- bright zinc plated steel

| Part No.  | Size   | Pkg. |
|-----------|--------|------|
| ON-138XV  | 1-1/2" | 2    |
| ON-1385XV | 2"     | 2    |
| ON-139XV  | 2-1/2" | 2    |
| ON-139XV  | 3"     | 2    |
| ON-140XV  | 4"     | 2    |



### Corner Brace

- bright zinc plated steel

| Part No.  | Width  | Length | Pkg. |
|-----------|--------|--------|------|
| ON-97X07B | 1/2"   | 3/4"   | 20   |
| ON-97X10B | 5/8"   | 1"     | 20   |
| ON-97X15B | 5/8"   | 1-1/2" | 20   |
| ON-97X20B | 5/8"   | 2"     | 20   |
| ON-97X25B | 5/8"   | 2-1/2" | 20   |
| ON-97X30B | 3/4"   | 3"     | 20   |
| ON-97X40B | 7/8"   | 4"     | 10   |
| ON-97X50B | 1"     | 5"     | 10   |
| ON-97X60B | 1-1/8" | 6"     | 10   |
| ON-97X80B | 1-1/8" | 8"     | 10   |



### Corner Brace, Heavy Duty

- bright zinc plated steel
- packaged in boxes of 10

| Part No.   | Width | Length |
|------------|-------|--------|
| ON-91X20BC | 5/8"  | 2"     |
| ON-91X30BC | 3/4"  | 3"     |
| ON-91X40BC | 1"    | 4"     |



### Corner Brace, Double Wide

- bright zinc plated steel
- packaged in boxes of 10

| Part No.   | Width  | Length |
|------------|--------|--------|
| ON-92X15BC | 1-1/2" | 1-1/2" |
| ON-92X25BC | 1-1/2" | 2-1/2" |



### Mending Plate

- bright zinc plated steel
- packaged in boxes of 20

| Part No.  | Width  | Length |
|-----------|--------|--------|
| ON-95X20B | 5/8"   | 2"     |
| ON-95X25B | 5/8"   | 2-1/2" |
| ON-95X30B | 3/4"   | 3"     |
| ON-95X40B | 7/8"   | 4"     |
| ON-95X50B | 1"     | 4"     |
| ON-97X60B | 1"     | 6"     |
| ON-97X80B | 1-1/8" | 8"     |



### Mending Plate, Double Wide

- bright zinc plated steel
- packaged in boxes of 10

| Part No.    | Width  | Length |
|-------------|--------|--------|
| ON-955X15VB | 1-3/8" | 1-1/2" |
| ON-955X25VB | 1-3/8" | 2-1/2" |
| ON-955X35VB | 1-3/8" | 3-1/2" |



### T-Plate

- bright zinc plated steel
- packaged in boxes of 10

| Part No.  | Width | Length |
|-----------|-------|--------|
| ON-93X25B | 5/8"  | 2-1/2" |
| ON-93X30B | 3/4"  | 3"     |
| ON-93X40B | 7/8"  | 4"     |
| ON-93X50B | 7/8"  | 5"     |

**BUILDERS HARDWARE**

**Hardware & Shop Supplies**

**Flat Corner Plate**

- bright zinc plated steel

| Part No.  | Width | Height | Finish |
|-----------|-------|--------|--------|
| ON-99X15B | 3/8"  | 1-1/2" | 20     |
| ON-99X20B | 3/8"  | 2"     | 20     |
| ON-99X25B | 1/2"  | 2-1/2" | 20     |
| ON-99X30B | 5/8"  | 3"     | 20     |
| ON-99X40B | 3/4"  | 4"     | 10     |
| ON-99X50B | 7/8"  | 5"     | 10     |
| ON-99X60B | 1"    | 6"     | 10     |


**Box Corner**

- brass plated steel
- a bag consisting of (4) units
- with (3) mouting holes

| Part No. | Size   |
|----------|--------|
| ON-66BV  | 1-1/2" |


**J-Bolt with Nut**

- bright zinc plated steel

| Part No.   | Dia.  | Length | Safe(W.L) |
|------------|-------|--------|-----------|
| ON-2131XBC | 3/16" | 2-1/4" | 40 lb.    |
| ON-2132XBC | 1/4"  | 2-1/4" | 100 lb.   |
| ON-2135XBC | 5/16" | 3"     | 160 lb.   |
| ON-2133XBC | 1/4"  | 4"     | 100 lb.   |
| ON-2136XBC | 5/16" | 5"     | 160 lb.   |
| ON-2139XBC | 3/8"  | 5"     | 225 lb.   |
| ON-2140XBC | 3/8"  | 7"     | 225 lb.   |


**Eye Bolts with Nuts**

- bright zinc plated steel
- in boxes of (10) units

| Part No.   | Dia.  | Length | Safe(W.L) |
|------------|-------|--------|-----------|
| ON-2102XB  | 3/16" | 2"     | 40 lb.    |
| ON-2104XBC | 3/16" | 2-1/2" | 40 lb.    |
| ON-2106XBC | 1/4"  | 2"     | 80 lb.    |
| ON-2107XB  | 1/4"  | 2-1/2" | 80 lb.    |
| ON-2108XBC | 1/4"  | 3"     | 80 lb.    |
| ON-2109XB  | 1/4"  | 4"     | 80 lb.    |
| ON-2111XBC | 1/4"  | 6"     | 80 lb.    |
| ON-2112XB  | 5/16" | 3"     | 90 lb.    |
| ON-2113XB  | 5/16" | 4"     | 90 lb.    |
| ON-2114XB  | 5/16" | 5"     | 90 lb.    |
| ON-2115XB  | 5/16" | 6"     | 90 lb.    |
| ON-2117XB  | 3/8"  | 4"     | 160 lb.   |
| ON-2118XBC | 3/8"  | 5"     | 160 lb.   |
| ON-2119XB  | 3/8"  | 6"     | 160 lb.   |
| ON-2120XB  | 3/8"  | 8"     | 160 lb.   |

|             |      |     |         |
|-------------|------|-----|---------|
| ON-2126XBC  | 1/2" | 4"  | 300 lb. |
| ON-2127XBC  | 1/2" | 6"  | 300 lb. |
| ON-2128XBC  | 1/2" | 8"  | 300 lb. |
| ON-2129XBC  | 1/2" | 10" | 300 lb. |
| ON-21295XBC | 1/2" | 12" | 300 lb. |

(Stainless Steel eye bolts also available)


**Eye Bolts Lag Thread**

- bright zinc plated steel
- in boxes of (10) units

| Part No.  | Dia.  | Length | Safe(W.L) |
|-----------|-------|--------|-----------|
| ON-2151XB | 1/4"  | 3-3/4" | 120 lb.   |
| ON-2152XB | 1/4"  | 5"     | 120 lb.   |
| ON-2153XB | 5/16" | 4"     | 175 lb.   |
| ON-2154XB | 5/16" | 6"     | 175 lb.   |
| ON-2155XB | 3/8"  | 4-1/2" | 230 lb.   |
| ON-2156XB | 3/8"  | 8"     | 230 lb.   |

(Stainless Steel eye bolts also available)






**BUILDERS HARDWARE**

**Screw Eyes**

- bright zinc plated steel
- in boxes of (10) units

| Part No.  | Eye  | Length | Dia.  |
|-----------|------|--------|-------|
| ON-2502XS | 6mm  | 20.6mm | 1.9mm |
| ON-2504XS | 7mm  | 25.4mm | 2.7mm |
| ON-2506XS | 10mm | 35mm   | 3.3mm |
| ON-2508XS | 11mm | 38mm   | 3.8mm |
| ON-2510XS | 13mm | 44.5mm | 4.3mm |
| ON-2512XS | 14mm | 51mm   | 4.8mm |
| ON-2514XS | 14mm | 60mm   | 5.7mm |
| ON-2518XS | 16mm | 67mm   | 7.5mm |
| ON-2520XS | 17mm | 73mm   | 7.5mm |

(Stainless Steel eye bolts also available)


**Acoustical Lag Screw**

- bright zinc plated steel
- in boxes of (100) units

| Part No. | Description    |
|----------|----------------|
| ELS143   | 1/4" dia. x 3" |


**Cornice Hook**

- bright zinc plated steel
- in boxes of (100) units

| Part No.  | Dia.  | Length | Safe(W/L) |
|-----------|-------|--------|-----------|
| ON-2732XS | 2.5mm | 32mm   | 1 lb.     |
| ON-2735XS | 3.0mm | 40mm   | 2 lb.     |
| ON-2737XS | 4.0mm | 51mm   | 5 lb.     |
| ON-2740XS | 4.8mm | 76mm   | 10 lb.    |


**Brass Cup Hooks**

- metal with brass finish
- in boxes of (100) units

| Part No. | Dia.   | Length | Safe(W/L) | Pkg |
|----------|--------|--------|-----------|-----|
| ON-245BR | 1/2"   | 22mm   | 5 lb      | 12  |
| ON-246BR | 3/4"   | 31mm   | 10 lb     | 8   |
| ON-247BR | 7/8"   | 33mm   | 10 lb     | 6   |
| ON-278BR | 1-1/4" | 47mm   | 15 lb     | 4   |


**Chest Handle**

- bright zinc plated steel
- a bag of (2) units

| Part No. | Size   |
|----------|--------|
| ON-151XV | 3-1/2" |


**Toolbox Latch**

- nickel plated
- (1) per blister pack

| Part No. | Size |
|----------|------|
| ON-156NR | 3"   |


**Draw Catch Lockable**

- bright zinc plated
- mounting screws included
- packaged (1) per bag

| Part No. | Size   |
|----------|--------|
| ON-159XV | 3-3/8" |


**Trapdoor Ring**

- bright zinc plated steel
- mounting screws included
- packaged (1) per bag

| Part No. | Size |
|----------|------|
| ON-144XV | 3"   |


**Utility Pull (Chest) Handle**

- bright zinc plated steel
- packaged (1) per bag

| Part No. | Size   |
|----------|--------|
| ON-46XV  | 5"     |
| ON-48XV  | 5-3/4" |
| ON-49XV  | 6"     |


**Utility Pull (Chest) Handle Large**

- bright zinc plated steel
- packaged (1) per bag

| Part No. | Size |
|----------|------|
| ON-50XV  | 8"   |


**Handrail Bracket Heavy Duty**

- mounting screws included

| Part No.  | Finish      |
|-----------|-------------|
| ON-228DNV | dull nickel |
| ON-228CV  | chrome      |
| ON-228BV  | brass       |

## BUILDERS HARDWARE



### Coat Hook Heavy Duty Double Hook

- in bags of (1) unit

| Part No.  | Finish                |
|-----------|-----------------------|
| ON-235NBR | 3-1/2" brushed nickel |
| ON-235CV  | 3-1/2" chrome         |
| ON-235SBV | 3-1/2" solid brass    |



### Picture Hanger

- bright zinc plated steel

| Part No. | Max Load | Pkg. |
|----------|----------|------|
| ON-4501R | 5 lb.    | 8    |
| ON-4502R | 10 lb.   | 8    |
| ON-4503R | 20 lb.   | 7    |
| ON-4504R | 30 lb.   | 6    |
| ON-4505V | 40 lb.   | 5    |
| ON-4506V | 50 lb.   | 3    |
| ON-4507V | 100 lb.  | 2    |



### Mirror Clip, Adjustable

- steel nickel plated
- 1/4" mirror thickness
- 1-1/4" long x 3/7/64" wide

| Part No. | Description               |
|----------|---------------------------|
| ON-10NR  | blister pack of (4) units |



### Mirror Clip

- steel nickel plated
- 3/16" mirror thickness
- 1-1/4" long x 3/7/64" wide

| Part No. | Description               |
|----------|---------------------------|
| ON-11NR  | blister pack of (8) units |



### Mirror Clip

- steel nickel plated
- 1/4" mirror thickness

| Part No.  | Description               |
|-----------|---------------------------|
| ON-MH14MR | blister pack of (4) units |



### Mirror Clip Clear Plastic

- requires a #6 screw
- in packages of (6) units

| Part No. | Thickness |
|----------|-----------|
| ON-9PR   | 3mm       |
| ON-85PR  | 5mm       |
| ON-8PR   | 6mm       |



### Flip-Down Door Stop

- mounting screws included
- packaged (1) per bag

| Part No. | Finish         |
|----------|----------------|
| ON-68BV  | brass          |
| PM-68ANV | brushed nickel |



### Flexi Door Stop Wall Stop Type

| Part No. | Size | Finish |
|----------|------|--------|
| ON-217BB | 3"   | brass  |
| ON-217XB | 3"   | zinc   |



### Door Stop Low-Profile Dome Style

- mounting hardware included
- packaged (1) per bag

| Part No.                      | Finish         |
|-------------------------------|----------------|
| ON-218XV                      | brushed chrome |
| ON-218BV                      | brass          |
| (high profile also available) |                |



### Wall Mount Door Stop

- mounting hardware included
- 2-1/2" dia. x 7/8" projection
- packaged (1) per bag

| Part No.   | Finish         |
|------------|----------------|
| ON-2205NBV | brushed nickel |



### Door Holder Wedge

| Part No. | Description     |
|----------|-----------------|
| ON-74PB  | 4" black rubber |

**BUILDERS HARDWARE, WIRE ROPE & ACCESSORIES**

**Turnbuckle, Hook-Eye  
Light Duty Applications**

- bright zinc plated steel

| Part No.  | Dia.  | Length  | Safe(W/L) |
|-----------|-------|---------|-----------|
| ON-2022XB | 3/16" | 5-1/2"  | 55 lb.    |
| ON-2023XB | 7/32" | 6-3/8"  | 66 lb.    |
| ON-2024XB | 1/4"  | 7-5/8"  | 88 lb.    |
| ON-2025XB | 5/16" | 9-3/8"  | 121 lb.   |
| ON-2026XB | 3/8"  | 10-1/2" | 192 lb.   |

**Turnbuckle, Eye-Eye**

| Part No.  | Dia.  | Length  | Safe(W/L) |
|-----------|-------|---------|-----------|
| ON-2012XB | 3/16" | 5-1/2"  | 55 lb.    |
| ON-2013XB | 7/32" | 6-3/8"  | 66 lb.    |
| ON-2014XB | 1/4"  | 7-5/8"  | 88 lb.    |
| ON-2015XB | 5/16" | 9-3/8"  | 121 lb.   |
| ON-2016XB | 3/8"  | 10-1/2" | 192 lb.   |


**Galvanized Wire Rope  
7 x 7 Construction**

- bright zinc plated steel

| Part No.       | Dia.  | B/S (lbs) |
|----------------|-------|-----------|
| WR-116X500-7X7 | 1/16" | 480       |
| WR-332X500-7X7 | 3/32" | 920       |
| WR-18X500-7X7  | 1/8"  | 1,700     |
| WR-316X500-7X7 | 3/16" | 3,700     |

**7 x 19 Construction**

| Part No.        | Dia.  | B/S (lbs) |
|-----------------|-------|-----------|
| WR-332X500-7X19 | 3/32" | 1,000     |
| WR-18X500-7X19  | 1/8"  | 2,000     |
| WR-532X500-7X19 | 5/32" | 2,800     |
| WR-316X500-7X19 | 3/16" | 4,200     |
| WR-14X500-7X19  | 1/4"  | 7,000     |
| WR-516X500-7X19 | 5/16" | 9,800     |
| WR-38X500-7X19  | 3/8"  | 14,400    |

(Stainless Steel Available)


**Standard  
Wire Rope Thimble  
Light Duty  
Applications**

- electroplated zinc coating
- protects wire rope eyes from cuts and abrasion

| Part No. | Dia.  |
|----------|-------|
| WRTH18   | 1/8"  |
| WRTH316  | 3/16" |
| WRTH14   | 1/4"  |
| WRTH516  | 5/16" |
| WRTH38   | 3/8"  |
| WRTH716  | 7/16" |
| WRTH12   | 1/2"  |


**Wire Rope Clips  
Light Duty  
Malleable Iron**

- electro-galvanized finish

| Part No. | Dia.  |
|----------|-------|
| WRC116   | 1/16" |
| WRC18    | 1/8"  |
| WRC316   | 3/16" |
| WRC14    | 1/4"  |
| WRC516   | 5/16" |
| WRC38    | 3/8"  |
| WRC716   | 7/16" |
| WRC12    | 1/2"  |

(Stainless also available)


**Aluminum Stop Sleeves**

| Part No. | Dia.  |
|----------|-------|
| SSA116   | 1/16" |
| SSA332   | 3/32" |
| SSA18    | 1/8"  |
| SSA532   | 5/32" |
| SSA316   | 3/16" |
| SSA14    | 1/4"  |
| SSA516   | 5/16" |
| SSA38    | 3/8"  |


**Aluminum Oval Sleeves**

- electro-galvanized finish abrasion

| Part No. | Dia.  |
|----------|-------|
| OVC116   | 1/16" |
| OVC332   | 3/32" |
| OVC18    | 1/8"  |
| OVC532   | 5/32" |
| OVC316   | 3/16" |
| OVC14    | 1/4"  |
| OVC516   | 5/16" |
| OVC38    | 3/8"  |
| OVC716   | 7/16" |
| OVC12    | 1/2"  |


**Hand Swaging Tool**

- swages oval & stop sleeves
- cutting feature included in jaw

| Part No. | Description                                           |
|----------|-------------------------------------------------------|
| HSC350   | Swages 1/16", 3/32", 1/8"                             |
| HSC600   | Swages 1/16", 5/64", 3/32", 7/64", 1/8", 5/32", 3/16" |

## WIRE ROPE CUTTERS & CHAINS



### Swaging Tool Bench Mounted Style

- swages oval & stop sleeves
- cutting feature included in jaw

| Part No. | Description                                               |
|----------|-----------------------------------------------------------|
| HSC600BB | Swages 1/16", 5/64"<br>3/32", 7/64", 1/8"<br>5/32", 3/16" |



### Felco® Wire Rope Cutter

- for use in heat & humidity
- with noseclip & exhalation valve
- With M-noseclip

| Part No.  | Capacity |
|-----------|----------|
| FELCO-C7  | 0.28"    |
| FELCO-C9  | 0.35"    |
| FELCO-C12 | 0.47"    |
| FELCO-C16 | 0.63"    |



### Load Binder, Lever Type

| Part No.  | Size        | WLL       |
|-----------|-------------|-----------|
| 3904 0016 | 1/4"        | 2,600 lb. |
| 3904 0024 | 5/16 - 3/8" | 5,400 lb  |
| 3904 0032 | 3/8 - 1/2"  | 9,200 lb  |



### Load Binder, Ratchet Type

| Part No.  | Size        | WLL       |
|-----------|-------------|-----------|
| 3905 0016 | 1/4"        | 2,600 lb. |
| 3905 0024 | 5/16 - 3/8" | 5,400 lb  |
| 3905 0032 | 3/8 - 1/2"  | 9,200 lb  |



### 10T Single Jack Chain 250' on a Roll

| Part No. | WLL  | Finish |
|----------|------|--------|
| 10TB250  | 38lb | Bright |
| 10TZ250  | 38lb | Zinc   |



### Lion (Tenso) Chain Double Loop

- bright zinc plated steel

| Part No.  | Size | WLL  | Pkg. |
|-----------|------|------|------|
| #4LION100 | #4   | 70lb | 100' |
| #4LION250 | #4   | 70lb | 250' |
| #3LION100 | #3   | 90lb | 100' |
| #4LION250 | #3   | 90lb | 250' |



### S-Hooks

- electro-galvanized finish

| Part No. | Size   | Pkg. |
|----------|--------|------|
| SHOOK112 | 1-1/2" | 100  |



### Clevis Slip Hook, GR40 Carbon Steel, Galvanized Body

| Part No. | Size  | WLL       |
|----------|-------|-----------|
| CSH14    | 1/4"  | 1,950 lb. |
| CSH516   | 5/16" | 2,875 lb. |
| CSH38    | 3/8"  | 4,000 lb. |
| CSH12    | 1/2"  | 6,500 lb. |



### Grade 30 Chain

- bright zinc plated steel

| Part No. | Size  | WLL      | Drum |
|----------|-------|----------|------|
| CHAIN14  | 1/4"  | 1,040 lb | 450' |
| CHAIN516 | 5/16" | 1,650 lb | 275' |
| CHAIN38  | 3/8"  | 2,340 lb | 200' |

(Bare Metal & Galvanized Available)



### Clevis Grab Hook GR70 Carbon Steel Galvanized Body

| Part No. | Size  | WLL       |
|----------|-------|-----------|
| CGH14    | 1/4"  | 2,600 lb. |
| CGH516   | 5/16" | 3,900 lb. |
| CGH38    | 3/8"  | 5,400 lb. |
| CGH12    | 1/2"  | 9,200 lb. |



### Screw Pin Anchor Shackle

- hot dipped  
galvanized finish

| Part No. | Size  |
|----------|-------|
| SP316    | 3/16" |
| SP14     | 1/4"  |
| SP516    | 5/16" |
| SP38     | 3/8"  |
| SP716    | 7/16" |
| SP12     | 1/2"  |
| SP58     | 5/8"  |
| SP34     | 3/4"  |
| SP78     | 7/8"  |
| SP1      | 1"    |





# LOCTITE® INDUSTRIAL PRODUCTS

## LOCTITE®



### Quick Links

- electro-galvanized finish

| Part No. | Size  | WLL       |
|----------|-------|-----------|
| QL18     | 1/8"  | 220 lb.   |
| QL316    | 3/16" | 660 lb.   |
| QL14     | 1/4"  | 880 lb.   |
| QL516    | 5/16" | 1,760 lb. |
| QL38     | 3/8"  | 2,200 lb. |
| QL716    | 7/16" | 2,640 lb. |
| QL12     | 1/2"  | 3,300 lb. |



### Pear Shaped Snap Links

- bright zinc plated finish

| Part No. | Size  | WLL       |
|----------|-------|-----------|
| SNAP18   | 1/8"  | 200 lb.   |
| SNAP316  | 3/16" | 220 lb.   |
| SNAP14   | 1/4"  | 260 lb.   |
| SNAP516  | 5/16" | 500 lb.   |
| SNAP38   | 3/8"  | 770 lb.   |
| SNAP12   | 1/2"  | 1,400 lb. |



### THREADLOCKER, PERMANENT LOCTITE® 262™, Red

- for up to 3/4" diameters

| Part No.  | Description  |
|-----------|--------------|
| LOC-26231 | 50ml. bottle |



### THREADLOCKER Removable LOCTITE® 262™, Blue

- for up to 3/4" diameters

| Part No.  | Description  |
|-----------|--------------|
| LOC-24231 | 50ml. bottle |



### THREADLOCKER Medium Strength LOCTITE® 243™, Blue

- for up to 3/4" diameters

| Part No.    | Description  |
|-------------|--------------|
| LOC-1329467 | 50ml. bottle |



### THREADLOCKER High Strength LOCTITE® 263™, Red

- for up to 3/4" diameters

| Part No.    | Description  |
|-------------|--------------|
| LOC-1330585 | 50ml. bottle |



### THREADLOCKER Low Strength LOCTITE® 222MS™ Purple

- for 1/4" and smaller diameters

| Part No.  | Description  |
|-----------|--------------|
| LOC-22231 | 50ml. bottle |



### THREADLOCKER Wicking Medium-High Strength LOCTITE® 290™, Green

- for locking pre-assembled fasteners
- for bolts up to 1/2" (12mm)

| Part No.  | Description  |
|-----------|--------------|
| LOC-29031 | 50ml. bottle |



### THREADLOCKER High Strength LOCTITE® 271™, Red

- for locking pre-assembled fasteners
- for bolts up to 1"

| Part No.  | Description  |
|-----------|--------------|
| LOC-27131 | 50ml. bottle |

# LOCTITE® INDUSTRIAL PRODUCTS



## Primer for Threadlocker LOCTITE® 7649™ PRIMER N

- Decreases threadlocker set-up time
- acts as cleaner for adhesives
- increases break-away time

**Part No.** Description  
LOC-21348 4.5 oz. aerosol can



## LOCTITE® 609™ Retaining Compound for Cylindrical Bonding

- rapid-curing anaerobic adhesive
- for press or slip fit assemblies

**Part No.** Description  
LOC-60921 10ml. bottle



## Retaining Compound Threadlocker, Quickstix™ Medium Strength LOCTITE® 248™

- Foam-padded knuckles
- Rugged synthetic leather palm
- Reflective tape assures visibility

**Part No.** Description  
LOC-37087 19 gram stick, blue



## LOCTITE® Gasket Sealant #1

- for rigid permanent applications
- paste-like gasket sealant
- sets quickly to a hard set
- for threaded connections
- air ducts, plumbing connections
- withstands up to 400° F

**Part No.** Description  
LOC-30512 7 oz. tube



## LOCTITE® Gasket Sealant #2 Non-Hardening

- for rigid vibrating applications
- paste-like gasket sealant
- dries slowly, flexible cure
- withstands up to 400° F (204°C)
- resists gasoline & other solvents
- for valve covers & oil pan gaskets

**Part No.** Description  
LOC-30515 7 oz. tube



## Threadlocker, Quickstix™ High Strength, Red LOCTITE® 268™ Semi-Solid Stick Formula

**Part No.** Description  
LOC-37686 19 gram stick



## LOCTITE® Instant Gasket

- leakproof gaskets in one minute
- outperforms pre-cut gaskets
- non-corrosive, black in colour

**Part No.** Description  
LOC-40479 190 ml aerosol can



## Flange Sealant Gasket Eliminator LOCTITE® 515™

- a flexible gasketing material
- use on rigid machined flanges
- eliminates pre-formed gaskets
- for flanges that move in service

**Part No.** Description  
LOC-51531 50ml. tube



## O-Ring Making Kit

- makes custom o-rings

**Part No.** Description  
LOC-00112 with case

# LOCTITE® INDUSTRIAL PRODUCTS

**LOCTITE®**



## Belt Dressing & Conditioner

- for all types of belts
- prevents slipping and friction
- restores belt flexibility & pliability
- eliminates squeaking & glazing
- extends belt life

| Part No.  | Description        |
|-----------|--------------------|
| LOC-30527 | 12 oz. aerosol can |



## Chisel® Paint Stripper Gasket Remover LOCTITE®

- eliminates scapping & sanding
- prepares metal parts for gaskets
- works on wood and aluminum
- not for plastics, linoleum, synthetics
- works in 10 to 15 minutes

| Part No.  | Description        |
|-----------|--------------------|
| LOC-79040 | 18 oz. aerosol can |



## Anti-Seize, Food Grade, Metal-Free Formulation

- prevents seizure, galling & friction
- for steel & stainless fittings
- withstands up to 400°C (750°F)
- in brush-top can

| Part No.    | Size  |
|-------------|-------|
| LOC-1167237 | 8 oz. |



## Anti-Seize, Silver Grade

- temperature resistant lubricant
- with graphite & metallic flake
- for use in assemblies up to 871°C
- will not evaporate or harden
- use in extreme hot or cold
- in brush-top can

| Part No.  | Size  |
|-----------|-------|
| LOC-76764 | 1 lb. |



## Anti-Seize, Nickel Grade

- copper free composition
- for steel & stainless fittings
- use in harsh chemical environments
- withstands up to 1,315°C
- in brush-top can

| Part No.  | Size  |
|-----------|-------|
| LOC-77164 | 1 lb. |



## Anti-Seize, Copper C5-A®

- protects metal parts from rust
- prevents corrosion, galling, seizing
- copper & graphite in grease base
- withstands up to 982°C

| Part No.  | Size                |
|-----------|---------------------|
| LOC-51007 | 1 lb. brush top can |
| LOC-51003 | 12 oz. aerosol can  |



## Anti-Seize, Silver Grade LOCTITE® QUICKSTIX™ Semi-Solid Stick Formula

| Part No.  | Size          |
|-----------|---------------|
| LOC-37230 | 20 gram stick |



## Anti-Seize, Marine Grade Metal-Free Formulation

- works in hi-humidity conditions
- protects against fresh & salt water
- resists water wash-out & spray
- in brush-top can

| Part No.  | Size  |
|-----------|-------|
| LOC-34026 | 1 lb. |



## Anti-Seize, Copper C5-A® LOCTITE® QUICKSTIX™ Semi-Solid Stick Formula

| Part No.  | Size          |
|-----------|---------------|
| LOC-37229 | 20 gram stick |



# LOCTITE® INDUSTRIAL PRODUCTS & MASTERS PRODUCTS

## LOCTITE®



### Thread Sealant with PTFE LOCTITE® 567™

- instant sealer for tapered fittings
- also for straight/tapered fittings
- for high pressure applications
- for galvanized metal fittings
- for stainless steel & aluminum
- dis-assembles with hand tools

**Part No.**      **Size**  
 LOC-56765      250 ml. tube



### Pipe Thread Sealant LOCTITE® 545™

- for use on metal pipes & fittings
- for easy assembly and removal
- hydraulic/pneumatic applications
- suitable for up to 2" dia. fittings

**Part No.**      **Size**  
 LOC-54531      50 ml. bottle



### MASTERS® A-PLUS® Anaerobic Pipe Thread Sealant

- works well on stainless steel pipe
- where vibrations are prevalent
- cures completely in 24 hours
- -65°F-400°F (-54°C-204°C)

**Part No.**      **Size**  
 GF-MAP250      250 ml tube



### MASTERS® METALIC COMPOUND™ Pipe Thread Sealant

- metal threaded connections
- plastic threaded connections
- never sets up hard
- prevents galling and seizing
- seals liquids & gases against leakage up to 6,000 psi and 550°F (287°)

**Part No.**      **Size**  
 GF-CP250BT      250 ml brush top tin  
 GF-CP1L      1 L can



### MASTERS® NON-METALIC™ Pipe Thread Sealant

- specially formulated for natural gas
- never sets up hard
- prevents galling and seizing
- seals liquids & gases against leakage

**Part No.**      **Size**  
 GF-NM250BT      250 ml brush top tin  
 GF-NM1L      1 L can



### MASTERS® Tinning Flux

- for use on lead free fittings & valves
- lead free formulation
- for use with potable water systems
- will work on cold or frozen pipes

**Part No.**      **Size**  
 GF-TF454      454 gram (16oz) tub

## MASTERS®



### MASTERS® PRO-BLUE™ Pipe Thread Sealant

- metal threaded connections
- plastic threaded connections
- never sets up hard
- withstands up to 10,000 psi
- -200°F-400°F (-129°C-204°C)
- comes in brush-topped tins

**Part No.**      **Size**  
 GF-PB250BT      250 ml  
 GF-PB500BT      500 ml



### MASTERS® PRO-DOPE™ PTFE Pipe Thread Sealant

- metal threaded connections
- plastic threaded connections
- never sets up hard

**Part No.**      **Size**  
 GF-PD250BT      250 ml  
 GF-PD500BT      500 ml  
 GF-PD20L      20 L pail



### MASTERS® Soldering Paste for All Conditions

- lead free formulation
- for use with portable water systems
- will work on cold or frozen pipes

**Part No.**      **Size**  
 GF-SP454      454 gram (16oz) tub  
 GF-SP20L      20 L pail



**MASTERS®**

## MASTERS PRODUCTS

### MASTERS® NO LEAK™ Economical Pipe Thread Sealant

- metal threaded connections
- plastic threaded connections
- never sets up hard
- prevents galling and seizing

| Part No.   | Size    |
|------------|---------|
| GF-NL250BT | 250 ml  |
| GF-NL1L    | 1 L can |



### MASTERS® FITTING BRUSHES HEAVY DUTY DOUBLE-WOUND

- for cleaning copper fittings
- hand-contoured plastic handle

| Part No.   | Size   |
|------------|--------|
| GF-FB50HD  | 1/2"   |
| GF-FB75HD  | 3/4"   |
| GF-FB100HD | 1"     |
| GF-FB125HD | 1-1/4" |
| GF-FB150HD | 1-1/2" |
| GF-FB200HD | 2"     |



### MASTERS® Tube Cleaning Brushes

- for cleaning O.D. of copper tubing

| Part No. | Size |
|----------|------|
| GF-TC50  | 1/2" |
| GF-TC75  | 3/4" |
| GF-TC100 | 1"   |



### MASTERS® TUBE CLEANING BRUSHES 2-in-1 with 1/4" Hex Shank

- cleans the O.D. & I.D. of copper tubing

| Part No. | Size |
|----------|------|
| GF-PFB75 | 3/4" |



### MASTERS® ACID BRUSH

- bristle brush with tin plated handle


| Part No. | Description           |
|----------|-----------------------|
| GF-AP-50 | 1/2" dia. tube handle |



### MASTERS® UTILITY BRUSH

- economy, throw-away bristle brush
- for general purpose applications

| Part No. | Description         |
|----------|---------------------|
| GF-UB100 | 1" with wood handle |



### MASTERS® LEAK DETECTOR

- quickly locates pin hole leaks

| Part No. | Description             |
|----------|-------------------------|
| GF-LD227 | 227ml applicator bottle |
| GF-LD500 | 500ml spray bottle      |
| GF-LD4L  | 4L jug                  |



### MASTERS® ORANGE T-TAPE PREMIUM THREAD SEALING TAPE

- for metal threaded connections
- for plastic threaded connections
- never sets up hard
- -400°F to 600° F (-240°C to 316°C)


| Part No.    | Description        |
|-------------|--------------------|
| GF-ULC540V  | 1/2" x 540" roll   |
| GF-ULC1296V | 1/2" x 1,296" roll |



### MASTERS® YELLOW T-TAPE

- for metal threaded connections
- for plastic threaded connections
- never sets up hard
- -400°F to 600° F (-240°C to 316°C)

| Part No.  | Description      |
|-----------|------------------|
| GF-TYB480 | 1/2" x 480" roll |



### MASTERS® WHITE T-TAPE

- econo grade
- for metal threaded connections
- for plastic threaded connections
- never sets up hard
- -400°F to 600° F (-240°C to 316°C)

| Part No.   | Description             |
|------------|-------------------------|
| GF-TWB480G | 1/2" x 480" roll        |
| GF-TWB480P | 1/2" x 480" low density |

# LOCTITE® INDUSTRIAL PRODUCTS & MASTERS PRODUCTS



## MASTERS® Test Plugs Heavy Duty Style

- for use with cast iron & PVC pipe


| Part No.  | Size |
|-----------|------|
| GF-TP4-2  | 2"   |
| GF-TP4-3  | 3"   |
| GF-TP4-4  | 4"   |
| GF-TP4-6  | 6"   |
| GF-TP4-8  | 8"   |
| GF-TP4-10 | 10"  |



## MASTERS® Test Plugs Economy Wing Nut Style

- for use with cast iron & PVC pipe


| Part No.     | Size   |
|--------------|--------|
| GF-TP5-1 1/2 | 1-1/2" |
| GF-TP5-2     | 2"     |
| GF-TP5-3     | 3"     |
| GF-TP5-4     | 4"     |
| GF-TP5-6     | 6"     |



## MASTERS® Flame Protector Pads

- protection during soldering

| Part No.    | Description           |
|-------------|-----------------------|
| GF-FPP912   | regular duty to 900°C |
| GR-FPPHD912 | heavy duty to 1,300°C |



## Multi-Purpose Synthetic Grease LOCTITE® VIPERLUBE®

- use as a lubricant on all bearings
- acts as a protective anti-rust film
- a release agent on gaskets & seals
- use as a battery terminal protector

| Part No.  | Description        |
|-----------|--------------------|
| LOC-36781 | 3 oz. tube         |
| LOC-36782 | 400 gram cartridge |
| LOC-36783 | 400 gram tin       |
| LOC-36786 | 11 oz. aerosol can |



## White Lithium Grease

- a general purpose lubricating paste
- for metal to metal applications
- also metal to plastic applications
- rated for incidental food contact

| Part No.  | Description      |
|-----------|------------------|
| LOC-30530 | 1.5 oz tube      |
| LOC-30543 | 10.75 oz aerosol |



## Extreme Pressure Grease

- for gears, bearings and slides
- withstands extremes of pressure
- resists water washout
- is pliable at low temperatures
- will not take a hard set

| Part No.  | Description       |
|-----------|-------------------|
| LOC-51242 | 14.5 oz cartridge |



## White Grease Food Grade

- chemical base aluminum
- +450°F max. temp
- -20°F min. temp

| Part No.  | Description        |
|-----------|--------------------|
| LOC-51252 | 14.5 oz. Cartridge |



## JET® GREASE GUNS & ACCESSORIES



### GREASE GUN "GOOD" LEVER ACTION STANDARD DUTY

- accepts cartridges or can be bulk filled
- delivers 1 gm/stroke, 1oz/28 strokes
- produces up to 6,000 PSI
- w/6" rigid pipe extension & coupler

| Part No.   | Description             |
|------------|-------------------------|
| JET-350151 | 14oz cartridges or bulk |



### GREASE GUN "BETTER" LEVER ACTION HEAVY DUTY

- 3-way loading: bulk, cartridge, pump
- delivers 1 gm/stroke, 1oz/28 strokes
- produces up to 10,000 PSI
- w/6" rigid pipe extension & coupler


| Part No.   | Description   |
|------------|---------------|
| JET-350152 | 3 way loading |



### GREASE GUN "BEST" PISTOL GRIP ACTION HEAVY DUTY

- accepts cartridges, can be bulk filled
- 0.50 gm/stroke, 0.70oz/70 strokes
- produces up to 5,000 PSI
- w/4" rigid pipe extension & coupler
- w/18" flexible hose & coupler

| Part No.   | Description              |
|------------|--------------------------|
| JET-350155 | 14 oz cartridges or bulk |



### GREASE (WHIP) HOSE STANDARD DUTY

- for all makes of grease guns
- working pressure 3,500 PSI

| Part No.   | Size |
|------------|------|
| JET-350181 | 12"  |
| JET-350182 | 18"  |



### GREASE HOSE, HIGH PRESSURE SUPER HEAVY DUTY WITH SPRING GUARD

- ideal for cold weather use
- for hand & air operated guns
- working pressure 5,800 PSI

| Part No.  | Size |
|-----------|------|
| JET350215 | 12"  |
| JET350216 | 18"  |



### GREASE GUN COUPLER 4-JAW, HEAVY DUTY

- for hand operated grease guns
- working pressure 6,000 PSI


| Part No.   | Description      |
|------------|------------------|
| JET-350203 | 1/8" NPT threads |



### GREASE GUN COUPLER 90° RIGHT ANGLE APPLICATIONS

- greasing fittings in hard to reach areas
- for hand operated grease guns
- working pressure 1,000 PSI


| Part No.   | Description      |
|------------|------------------|
| JET-350204 | 1/8" NPT threads |



### GREASE GUN COUPLER 360° SWIVEL LOCKS IN 8 POSITIONS

- for hand operated grease guns
- working pressure 7,000 PSI

| Part No.   | Description      |
|------------|------------------|
| JET-350207 | 1/8" NPT threads |



### GREASE FITTINGS, S.A.E.

- zinc plated, heat treated steel

| Part No.   | Description           |
|------------|-----------------------|
| JET-350254 | 1/8" - 27, straight   |
| JET-350255 | 1/8" - 27, 45° angled |
| JET-350256 | 1/8" - 27, 90° angled |
| JET-350251 | 1/4" - 28, straight   |
| JET-350252 | 1/4" - 28, 45° angled |
| JET-350253 | 1/4" - 28, 90° angled |



### GREASE GUN HOLDER

| Part No.   | Description             |
|------------|-------------------------|
| JET-350185 | for any 2-1/4" O.D. gun |



## GREASE GUNS ACCESSORIES & LUBRICANTS



### 4 Way Grease Fitting Tools

- wrench, tap and extractor in one
- for straight and angled fittings
- zinc plated, heat treated steel

| Part No.   | Description       |
|------------|-------------------|
| JET-350262 | for 1/8" fittings |
| JET-350261 | for 1/4" fittings |



### Grease Fitting Unblocker

- opens clogged grease fittings
- loosens hardened grease joints
- complete with coupler & flex hose

| Part No.   | Description         |
|------------|---------------------|
| JET-350265 | built-in hand guard |



### Moly Dry Film Lubricant

- is a solid film lubricant
- sliding surfaces & moving parts
- withstands up to 750° (400°C)
- won't squeeze out or burn off
- will not pick up dirt

| Part No.  | Description   |
|-----------|---------------|
| LOC-39895 | 12oz. aerosol |



### Silicone Lubricant Food Grade

- will not mark paint or rubber
- will not mark plastic
- waterproofs
- electrically insulates

| Part No.  | Description    |
|-----------|----------------|
| LOC-51360 | 5.3 oz tube    |
| LOC-81246 | 13 oz. aerosol |



### Penetrating Oil LOCTITE® Solvo-Rust

- frees rusted parts
- will not harm painted surfaces
- no ozone-depleting compounds

| Part No.  | Description    |
|-----------|----------------|
| LOC-81252 | 13 oz. aerosol |



### Hydraulic Jack Oil LOCTITE®

- for use in hydraulic units
- not for use in hydraulic brakes

| Part No.  | Description  |
|-----------|--------------|
| LOC-30523 | 1 gallon jug |



### Colour Guard™ Coating LOCTITE® SF F720

- a solvent based thermoplastic coating
- provides a flexible rubber-like coating
- for tools, metal, glass, masonry, electrical connections, wood & fabric

| Part No.  | Description             |
|-----------|-------------------------|
| LOC-34979 | black, 14.5 oz dip can  |
| LOC-34982 | blue, 14.5 oz dip can   |
| LOC-34985 | red, 14.5 oz dip can    |
| LOC-34988 | yellow, 14.5 oz dip can |

(available in aerosol & bulk pails)



### LOCTITE® FORM-A-THREAD® Stripped Thread Repair Kit

- repairs w/o drills, taps, tools, inserts
- restores worn or damaged threads
- allows up to 128 ft lbs. of torque

| Part No.  | Description    |
|-----------|----------------|
| LOC-28654 | 48 ml. syringe |



### Hydraulic Oil GREENLEE®

- for Greenlee® benders & punch sets

| Part No.   | Description  |
|------------|--------------|
| GRE-4017GB | quart bottle |
| GRE-4016GB | gallon jug   |





**MASTERS® EPOXY PUTTY  
IN A TAPE ROLL**

- used to repair pipes & joints
- one part epoxy repair putty
- tear-off the amount you need
- cures in 5-8 min. at room temp.
- will even cure under water

| Part No. | Description      |
|----------|------------------|
| GR-EP114 | 4oz tub of putty |



**Metal Magic Epoxy  
Steel Repair  
LOCTITE® FIXMASTER®**

- steel epoxy in stick form
- cut-off a piece, knead & apply
- for use on leaking pipes
- repairing damaged equipment
- cures in approx. 10 minutes

| Part No. | Description |
|----------|-------------|
| GR-98853 | 4 oz. stick |



**Concrete Repair Epoxy  
LOCTITE® FIXMASTER®**

- repairs to concrete & masonry
- mix by hand applies like putty
- cures in approx. 10 minutes
- non-shrinking formulation
- appearance similar to concrete
- 2-component adhesive stick
- repairs cracks and holes
- repairs to spalled concrete

| Part No.  | Description |
|-----------|-------------|
| LOC-39366 | 4 oz. stick |

**EPOXIES & RUST PROTECTION**



**Underwater Repair Epoxy  
LOCTITE® FIXMASTER®**

- is a putty like material
- for plumbing and marine use
- unaffected by chlorinated or salt water
- will stick to wet surfaces
- sets in 15 minutes

| Part No.  | Description |
|-----------|-------------|
| LOC-82093 | 4 oz. stick |



**Rust Treatment  
LOCTITE® EXTEND®**

- destroys old rust
- prevents new rust
- rust disappears within minutes
- leaves a durable black coating

| Part No.  | Description        |
|-----------|--------------------|
| LOC-30539 | 16 oz. aerosol can |
| LOC-75430 | quart bottle       |
| LOC-75448 | gallon bottle      |



**Fast Cure Epoxy  
LOCTITE® FIXMASTER®  
POXY PAK**

- bonds virtually any material
- approx 4 minute working time
- cures in 45 to 60 minutes

| Part No.    | Description  |
|-------------|--------------|
| LOC-1324007 | 1 oz syringe |



**Maxi-Coat Rust Inhibitor  
LOCTITE® P9660**

- long term protection for metal parts
- forms a protective waxy film
- remove with switch & contact cleaner

| Part No.  | Description        |
|-----------|--------------------|
| LOC-51211 | 12 oz. aerosol can |



**MAGNA-CRETE  
CONCRETE REPAIR  
LOCTITE® FIXMASTER®**

- concrete repair & grouting
- bonds to concrete and wood
- also bonds to glass and steel
- re-building/repairing concrete floors
- fast setting in 5 to 10 minutes
- ready for light service in 45 minutes

| Part No.  | Description     |
|-----------|-----------------|
| LOC-40898 | 2.475 lbs. tote |
| LOC-95551 | 1 gallon pail   |
| LOC-95555 | 5 gallon pail   |





### Silicone Adhesive Sealant LOCTITE® SUPERFLEX® RTV

- cures at room temperature
- cannot be painted
- for metal, glass, wood, rubber
- not recommended for concrete

| Part No.  | Description         |
|-----------|---------------------|
| LOC-59330 | 80 ml. tube, black  |
| LOC-59375 | 300 ml. cart. black |
| LOC-59530 | 80 ml. tube, clear  |
| LOC-59575 | 300 ml. cart. clear |
| LOC-59430 | 80 ml. tube, white  |
| LOC-59475 | 300 ml. cart. white |



### Silicone Adhesive Sealant LOCTITE® SUPERFLEX® RTV 190 ml Aerosol Power Can

- cures at room temperature
- cannot be painted
- for metal, glass, wood, rubber
- not recommended for concrete
- withstands -80°F to 450° (232°C)

| Part No.  | Description |
|-----------|-------------|
| LOC-40464 | black       |
| LOC-40481 | clear       |
| LOC-40466 | white       |

## SILICONE SEALANTS LOCTITE®



### High Temperature Silicone Adhesive LOCTITE® SUPERFLEX® RED RTV

- will not shrink, crack or harden
- high temp. silicone for making gaskets
- withstands 600°F (315°C)

| Part No.  | Description            |
|-----------|------------------------|
| LOC-59630 | 80 ml. tube, red       |
| LOC-59675 | 300 ml. cartridge, red |



### Silicone Sealant Hi-Temp, (HT) Red NuFlex® 302

- withstand as high as 316°C (600°F)

| Part No. | Description       |
|----------|-------------------|
| N30209   | 300 ml. cartridge |



### Silicone Sealant Acetoxy, RTV, General Purpose (GP) NuFlex® 302

- will not sag, slump or run off
- bonds to glass, metal, plastic
- not for masonry & concrete

| Part No. | Description          |
|----------|----------------------|
| N30200   | clear, 300 ml.       |
| N30201   | white, 300 ml.       |
| N30202   | alum, 300 ml.        |
| N30203   | black, 300 ml.       |
| N30204   | bronze, 300 ml.      |
| N30205   | almond, 300 ml.      |
| N30206   | grey, 300 ml.        |
| N30207   | brown, 300 ml.       |
| N30208   | translucent, 300 ml. |

### Silicone Sealant Acetoxy, RTV Bath & Kitchen (BK) NuFlex® 302

- resists mold
- will not sag, slump or run off
- bonds to ceramics, tile board, corian
- works on arborite & most acrylic

| Part No. | Description          |
|----------|----------------------|
| N30240   | clear, 300 ml.       |
| N30241   | white, 300 ml.       |
| N30245   | almond, 300 ml.      |
| N30246   | grey, 300 ml.        |
| N30248   | translucent, 300 ml. |
| N30250   | beige, 300 ml.       |
| N30251   | bone, 300 ml.        |





## SILICONE SEALANTS



### Tube & Tile Sealant Siliconized Acrylic NuFlex® 180

- for interior cracks and joints
- for wood, concrete, marble metal, glass, stone, brick, stucco
- paintable and flexible

| Part No. | Description    |
|----------|----------------|
| N18000   | clear, 300 ml. |
| N18001   | white, 300 ml. |
| N18065   | tan, 300 ml.   |



### Painter's Caulk & Trim Seal Acrylic Latex NuFlex® 130

- economy priced caulking
- interior & exterior applications
- paintable white matte finish
- quick skin over, easy cleanup

| Part No. | Description    |
|----------|----------------|
| N13001   | white, 300 ml. |



### Caulk & Gutter Seal NuFlex® 110 Butyl Rubber

- good exterior weathering properties
- for sealing gutter down spouts
- for metal storm windows & doors
- it adheres well to damp surfaces

| Part No. | Description    |
|----------|----------------|
| N11001   | white, 300 ml. |
| N11003   | black, 300 ml. |
| N11006   | grey, 300 ml.  |



### Silicone Sealant for Glazing NuFlex® 319 Neutral Cure

- forms a flexible watertight bond
- may be used without primer
- bonds to glass, metals, plastics, concrete and masonry

| Part No. | Description    |
|----------|----------------|
| N31900   | clear, 300 ml. |
| N31901   | white, 300 ml. |
| N31903   | black, 300 ml. |
| N31906   | grey, 300 ml.  |



### Silicone Sealant for Metal & Vinyl NuFlex® 309

- non sag, non-slump, low odour
- forms a flexible watertight bond
- use on masonry, ceramics, plastics galvanized steel and aluminum
- for sealing construction joints
- unaffected by ultra violet radiation

| Part No. | Description     |
|----------|-----------------|
| N30901   | white, 300 ml.  |
| N30903   | black, 300 ml.  |
| N30904   | bronze, 300 ml. |
| N30906   | grey, 300 ml.   |
| N30913   | stone, 300 ml.  |



### Silicone Sealant for Siding & Trim Neutral Cure NuFlex® 331

- has a very high level of adhesion
- designed for use on PVC & plastics
- unaffected by ultra violet radiation
- may be used without primer

| Part No. | Description    |
|----------|----------------|
| N33100   | clear, 300 ml. |
| N33101   | white, 300 ml. |
| N33103   | black, 300 ml. |



## CONSTRUCTION ADHESIVES & FOAMS



### Construction Adhesive General Purpose NuFlex® 454

- interior and exterior applications
- foam insulation safe
- offers a 20 minute working time
- works well in colder temperatures

| Part No. | Description       |
|----------|-------------------|
| N45400   | 296 ml. Cartridge |



### Construction Adhesive Premium H/D Polyurethane NuFlex® 480

- 3X stronger than regular mastics
- interior or exterior applications
- a permanent overnight bond
- waterproof and paintable

| Part No. | Description       |
|----------|-------------------|
| N48000   | 296 ml. Cartridge |
| N48080   | 828 ml. Cartridge |



### Construction Adhesive Heavy Duty NuFlex® 456

- reduces the amount of nailing
- helps eliminate squeaky floors
- works with dry, wet or frozen lumber
- remains permanently flexible

| Part No. | Description       |
|----------|-------------------|
| N45600   | 296 ml. Cartridge |
| N45680   | 828 ml. Cartridge |



### Subfloor Adhesive All Weather NuFlex® 458

- reduces the amount of nailing
- helps eliminate squeaky floors
- works well in cold temperatures
- excellent water resistance

| Part No. | Description       |
|----------|-------------------|
| N45880   | 828 ml. Cartridge |



### NESCO™ Clear PVC Cement

| Part No. | Description            |
|----------|------------------------|
| PVCGP    | pint, 475 ml. (CEM500) |
| PVCGP-L  | quart, 950 ml. (CEM1)  |
| PVCG     | gallon, 4L (CEM4)      |



### Instant Adhesive Super Bonder LOCTITE® 495

- for bonding rubber, metal & plastic

| Part No.  | Description  |
|-----------|--------------|
| LOC-49550 | 1 oz. bottle |



### Spray Adhesive Maximum Strength LOCTITE® Headliner

- for bonding foam, carpet, fabrics
- plastics, rubber & much more
- 16.75 oz aerosol can
- water resistant

| Part No.  | Description |
|-----------|-------------|
| LOC-37312 | dries clear |





## CONSTRUCTION ADHESIVES & FOAMS

**PURFECTSEAL®**  
PU FOAM

**ULTRA SEAL®**  
PU FOAMS

### Purfectseal Gun Foam All Weather Low Expansion

- is extremely economical
- O-Zone friendly formulation
- sealing of gaps, holes & crevices
- use pro gun foam dispenser
- use NuFlex® G2 foam dispenser

| Part No. | Description  |
|----------|--------------|
| N51900   | 29 oz. green |



### NuFlex® Foam Dispenser Guns


| Part No. | Description            |
|----------|------------------------|
| NG2      | good quality dispenser |
| NG1      | best quality dispenser |



### Ultrasal® PF-10 Foam Cleaner

- to dissolve any uncured foam
- use with Nuco dispensing guns

| Part No. | Description |
|----------|-------------|
| N73400   | 12 oz. can  |



### Ultrasal® PF-100 Gun Foam All weather, Low Expansion Cream Coloured Foam

- for sealing of gaps, holes & crevices
- install using pro gun foam dispenser
- use NuFlex® G1 foam dispenser

| Part No. | Description |
|----------|-------------|
| N71600   | 24 oz. can  |
| N71900   | 29 oz. can  |



### Ultrasal® PF-50 Straw Foam All weather, Low Expansion Cream Coloured Foam

- for sealing of gaps, holes & crevices
- install using straw dispenser

| Part No. | Description |
|----------|-------------|
| N70300   | 12 oz. can  |
| N70600   | 24 oz. can  |

**LOCTITE®**



### Contact Adhesive

- for general purpose bonding

| Part No.  | Description |
|-----------|-------------|
| LOC-30537 | 5 oz. tube  |



### Carpenter Glue

- for carpentry & cabinet making
- dries to a translucent yellow colour
- sandable, paintable & non-toxic

| Part No.   | Description    |
|------------|----------------|
| LEP-530538 | 3 litre jug    |
| LEP-649429 | 800 ml. bottle |
| LEP-442184 | 400 ml. bottle |



### White Glue

- bonds on wood, porous materials
- dries to a translucent white colour
- sandable, paintable & non-toxic

| Part No.   | Description    |
|------------|----------------|
| LEP-531252 | 3 litre jug    |
| LEP-524381 | 800 ml. bottle |
| LEP-442183 | 400 ml. bottle |



### Contact Cement

- bonds on contact
- dries in 10 to 15 minutes
- bonds plastic laminates, veneers, metals (ferrous and non ferrous) fabric and rubber, plywood & cork
- resistant to heat, creep, water & oil

| Part No.    | Description      |
|-------------|------------------|
| LEP-1504629 | 3.78 litre pail  |
| LEP-1504619 | 946 ml. can      |
| LEP-1504725 | 500 ml. can      |
| LEP-1505670 | 237 ml. w/ brush |
| LEP-1504637 | 30 ml. tube      |

## FIRE STOP PRODUCTS



### Silicone Firestop Self-Levelling Self-Seal® SL-100

- designed for floor applications
- forms a pressure tight seal
- resistant to water, smoke, gases

| Part No. | Description          |
|----------|----------------------|
| N10036   | limestone, 300 ml.   |
| N10056   | limestone, 591.1 ml. |
| N10086   | limestone, 850 ml.   |
| N10016   | limestone, 10 litre  |
| N10076   | limestone, 17 litre  |



### Silicone Firestop Non-Sag (Gun Grade) Self-Seal® GG-200

- for wall and floor applications
- forms a pressure tight seal
- resistant to water, smoke, gases

| Part No. | Description          |
|----------|----------------------|
| N20036   | limestone, 300 ml.   |
| N20039   | red, 300 ml.         |
| N20059   | Limestone, 591.1 ml. |
| N20059   | red, 591.1 ml.       |
| N20086   | limestone, 850 ml.   |
| N20089   | red, 850 ml.         |
| N20016   | limestone, 10 litre  |
| N20076   | limestone, 17 litre  |

**SELF-SEAL®**  
FIRESTOPPING PRODUCTS



### Intumescent Silicone Firestop Self-Seal® GG-266 (Gun Grade)

- as the combustible penetrating item softens & collapses under fire conditions, the silicone composition will rapidly intumesce to fill the void.
- forms a smoke, gas, water tight seal


| Part No. | Description    |
|----------|----------------|
| N26639   | red, 300 ml.   |
| N26659   | red, 591.1 ml. |
| N26619   | red, 10 litre  |



### Self-Seal® Firestop Kits

Kit includes...  
(6) cartridges, MW-300,  
a caulking gun & accessories

| Part No. | Description       |
|----------|-------------------|
| NSI KIT  | Self leveling kit |
| NGG KIT  | Gun grade kit     |



### Intumescent Pipe Collar Rings Self-Seal® Type SSC

- pre-fabricated pipe collars
- as the pipe softens & collapses under fire conditions, the silicone will rapidly intumesce to fill the void.
- forms a smoke, gas, water tight seal

| Part No. | Description |
|----------|-------------|
| N25015   | 1.5"        |
| N25020   | 2.0"        |
| N25030   | 3.0"        |
| N25040   | 4.0"        |
| N25060   | 6.0"        |



### Silicone Rubber Wrap Strip Self-Seal® Intumescent Firebands

- as the pipe softens & collapses under fire conditions, the silicone strip will rapidly intumesce to fill the void.
- forms a smoke, gas, water tight seal

| Part No. | Description |
|----------|-------------|
| N24015   | 1.5"        |
| N24020   | 2.0"        |
| N24030   | 3.0"        |

**SELF-SEAL®**  
FIRESTOPPING PRODUCTS



### Mineral Wool Self-Seal® MW-300 Non-Combustible Formulation

- semi-rigid mineral wool strips
- pre-cut strips for easy installation
- sound deadening & insulation value
- sold in 25 pound bundles

| Part No. | Description            |
|----------|------------------------|
| N30024   | 4' lengths, 2"x4", 96' |
| N30034   | 4' lengths, 3"x4", 72' |
| N30044   | 4' lengths, 4"x4", 48' |



### Caulking Gun, Professional Grade

- for 300 ml. cartridges
- with a rotating steel barrel
- with a black carbon steel barrel
- push lever to stop caulk flow

| Part No. | Description           |
|----------|-----------------------|
| CG-228   | our basic pro model   |
| CG-X     | our premium pro model |



### Caulking Gun, Open Frame Style

| Part No. | Description            |
|----------|------------------------|
| CGORA    | for 300 ml. cartridges |

## CAULKING GUNS & PAINT BRUSHES



### Caulking Gun Chrome Plated

- quick twist pressure release
- steel puncture tool attached
- no drip design w/spout cutter

| Part No. | Description        |
|----------|--------------------|
| CGPRO    | 300 ml. cartridges |
| CGQRT    | 850 ml. cartridges |



### Caulking Gun Sausage Style Professional Grade

| Part No. | Description |
|----------|-------------|
| CGSAUS   | w/cone tip  |



### Replacement Nozzle for Sausage Caulking Gun


| Part No. | Description  |
|----------|--------------|
| CGSAUSWN | white nozzle |



### Paint Brush, Economy

- red plastic handle
- pure bristle brushes

| Part No.    | Size   |
|-------------|--------|
| BEN-REDB13  | 1/2"   |
| BEN-REDB30  | 1-1/4" |
| BEN-REDB50  | 2"     |
| BEN-REDB75  | 3"     |
| BEN-REDB100 | 4"     |



### Paint Brush, Disposable

- clear wood handle
- black bristle-length out 2"

| Part No.    | Size        |
|-------------|-------------|
| BEN-C60-1/2 | 1/2" (15mm) |
| BEN-C60-1   | 1" (25mm)   |
| BEN-C60-2   | 2" (50mm)   |
| BEN-C60-3   | 3" (75mm)   |
| BEN-C60-4   | 4" (100mm)  |



### Bent Radiator Brush

- wooden handles with black bristles
- for those hard to reach areas

| Part No.      | Description |
|---------------|-------------|
| BEN-TBR 1-1/2 | 1-1/2" wide |
| BEN-TBR 2     | 2" wide     |



### Straight Radiator Brush

- with long wooden handles
- for those hard to reach areas

| Part No.         | Description |
|------------------|-------------|
| BEN-RAD STRAIGHT | 1-1/4" wide |



**BENNETT**

**Paint Brush Polyester**

- yellow painted handles
- for latex and oil paints
- basic good quality brush

| Part No.        | Size   |
|-----------------|--------|
| BEN-CNY1000-30  | 1-1/4" |
| BEN-CNY1000-50  | 2"     |
| BEN-CNY1000-75  | 3"     |
| BEN-CNY1000-100 | 4"     |


**White Wash Brushes**

- natural tampico fibre
- wooden handle and block

| Part No.     | Description      |
|--------------|------------------|
| BEN-SMALLWW  | 1-1/8" x 7" x 3" |
| BEN-MEDIUMWW | 2" x 6.5" x 3"   |


**Stain & Water Sealer Brush**

- polyester bristles
- for all paint & stains

| Part No.    | Description |
|-------------|-------------|
| BEN-3 STAIN | 3"          |
| BEN-4 STAIN | 4"          |


**Touch-Up Brush Sets**

- with long wooden handles
- sold in sets of 3 most popular sizes

| Part No.        | Description     |
|-----------------|-----------------|
| BEN-2-4-6 FLAT  | 3 flat brushes  |
| BEN-2-4-6 ROUND | 3 round brushes |

**PAINTS & BRUSHES**

**Clear Acrylic Coating AERVOE® Non-Yellowing**

- interior/exterior applications
- dries to touch in minutes
- 16 oz. spray can w/12oz. paint
- will not chip, flake or peel

| Part No. | Description   |
|----------|---------------|
| AER-117  | clear, glossy |
| AER-120  | clear, matte  |


**Zynolyte® Fluorescent Paint**

- dries to touch in minutes
- for metal, wood, concrete, steel
- 16 oz. spray can, 11 oz. paint

| Part No.  | Description   |
|-----------|---------------|
| AER-Z1415 | blue          |
| AER-Z1416 | green         |
| AER-Z1417 | yellow        |
| AER-Z1418 | red           |
| AER-Z1419 | red/orange    |
| AER-Z1420 | yellow/orange |
| AER-Z1421 | pink          |
| AER-Z1422 | orange        |


**Foam Brushes**

- made from high density foam
- with wooden handles
- not for use with shellac or lacquer

| Part No.  | Description |
|-----------|-------------|
| BEN-HDFM1 | 1" wide     |
| BEN-HDFM2 | 2" wide     |
| BEN-HDFM3 | 3" wide     |
| BEN-HDFM4 | 4" wide     |


**Enamel Spray Paint Zynolyte® Speed E-Name**

- dries to touch in 15 minutes
- 16 oz. spray can, 11 oz. paint

| Part No.   | Description       |
|------------|-------------------|
| SP-BLAGL   | Black, gloss      |
| SP-BLASEMI | Black, semi-gloss |
| SP-BLAFL   | Black, flat       |
| SP-WHIGL   | White, gloss      |
| SP-WHISEMI | White, semi-gloss |
| SP-WHIFL   | White, flat       |
| SP-WHIANTI | White, antique    |
| SP-BLUDA   | Bermuda, blue     |
| SP-BLUROY  | Royal, blue       |
| SP-BEIG    | Beige             |
| SP-ALMO    | Almond            |
| SP-GRYLI   | Grey, light       |
| SP-GRYME   | Grey, medium      |
| SP-PURP    | Purple            |
| SP-REDDA   | Red, dark         |
| SP-PINK    | Pink              |
| SP-ORAN    | Orange            |
| SP-SILV    | Silver            |
| SP-ALUM    | Aluminum          |
| SP-BROW    | Brown             |
| SP-YELL    | Yellow            |
| SP-GOLD    | Gold              |


**Primer Paint, Multipurpose**

- dries to touch in 10 minutes
- for iron, steel, plastic, wood, drywall

| Part No.   | Description        |
|------------|--------------------|
| AER-Z8072G | gallon, grey       |
| AER-Z8074G | gallon, red-oxide  |
| AER-Z8072  | aerosol, grey      |
| AER-Z8074  | aerosol, red-oxide |



**BENNETT**




**Paint Rollers, 3" (75mm)**

- 100% lint free

| Part No.       | Description |
|----------------|-------------|
| BEN-LF3RFLLOW  | 1/4", 5mm   |
| BEN-LF3RFLHIGH | 3/8", 10mm  |

(10 rollers per pkg.)



**Roller Cage Only  
3" (75mm) 4 Wire**

| Part No.  | Size |
|-----------|------|
| BEN-3CAGE | 3"   |



**Roller & Plastic Tray  
(3) Piece Sets, 3" (75mm)**

- roller, roller cage & plastic tray

| Part No.       | Description |
|----------------|-------------|
| BEN-PS-75TR-5  | 1/4", 5mm   |
| BEN-PS-75TR-10 | 3/8", 10mm  |



**Roller Tray Only  
Red Plastic, 3" (75mm)**

| Part No. | Description |
|----------|-------------|
| BEN-T612 | 15-1/2"     |


**PAINT ROLLERS & ACCESSORIES**



**Paint Strainers, Cone Style**

- medium mesh

| Part No.   | Description   |
|------------|---------------|
| BEN-25-XCD | package of 25 |



**Extension Poles  
All Fiberglass  
Heavy Duty, Professional,  
with STA-LOK Mechanism**

| Part No.     | Description         |
|--------------|---------------------|
| BEN-STRCT48  | 4' extending to 8'  |
| BEN-STRCT612 | 6' extending to 12' |
| BEN-STRCT816 | 8' extending to 16' |
| BEN-STRCT824 | 8' extending to 24' |



**Plastic Paint Tray Liner**

| Part No.       | Fits Into           |
|----------------|---------------------|
| BEN-TPL-PLS-T3 | BEN-PLASTIC-T3 & T3 |
| BEN-TPL-XL     | BEN-XL-PLS-JUMBO    |

**BENNETT**



**Paint Rollers, Lint Free**

- 100% lint free

| Part No.     | Description |
|--------------|-------------|
| BEN-M88-5MM  | 1/4", 5mm   |
| BEN-M88-10MM | 3/8", 10mm  |
| BEN-M88-13MM | 1/2", 13mm  |
| BEN-M88-15MM | 5/8", 15mm  |
| BEN-M88-18MM | 3/4", 15mm  |



**Roller Cage Only  
9-1/2" (240mm) 5 Wire**

| Part No.     | Description |
|--------------|-------------|
| BEN-TWN5-240 | 9-1/2"      |



**Paint Tray, Piece Set  
9-1/2" (240mm)  
with Lint Free Roller**

- roller, cage, liner, plastic tray

| Part No.     | Description |
|--------------|-------------|
| BEN-LF-240HP | 3/8" pile   |



**Paint Trays Only  
9-1/2" (240mm)**

| Part No.         | Description             |
|------------------|-------------------------|
| BEN-PLASTIC-T3   | 2L, plastic deep well   |
| BEN-XL-PLS-JUMBO | gal., plastic deep well |
| BEN-T3           | metal tray              |

## INVERTED PAINTS & GALVANIZING COMPOUND



### Quik-Mark™ Krylon® Industrial Inverted Marking Paint with Spray Thru™ Cap

- 17 oz. Aerosol can
- dry to touch in 10 minutes
- water based formulation
- adheres to hot surfaces

| Part No. | Description                    |
|----------|--------------------------------|
| UDW      | brilliant white(A03901)        |
| UDBR     | brilliant red(A03911)          |
| UDG      | brilliant green(A03904)        |
| UDPINK   | fluorescent pink(A03612)       |
| UDO      | fluorescent orange(A03700)     |
| UDR      | fluorescent red(A03610)        |
| UDRO     | fluorescent red/orange(A03650) |
| UDCLEAR  | clear(A03500)                  |
| UDBLACK  | asphalt black(A03550)          |



### Pavement Stripping Machine

| Part No. | Description             |
|----------|-------------------------|
| K08340   | for pavement            |
| K08350   | for dirt, grass, gravel |



### Stripping Wand


| Part No. | Description   |
|----------|---------------|
| K08360   | 34" in length |



### Cold Galvanize Spray Coating Crown™ 93% Zinc Rich Formula

- designed for permanent protection
- 16 oz. spray can w/12oz. paint
- dries to a light grey, matte finish

| Part No. | Description            |
|----------|------------------------|
| COLDGALV | light grey matt finish |




### Cold Galvanize Coating Crown™ 93% Zinc Rich Formula

- designed for permanent protection
- 16 oz. spray can w/12oz. paint
- dries to a light grey, matte finish

| Part No.     | Description   |
|--------------|---------------|
| COLDGALV QT  | 1 quart can   |
| COLDGALV GAL | 1 gallon pail |



**WALTER**  
Surface Technologie



### Zinc - 100™ Touch-Up Galvanized Spray

- matches "Hot Dipped" look
- for repair of hot galvanized parts

| Part No. | Description    |
|----------|----------------|
| 53H102   | 400 ml aerosol |



### Zinc - 200™ Cold Galvanized Spray

- protection for ferrous metals

| Part No. | Description    |
|----------|----------------|
| 53H152   | 400 ml aerosol |

## MIXERS & LUBRICATION PRODUCTS



### Mixing Tool for Paint Designed for One Gallon Cans

- w/plastic blade and steel shank

| Part No. | Description       |
|----------|-------------------|
| BEN-MIXA | 2-1/2" x 16" long |



### Mixing Tool for Drywall Mud

| Part No.   | Description        |
|------------|--------------------|
| BEN-MIXMUD | 4" x 8" x 31" long |



### Mixing Tool General Purpose

| Part No.   | Description   |
|------------|---------------|
| BEN-MIX100 | 4" x 25" long |



**WALTER**  
Surface Technologie



### Coolcut™ Metal Cutting Lubricant

- for ferrous metals
- drilling, tapping, nibbling, sawing, shearing, broaching, milling, reaming

| Part No. | Description          |
|----------|----------------------|
| 53B013   | 300 gram solid stick |
| 53B002   | 400 ml aerosol       |
| 53B006   | 5 L jug              |



### Stainlesscut™ Stainless Steel Cutting Lubricant

- drilling, milling, reaming, sawing

| Part No. | Description            |
|----------|------------------------|
| 53B202   | 312 gram aerosol       |
| 53B203   | 350 ml. squeeze bottle |
| 53B206   | 5 L jug                |



### Alucut™ Aluminum Cutting Lubricant

- aluminum & non-ferrous metal
- drilling, tapping, nibbling, sawing

| Part No. | Description          |
|----------|----------------------|
| 53B303   | 300 gram solid stick |



### Food Zone™ Food Grade Lubricant Developed for Food Industry

- all metals including alum. & iron

| Part No. | Description   |
|----------|---------------|
| 53D602   | 400ml aerosol |



### Open Gear™ High Load Drive Lubricant

- for drives and gears
- prevents metal to metal contact

| Part No. | Description   |
|----------|---------------|
| 53E102   | 400ml aerosol |



### Chain Gang™ High Load Chain Lubricant

- for all types of chain drives

| Part No. | Description   |
|----------|---------------|
| 53D102   | 400ml aerosol |

## LUBRICATION PRODUCTS



### Hang On™ Highly Adhesive Lubricant

- lubrication in harsh conditions
- leaves a tacky, clear film
- will not run off sprayed surface

| Part No. | Description   |
|----------|---------------|
| 53D812   | 400ml aerosol |



### Bolt-Out™ Penetrating Lubricant

- penetrates, lubricates
- frees up seized parts

| Part No. | Description   |
|----------|---------------|
| 53D892   | 400ml aerosol |



### Rock'N Roll™ Anti-Seize Lubricant

- a metal free formulation
- a white ceramic lubricant
- prevents threaded parts seizing

| Part No. | Description    |
|----------|----------------|
| 53D854   | 300 gram paste |
| 53D852   | 400ml Aerosol  |



### E-Weld 3™ Anti-Spatter Emulsion for MIG and ARC Welding

- protects work pieces & equipment
- aluminum, steel, stainless steel
- water based, bio-degradable
- non-flammable, VOC free, odourless

| Part No. | Description           |
|----------|-----------------------|
| 53F253   | 500ml trigger sprayer |
| 53F256   | 5 L jug               |
| 53F257   | 20 L pail             |



### ICECUT™ Ready to Use Coolant & Lubricant for use with Annular Cutters

- use with magnetic drilling units

| Part No. | Description |
|----------|-------------|
| 53C056   | 5 L jug     |
| 53C057   | 20 L Drum   |



### TAPCUT™ Thread Cutting Lubricant

- hand & machine tapping, threading

| Part No. | Description           |
|----------|-----------------------|
| 53A103   | 350 ml squeeze bottle |



### RAPID TAP™ ALL METAL Cutting Fluid and Paste

- heavy duty ozone friendly
- no ozone depleting chemicals

| Part No. | Description          |
|----------|----------------------|
| RT4      | 4 oz. (114ml) bottle |
| RT455    | 16 oz. (455ml) can   |
| RT4L     | gallon (3.785 L) can |



### A-9™ Aluminum Cutting Fluid

- for all operations on aluminum
- contains an anti-mist component
- for milling, broaching, threading, sawing, drilling, tapping, reaming

| Part No.   | Description          |
|------------|----------------------|
| RT4-ALUM   | 4 oz. (114ml) bottle |
| RT455-ALUM | 16 oz. (455ml) can   |
| RT4L-ALUM  | gallon (3.785 L) can |



### LLOYDS® MOOVIT™ Penetrating Lubricant

- solvent free, non-flammable
- for all metals, plastic & rubber

| Part No.  | Description          |
|-----------|----------------------|
| LYD-11014 | 4 oz. (114ml) bottle |
| LYD-12016 | 16 oz. (455ml) can   |
| LYD-12004 | 4 L jug              |



## LUBRICATION PRODUCTS & OILERS



### 3-IN-ONE



#### 3-IN-ONE® Multi-Purpose Oil with Telescoping Spout

- comes in squeeze bottle

| Part No.  | Size  |
|-----------|-------|
| WD-100703 | 4 oz. |



#### 3-IN-ONE® Multi-Purpose Oil with Precision Drip Spout

- penetrates, lubricates
- frees up seized parts

| Part No. | Size      |
|----------|-----------|
| WD-10135 | 3 oz. can |
| WD-10138 | 8 oz. can |



#### 3-IN-ONE® Multi-Purpose Oil for Small Electric Motors

- comes in squeeze bottle

| Part No.  | Size  |
|-----------|-------|
| WD-101456 | 3 oz. |



#### MASTERS® Lubricating Oil

- applicator bottle w/pull-out spout
- a premium grade lubricating oil
- with pull-out spout

| Part No. | Description |
|----------|-------------|
| GF-LO113 | 113 ml.     |



#### WD40® General Purpose Lubricant

| Part No.     | Description                 |
|--------------|-----------------------------|
| WD-01111     | 11 oz aerosol               |
| WD-01110     | 3.785 L can                 |
| SPRAY BOTTLE | empty plastic, spray bottle |



#### JET® Oil Can

- with flex hose & rigid spout

| Part No.   | Description   |
|------------|---------------|
| JET-350121 | 6 oz (180ml)  |
| JET-350124 | 16 oz (500ml) |



#### MASTERS® Thread Cutting Oil

- for alloy and carbon steels
- non-ferous metals & aluminum
- ideal for hand & machine use

| Part No.  | Description        |
|-----------|--------------------|
| GF-CO1L   | 1 L squeeze bottle |
| GF-CO4L   | 4 L jug            |
| GR-CO20L  | 20 L pail          |
| GF-CO205L | 205 L drum         |



#### MASTERS® Thread Cutting Oil

- cools, lubricates during threading

| Part No.  | Description           |
|-----------|-----------------------|
| RID-70835 | gallon of Nu-Clear®   |
| RID-41575 | 5 gallon pf Mi-Clear® |
| RID-70830 | gallon of dark        |
| RID-41600 | 5 gallon of dark      |
| RID-74012 | 1 gallon extreme      |



#### JET® Oil Can w/Handle

- with flex hose & rigid spout

| Part No.   | Description   |
|------------|---------------|
| JET-350122 | 10oz. (300ml) |
| JET-350125 | 23oz.(700ml)  |

## GOSS TORCH KITS & ACCESSORIES

**GOSS**   
PROFESSIONAL TORCH EQUIPMENT



**Goss®  
ACET-O-LITE™  
FEATHER FLAME® Kit  
“Screw-in-Style” Tips**

| Part No.   | Description                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------------------|
| GOSS-KA-1H | “B” cylinder (reg.ftg.)<br>kit includes... HAS3-12<br>hose, regulator,<br>AA-1 handle, MP-1<br>lighter & MA-2 wrench |



**Goss®  
TARGET TORCH™  
Hot Turbine Flame Kit  
“Snap-in-Style” Tips**

| Part No.   | Description                                                                                                  |
|------------|--------------------------------------------------------------------------------------------------------------|
| GOSS-KX-3B | “B” cylinder (reg.ftg.)<br>kit includes... HAS3-12<br>hose, regulator,<br>GG-4 handle, tips<br>& MA-2 wrench |



**Goss®  
TARGET TORCH™  
Hot Turbine Flame Kit  
“Screw-in-Style” Tips**

| Part No.   | Description                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------------------|
| GOSS-KA-3H | “B” cylinder (reg.ftg.)<br>kit includes... HAS3-12<br>hose, regulator,<br>AA-1 handle, MP-1<br>lighter & MA-2 wrench |



**Goss®  
TARGET TORCH™  
Hot Turbine Flame  
EZE-LITE™ Instant Ignition Kit  
“Snap-in-Style” Tips**

| • with eze-lite push button ignition system |                                                                                                             |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Part No.                                    | Description                                                                                                 |
| GOSS-KX-10B                                 | “B” cylinder (reg.ftg.)<br>kit includes... HAS3-12<br>hose, regulator,<br>GG-4 handle, tip<br>& MA-2 wrench |

## GOSS TORCH KITS & ACCESSORIES

**GOSS**   
 PROFESSIONAL TORCH EQUIPMENT



### Goss® Air-Acetylene Torch Tips "Screw-in-Style"

| Part No.  | Tip Size | Soft Solder  |
|-----------|----------|--------------|
| GOSS-BA-1 | 1/16"    | 1/16" - 1/8" |
| GOSS-BA-2 | 1/8"     | 1/8" - 1/4"  |
| GOSS-BA-3 | 3/16"    | 1/4" - 1/2"  |
| GOSS-BA-4 | 1/4"     | 1/2" - 1"    |
| GOSS-BA-5 | 5/16"    | 1" - 1-1/2"  |
| GOSS-BA-6 | 7/16"    | 2" - 4"      |



### Goss® Air-Acetylene Torch Tips Max-Performance Turbine Flame "Screw-in-Style"

| Part No.    | Tip Size | Soft Solder | Silver Braze |
|-------------|----------|-------------|--------------|
| GOSS-BA-9A  | 1/4"     | up to 1"    | 1/8"-1/2"    |
| GOSS-BA-10A | 3/8"     | up to 2"    | 1/2"-1"      |
| GOSS-BA-12A | 1/2"     | up to 4"    | 1"-2"        |



### Goss® Air-Acetylene Torch Tips Max-Performance Turbine Flame "Snap-in-Style"

| Part No.   | Tip Size | Soft Solder | Silver Braze |
|------------|----------|-------------|--------------|
| GOSS-GA-3  | 1/4"     | 1/4" - 1"   | 1/8"-1/2"    |
| GOSS-GA-5  | 5/16"    | 3/4"-1-1/2" | 1/4"-3/4"    |
| GOSS-GA-8  | 3/8"     | 1"-2"       | 1/2"-1"      |
| GOSS-GA-11 | 7/16"    | 1/2"- 3"    | 7/8"-1-5/8"  |
| GOSS-GA-14 | 1/2"     | 2"-4"       | 1"-2"        |
| GOSS-GA-32 | 3/4"     | 4"-6"       | 1-1/2"-4"    |



### Goss® Air-Acetylene Torch Tips EZE-LITE™ Instant Ignition "Snap-in-Style"

| Part No.    | Tip Size | Soft Solder  | Silver Braze |
|-------------|----------|--------------|--------------|
| GOSS-GA-3L  | 1/4"     | up to 1"     | up to 1/2"   |
| GOSS-GA-5L  | 5/16"    | up to 1-1/2" | up to 3/4"   |
| GOSS-GA-8L  | 3/8"     | up to 2"     | up to 1"     |
| GOSS-GA-14L | 1/2"     | up to 4"     | up to 2"     |



AA-1



AA-3

### Goss® ACET-O-LITE™ EZE-LITE™ "Screw-in-Style" Torch Handle


| Part No.  | Description               |
|-----------|---------------------------|
| GOSS-AA-1 | adjustment valve in front |
| GOSS-AA-3 | adjustment valve in rear  |



GG-4

### Goss® TARGET TORCH™ EZE-LITE™ "Snap-in-Style" Torch Handle

| Part No.  | Description                |
|-----------|----------------------------|
| GOSS-GG-4 | w/quick disconnect fitting |



BA-TT

BA-GT


### Goss® SPLIT FIRE® TIPS "Snap-in-Style"

• used with GG-4 handle

| Part No.   | Flame Dia. | Soft Solder | Silver Braze |
|------------|------------|-------------|--------------|
| GOSS-BA-TT | (2) 1/4"   | 3/4"        | 3/4"         |
| GOSS-BA-GT | (2) 1/4"   | 3/4"        | 3/4"         |

## GOSS TORCH KITS & ACCESSORIES

**GOSS**   
PROFESSIONAL TORCH EQUIPMENT



### Goss® SIDEWINDER™ Tank Stand

- made of heavy duty steel
- hose rack & torch/tip holder

| Part No.   | Description          |
|------------|----------------------|
| GOSS-C-800 | "MC" acetylene stand |
| GOSS-C-850 | "B" acetylene stand  |



### Goss® Acetylene Hose

- 7/16" O.D. x 3/16" I.D. reinforced grade R hose
- It has a 200 PSI working pressure

| Part No.    | Description           |
|-------------|-----------------------|
| GOSS-HA3-12 | 12' hose with fitting |
| GOSS-HA3-25 | 25' hose with fitting |



### Goss® TARGET® AIR-PROPANE TORCH KIT Max Performance Turbine Flame "Snap-In-Style"

- features the very hot, compact Target Tips
- for professional soldering & blazing

| Part No.   | Description                                                                        |
|------------|------------------------------------------------------------------------------------|
| GOSS-KLP-2 | kit includes.. GH-4 handle, HEF-10 hose, EP-70G regulator, with GT-3 and GT-5 tips |
| GOSS-KLP-4 | kit includes.. GH-4 handle, HEF-10 hose, EP-70G regulator, with GT-4 tip           |



### Goss® TARGET® AIR-PROPANE TORCH TIPS Max Performance Turbine Flame "Snap-in-Style"

| Part No.  | Flame Dia. | Soft Solder  | Silver Braze |
|-----------|------------|--------------|--------------|
| GOSS-GT-3 | 7/16"      | up to 1"     | up to 1/2"   |
| GOSS-GT-4 | 1/2"       | up to 1-1/2" | up to 3/4"   |
| GOSS-GT-5 | 3/4"       | up to 2-1/2" | up to 1-1/4" |



### Goss® Acetylene Regulators

- manufactured of solid brass
- "A" hose fitting 3/8-24, L.H.

| Part No.   | Description              |
|------------|--------------------------|
| GOSS-EA-1G | "B" cylinder connection  |
| GOSS-EA-2G | "MC" cylinder connection |



## GOSS TORCH KITS & ACCESSORIES

**GOSS**   
PROFESSIONAL TORCH EQUIPMENT



**Goss®**  
**TARGET® AIR-PROPANE**  
**"Snap-In-Style" Torch Handle**

- curved handle provides positive grip
- utilizes quick disconnect for fast tip changes

| Part No.  | Description                     |
|-----------|---------------------------------|
| GOSS-GH-4 | uses 9/16-18 L.H. hose fittings |



**Goss®**  
**Vapor Propane Gas Hose**

- with 9/16-18 L.H. hose fittings
- working pressure of 350 PSI

| Part No.    | Description |
|-------------|-------------|
| GOSS-HEF-12 | 12'         |



**Goss®**  
**High-Pressure**  
**Propane Regulator**

- use only with vapor withdrawal cylinders
- used with propane torches & furnaces


| Part No.    | Description                                           |
|-------------|-------------------------------------------------------|
| GOSS-EP-70G | has 0 to 60 PSI outlet pressure gauge for propane gas |



**Goss®**  
**Self-Igniting Hand Torch**  
**for Soldering and Brazing**

- fits disposable cylinders
- for MAP-PRO™ or propane fuel

| Part No.     | Description                   |
|--------------|-------------------------------|
| GOSS-GP-600  | push button, instant ignition |
| GOS-BP-22LTE | replacement tip for GP-600    |



**Goss®**  
**Economy Hand Torch Head**  
**for Disposable Cylinders**  
**Use only with Propane Gas**

| Part No.  | Description             |
|-----------|-------------------------|
| GOSS-GP-6 | light duty applications |



**Goss®**  
**Heavy Duty Torch Head**  
**for Disposable Cylinders for**  
**MAP-PRO™ or Propane Fuel**

| Part No.  | Description                    |
|-----------|--------------------------------|
| GOSS-GP-9 | adjusted to 3 different flames |

## GOSS TORCH KITS & ACCESSORIES

### Goss® Blazeburner Torch Kit

- weed burning
- drying, heating, melting

**Part No.** GOSS-KP-320MA  
**Description** Kit consists of..

AP20, 32" torch, igniter tip,  
hose w/cylinder adapter



**BRS-665**



**BRS-770**

### Goss® Tip to Handle Adapters

**Part No.** GOSS-BRS-770  
**Description** adapts snap-in tips to torch handles w/screw-in design

**Part No.** GOSS-BRS-665  
**Description** adapts to Goss® variety of pencil, brush or Target® Tips to torch handles with snap-in design



**BRS-364**

B Reg. to MC Cyl.



**BRS-365**

B Cyl. to MC Reg.

### Goss® Cylinder to Regulator Adapters

- use only with vapor withdrawal cylinders
- used with propane torches & furnaces

**Part No.** GOSS-BRS-364  
**Description** MC Cyl. to B Reg.

**Part No.** GOSS-BRS-365  
**Description** B Cyl. to MC Reg.

## GOSS® PROFESSIONAL TORCH EQUIPMENT

### Goss® Propane Fuel Cylinder

- disposable steel cylinder

**Part No.** GOSS-QLP  
**Description** 14.1 oz.



### Goss® MAP-PRO™ Cylinder

- disposable steel cylinder

**Part No.** GOSS-QLM  
**Description** 16 oz.



### Goss® Flame Shield

- protects against flame damage
- protects against sparks
- asbestos free pad

**Part No.** GOSS-MP-21  
**Description** 10" x 18"

## GOSS TORCH ACCESSORIES, SOLDER & MARKERS

**GOSS®**  
PROFESSIONAL TORCH EQUIPMENT



MA-2



MP-4



MP-37-A



MP-1



MP-2-5



MP-6



MP-7

### Goss® Accessories

- weed burning
- drying, heating, melting

| Part No.     | Description                                        |
|--------------|----------------------------------------------------|
| GOSS-MA-2    | wrench for use on "B" and "MC" acetylene cylinders |
| GOSS-MP-4    | wrench, multi size                                 |
| GOSS-MP-37-A | torch tip cleaner                                  |
| GOSS-MP-1    | flint lighter with flint                           |
| GOSS-MP-20CX | flint lighter with 5 flints carded                 |
| GOSS-MP-2-5  | pack of 5 flints for flint lighter                 |
| GOSS-MP-6    | triple flint lighter                               |
| GOSS-MP-7    | triple flint only                                  |



### Wire Solder-Lead Free

| Part No. | Description    |
|----------|----------------|
| TWY-5119 | 250 gram spool |
| TWY-5120 | 500 gram spool |



### Wire Solder-Acid Core

| Part No. | Description     |
|----------|-----------------|
| TWY-4955 | 500 gram, 60/40 |



### Wire Solder Spool General Purpose Use

| Part No. | Description |
|----------|-------------|
| TWY-4815 | 250 gram    |
| TWY-4808 | 454 gram    |
| TWY-4812 | 2.5 kg      |



### Wire Solder-Rosin Core Electrical Applications

| Part No.  | Description |
|-----------|-------------|
| TWY-48302 | 1-1/2 oz    |

## PIPE, VALVE, DUCTWORK AND EQUIPMENT IDENTIFICATION



- COIL - MARK 360°
- STANDARD & ARROW BANDING TAPE
- VALVE TAGS • MEDICAL GAS MARKERS
- STENCILS & MARKING ACCESSORIES
- PIPE MARKERS





## MARKERS, MARKING SYSTEMS & TAPES



### Carpenter Pencil

| Part No. | Description     |
|----------|-----------------|
| PENCIL   | medium hardness |



### China Masters

- use on glass & metal
- also plastic & rubber
- paper wrapped
- with tear string
- marks wipe away clean

| Part No.                 | Description |
|--------------------------|-------------|
| CHINABLA                 | black       |
| CHINAR                   | red         |
| CHINAW                   | white       |
| (more colours available) |             |



### SOAPSTONE (STICKS)

| Part No. | Description                            |
|----------|----------------------------------------|
| SOAPS    | 5" x 1/2" x 13/16"<br>(144 pieces/box) |



### SOAPSTONE HOLDER

| Part No. | Description      |
|----------|------------------|
| SOAPS-H  | all metal w/clip |

### CRAYON HOLDER

- hex or round crayons
- metal chuck
- hole for wrist strap

| Part No. | Description |
|----------|-------------|
| LCHW     | WOOD#109    |
| LCHM     | METAL#108   |



### REDIMARK® Felt Markers

- with heavy duty metal barrel

| Part No. | Description         |
|----------|---------------------|
| MARKW    | black, chisel point |
| MARB     | black, bullet point |



### Sharpie® Finepoint Markers

| Part No.   | Description       |
|------------|-------------------|
| MARSHARP   | black, fine point |
| MARSHARP-R | red, fine point   |

### Valve Action Paint Markers

| Part No. | Colour |
|----------|--------|
| VAP-BLK  | black  |
| VAP-BLU  | blue   |
| VAP-GRE  | green  |
| VAP-ORG  | orange |
| VAP-RED  | red    |
| VAP-WHI  | white  |
| VAP-YEL  | yellow |



### Lumber Crayon Hexagon Shape

- fade, water and smear proof

| Part No. | Colour |
|----------|--------|
| LCYELLOW | yellow |
| LCBLACK  | black  |
| LCRED    | red    |
| LCBLUE   | blue   |
| LCGREEN  | green  |
| LCWHITE  | white  |
| LCORANGE | orange |



### Carpet Tape

- double-sided grey cloth tape
- with very aggressive adhesive

| Part No.   | Description |
|------------|-------------|
| CAN-385-15 | 48mm x 15m  |



### Box(Carton) Sealing Tape General Purpose Applications

- disposable steel cylinder

| Part No.  | Description         |
|-----------|---------------------|
| CLEARTAPE | 48mm x 100mm, clear |
| TANTAPE   | 48mm x 100mm, tan   |



### MASTERS® Stretch & Seal Compression Tape

- for temporarily stoppage of leaks
- pulling tape as tight as possible allows it to seal by compression, forming a silicone mass to prevent leakage
- is non-adhesive & non-toxic
- works on galvanized, copper, PVC and cast iron pipes
- stops leaks up to 150 PSI & withstands -130°F to 500°F (-90°C to 260°C)

| Part No.     | Description                  |
|--------------|------------------------------|
| GF-R1-5-8A12 | 1" x 12' roll in a hardshell |



## TAPES



### Hand Held Tape Dispenser for Carton Sealing Tape

| Part No. | Description     |
|----------|-----------------|
| TAPEGUN  | up to 132m roll |



### Double-Sided Foam Tape 1/8" Polyethylene Foam

| Part No. | Description                             |
|----------|-----------------------------------------|
| DST1236  | 1/2 x 36 yard<br>(more sizes available) |



### Friction Tape Cotton Cloth

- coated woven cotton fabric
- w/electrical grade rubber adhesive
- overwrap tape, abrasion protection

| Part No. | Description               |
|----------|---------------------------|
| FRICTION | 3/4" x 60' x 13mil, black |




### Filament Tape General Purpose

| Part No. | Description                          |
|----------|--------------------------------------|
| FILA34   | 18mm x 55m                           |
| FILA1    | 24mm x 55m<br>(more sizes available) |



### Duct Tape, Economy Grade Polyethylene Coated Cloth

| Part No. | Description                          |
|----------|--------------------------------------|
| DUCTS    | 48mm x 55m, silver<br>packed 24/case |
| DUCTS3   | 72mm x 55m, silver<br>packed 16/case |
| DUCTS4   | 96mm x 55m, silver<br>packed 12/case |



### Duct Tape, Coloured Polyethylene Coated Cloth General Purpose

• 48mm x 55m rolls

| Part No.                   | Description |
|----------------------------|-------------|
| DUCTBLA                    | black       |
| DUCTR                      | red         |
| DUCTY                      | yellow      |
| DUCTG                      | green       |
| DUCTBLU                    | Blue        |
| DUCTW                      | white       |
| DUCTO                      | orange      |
| DUCTNP                     | neon pink   |
| (packed 24 rolls per case) |             |



### Rubber Insulating and Splicing tape

| Part No.   | Description  |
|------------|--------------|
| RUBBERTAPE | 19 mm x 6.7m |



### Electrical Tape

| Part No. | Description          |
|----------|----------------------|
| 888BLA   | 3/4" x 66' x 7.5 mil |



### Electrical Tape Cold Weather

| Part No. | Description          |
|----------|----------------------|
| 888CW8.5 | 3/4" x 66' x 8.5 mil |



### Colour Coding Tape

| Part No. | Description        |
|----------|--------------------|
| 888R     | 3/4" x 66', red    |
| 888W     | 3/4" x 66', white  |
| 888BLU   | 3/4" x 66', blue   |
| 888Y     | 3/4" x 66', yellow |
| 888G     | 3/4" x 66', green  |
| 888O     | 3/4" x 66', orange |
| 888BRO   | 3/4" x 66', brown  |



### Aluminum Foil Tape

- to be used for duct insulation

| Part No. | Description |
|----------|-------------|
| FOIL2    | 48mm x 45m  |
| FOIL3    | 72mm x 45m  |

## TAPES, NAILS AND POLY ROPE



### Masking Tape General Purpose

| Part No. | Description         |
|----------|---------------------|
| M075     | 18mm x 55m (3/4")   |
| M100     | 24mm x 55m (1")     |
| M150     | 36mm x 55m (1-1/2") |
| M200     | 48mm x 55m (2")     |
| M300     | 72mm x 55m (3")     |
| M400     | 96mm x 55m (4")     |



### Green Painter's Tape

- will come off up to 7 days

| Part No. | Description     |
|----------|-----------------|
| M100GR   | 24mm x 55m (1") |
| M200GR   | 48mm x 55m (2") |



### Sheathing Tape

- sealing seams in insulation
- red with black print

| Part No. | Description                   |
|----------|-------------------------------|
| TUCKRED  | 60mm x 60m<br>(20 rolls/case) |



### Spiral Nails Bright Finish

- spiral line running down the nail
- grips similar to a screw
- nails come in 50 lbs. cartons

| Part No.  | Size   |
|-----------|--------|
| NAIL114SB | 1-1/4" |
| NAIL112SB | 1-1/2" |
| NAIL2SB   | 2"     |
| NAIL212SB | 2-1/2" |
| NAIL3SB   | 3"     |
| NAIL314SB | 3-1/4" |
| NAIL312SB | 3-1/2" |
| NAIL4SB   | 4"     |
| NAIL6SB   | 6"     |
| NAIL10SB  | 10"    |
| NAIL12SB  | 12"    |



### Concrete Nails Bright Finish

- use when joining wood to concrete
- for use on uncured concrete
- nails come in 50 lbs. cartons

| Part No.    | Size   |
|-------------|--------|
| NAIL34CONB  | 3/4"   |
| NAIL1CONB   | 1"     |
| NAI2114CONB | 1-1/4" |
| NAIL112CONB | 1-1/2" |
| NAIL2CONB   | 2"     |
| NAILCONB    | 3"     |



### Common Nails Bright Finish with Smooth Shank

- reduces the risk of wood splitting
- nails come in 50 lbs. cartons

| Part No.  | Size   |
|-----------|--------|
| NAIL2CB   | 2"     |
| NAIL212CB | 2-1/2" |
| NAIL3CB   | 3"     |
| NAIL314CB | 3-1/4" |
| NAIL312CB | 3-1/2" |
| NAIL4CB   | 4"     |
| NAIL5CB   | 5"     |
| NAIL6CB   | 6"     |
| NAIL8CB   | 8"     |
| NAIL10CB  | 10"    |
| NAIL12CB  | 12"    |



### Double Headed Nails Bright Finish


- for temporary applications
- nails come in 50 lbs. cartons
- concrete forming and scaffolding

| Part No.   | Size   |
|------------|--------|
| NAIL2DHB   | 2"     |
| NAIL214DHB | 2-1/4" |
| NAIL234DHB | 2-3/4" |
| NAIL3DHB   | 3"     |
| NAIL314DHB | 3-1/4" |
| NAIL312DHB | 3-1/2" |



## POLY ROPE (Hardware Grade)

| Part No.    | Size  | Length |
|-------------|-------|--------|
| POLY316     | 3/16" | 2125'  |
| POLY14      | 1/4"  | 1300'  |
| POLY516     | 5/16" | 975'   |
| POLY38      | 3/8"  | 630'   |
| POLY38X1200 | 3/8"  | 1200'  |
| POLY12      | 1/2"  | 335'   |
| POLY12X1200 | 1/2"  | 1200'  |
| POLY58      | 5/8"  | 200'   |
| POLY34      | 3/4"  | 135'   |



## STEEL STRAPPING & STAINLESS STEEL BANDING



### Steel Strapping

- painted black & waxed
- packaged in coils of 45 kgs.

| Part No.   | Width  | Thick  | Strength   |
|------------|--------|--------|------------|
| BAND12020  | 1/2"   | 0.020" | 1,230 lbs. |
| BAND58020  | 5/8"   | 0.020" | 1,550 lbs. |
| BAND34020  | 3/4"   | 0.023" | 2,200 lbs. |
| BAND114020 | 1-1/4" | 0.025" | 4,060 lbs. |



4203 30112

### Steel Strapping Dispenser


- automatic brake & 10" dia. wheels
- outer steel disc 25" in diameter
- with tool box

| Part No. | Description          |
|----------|----------------------|
| BANDDISP | 3/8" to 1-1/2" strap |



### Steel Strapping Tensioning Tool

| Part No.   | Description          |
|------------|----------------------|
| BANDTEN34  | 3/8" to 3/4" strap   |
| BANDTEN114 | 5/8" to 1-1/4" strap |



4203 10032 / 40

4203 10048

### Steel Strapping Sealing Tool

| Part No.   | Description    |
|------------|----------------|
| BANDTOOL12 | for 1/2" seals |
| BANDTOOL58 | for 5/8" seals |
| BANDTOOL34 | for 3/4" seals |



4203 22448

4203 224116

### Steel Strapping Cutting Tool

| Part No.   | Description    |
|------------|----------------|
| BANDCUT34  | 3/8" to 3/4"   |
| BANDCUT114 | 3/8" to 1-1/4" |



### Steel Strapping Seals

- open style

| Part No.    | Size   |
|-------------|--------|
| BANDSEAL12  | 1/2"   |
| BANDSEAL58  | 5/8"   |
| BANDSEAL34  | 3/4"   |
| BANDSEAL114 | 1-1/4" |



## BAND-N-GO Inc.



### Stainless Steel Banding, Type 201 in Dispensing Box

- 100' dispensing box
- 0.030" thickness

| Part No. | Size |
|----------|------|
| BAND14SS | 1/4" |
| BAND38SS | 3/8" |
| BAND12SS | 1/2" |
| BAND58SS | 5/8" |
| BAND34SS | 3/4" |



### Stainless Steel Buckles, Type 201 Tiger Tool Design

| Part No. | Size |
|----------|------|
| BUCK14SS | 1/4" |
| BUCK38SS | 3/8" |
| BUCK12SS | 1/2" |
| BUCK58SS | 5/8" |
| BUCK34SS | 3/4" |



### Banding Tool Stainless Steel

| Part No. | Description   |
|----------|---------------|
| MTC2400  | standard duty |
| HTC6000  | heavy duty    |



**SIGN BRACKETS, LOCKS, PIPE SLEEVES, SHIM STOCK**
**BAND-N-GO Inc.**

**Banding Tool Stainless Steel Windlass Ratchet Tensioning**

| Part No. | Description   |
|----------|---------------|
| RTS240   | 3/4" max size |


**Sign Bracket, Stainless Steel Straight Leg Design**

| Part No. | Description   |
|----------|---------------|
| BANDSLB  | 50/box, 5/bag |


**Sign Bracket, Stainless Steel Flared Leg Design**

| Part No. | Description   |
|----------|---------------|
| FLB      | 50/box, 5/bag |


**Mechanics (Bailing) Wire**

|                                |                    |
|--------------------------------|--------------------|
| • 18 guage, soft annealed wire |                    |
| <b>Part No.</b>                | <b>Description</b> |
| HP-314-218                     | 330' 1/2 lbs spool |

**papeo**


**Steel Shim Stock**

6" x 100" rolls, in fibre tube

| Part No.  | Description |
|-----------|-------------|
| SHIM001S  | .001, steel |
| SHIM002S  | .002, steel |
| SHIM003S  | .003, steel |
| SHIM007S  | .007, steel |
| SHIM008S  | .008, steel |
| SHIM0010S | .010, steel |


**Plastic Pipe Sleeves**

| Part No. | Pipe Size |
|----------|-----------|
| PIPES112 | 1-1/2"    |
| PIPES2   | 2"        |
| PIPES3   | 3"        |
| PIPES4   | 4"        |
| PIPES5   | 5"        |
| PIPES6   | 6"        |
| PIPES8   | 8"        |
| PIPES10  | 10"       |
| PIPES12  | 12"       |


**Plan Covers**

- see through
- reclosable and waterproof

| Part No.  | Description |
|-----------|-------------|
| PLANCOVER | 36" x 48"   |

**Master Lock**

**MASTER® Padlock Laminated Steel #1**

| Part No. | Description        |
|----------|--------------------|
| 1D       | keyed differently  |
| 1KA-     | specify key number |


**MASTER® Padlock Laminated Steel #5**

• 2" wide, 3/8" dia. shackle

| Part No. | Description        |
|----------|--------------------|
| 5D       | keyed differently  |
| 5KA-     | specify key number |


**MASTER® Combination Locks**

• 1-7/8" wide, 9/32" dia. shackle

| Part No. | Description            |
|----------|------------------------|
| 1500D    | stainless steel casing |


**MASTER® Lockout Hasps**

| Part No. | Description                                    |
|----------|------------------------------------------------|
| 416      | 1" aluminum, dipped                            |
| 417      | 1-1/2 aluminum, dipped                         |
| 420      | 1" steel, dipped                               |
| 421      | 1-1/2" steel, dipped                           |
| 427      | 1-3/4" x 2-1/8" snap-on electrical lockout tag |



## ACCESS DOORS



### ACUDOR Access Doors, General Purpose

- cold rolled, 16 guage steel
- with white primer coat primer
- screwdriver operated cam latch lock

| Part No.     | Size(in) | Opening(in) |
|--------------|----------|-------------|
| UF5000-10X10 | 10 x 10  | 10.25x10.25 |
| UF5000-12X12 | 12 x 12  | 12.25x12.25 |
| UF5000-14X14 | 14 x 14  | 14.25x14.25 |
| UF5000-16X16 | 16 x 16  | 16.25x16.25 |
| UF5000-18X18 | 18 x 18  | 18.25x18.25 |
| UF5000-24X24 | 24 x 24  | 24.25x24.25 |

(more sizes available)



UF5000



DW5040

### ACUDOR Access Doors, General Purpose w/Drywall Taping Bead Flange

- cold rolled, 16 guage steel
- with white primer coat primer
- screwdriver operated cam latch lock

| Part No.     | Size(in) | Opening(in) |
|--------------|----------|-------------|
| DW5040-10X10 | 10 x 10  | 10.25x10.25 |
| DW5040-12X12 | 12 x 12  | 12.25x12.25 |
| DW5040-14X14 | 14 x 14  | 14.25x14.25 |
| DW5040-16X16 | 16 x 16  | 16.25x16.25 |
| DW5040-18X18 | 18 x 18  | 18.25x18.25 |
| DW5040-24X24 | 24 x 24  | 24.25x24.25 |

(more sizes available)

### ACUDOR Access Doors, Fire Rated "Not Installed" for Walls Only

- comes with 1" flange
- with white primer coat primer
- 2 hour rating achieved
- self latching tool-key operated latch & or ring operated latch, both included

| Part No.     | Size(in) | Opening(in) |
|--------------|----------|-------------|
| FB5060-10X10 | 10 x 10  | 10.25x10.25 |
| FB5060-12X12 | 12 x 12  | 12.25x12.25 |
| FB5060-14X14 | 14 x 14  | 14.25x14.25 |
| FB5060-16X16 | 16 x 16  | 16.25x16.25 |
| FB5060-18X18 | 18 x 18  | 18.25x18.25 |
| FB5060-24X24 | 24 x 24  | 24.25x24.25 |

(more sizes available)

(available with drywall taping bead, FB5060-DW)



FB5060



FW5050

### ACUDOR Access Doors, Fire Rated "Insulated" for all Surface Types

- insulated with 2" thick mineral wool
- used on fire rated walls & ceilings
- with white primer coat primer
- 3 hour rating achieved
- self latching tool-key operated latch & or ring operated latch, both included

| Part No.     | Size(in) | Opening(in) |
|--------------|----------|-------------|
| FW5050-10X10 | 10 x 10  | 10.25x10.25 |
| FW5050-12X12 | 12 x 12  | 12.25x12.25 |
| FW5050-14X14 | 14 x 14  | 14.25x14.25 |
| FW5050-16X16 | 16 x 16  | 16.25x16.25 |
| FW5050-18X18 | 18 x 18  | 18.25x18.25 |
| FW5050-24X24 | 24 x 24  | 24.25x24.25 |

(more sizes available)

(available with drywall taping bead, FB5050-DW)



## INSTALLATION SHIMS AND CASTERS



**Installation Shims,  
Heavy Duty Plastic  
1-1/2" wide x 2" long  
(small size, No.51,52 & 53)**

| Part No.      | Thick | Slot | Colour | Pkg.  |
|---------------|-------|------|--------|-------|
| SHIM116-112X2 | 1/16" | 1/2" | blue   | 2,000 |
| SHIM18-112X2  | 1/8"  | 1/2" | red    | 1,000 |
| SHIM14-112X2  | 1/4"  | 1/2" | black  | 500   |



**Installation Shims,  
Heavy Duty Plastic  
2-1/16" wide x 3-1/2" long  
(large size, No.54,55 & 56)**

| Part No.         | Thick | Slot  | Colour | Pkg.  |
|------------------|-------|-------|--------|-------|
| SHIM116x2116X312 | 1/16" | 9/16" | blue   | 2,000 |
| SHIM18x2116X312  | 1/8"  | 9/16" | red    | 1,000 |
| SHIM14x2116X312  | 1/4"  | 9/16" | black  | 500   |



**Installation Shims,  
Heavy Duty Plastic  
3" wide x 4" long  
(small size, No.60 and 61)**

| Part No.   | Thick | Slot   | Colour | Pkg.  |
|------------|-------|--------|--------|-------|
| SHIM18-3X4 | 1/8"  | 13/16" | blue   | 2,000 |
| SHIM14-3X4 | 1/4"  | 13/16" | red    | 1,000 |

(Larger Shims are also available)

### TUFF GRADE



#### TUFFGRADE® Casters

- with phenolic wheels
- needle bearings
- 3-3/8" x 2-13/16" bolt hole spacing

| Part No.             | Size                       |
|----------------------|----------------------------|
| <b>RIGID CASTERS</b> | <b>Dia. Width Capacity</b> |
| TGC-50400-R          | 4" 2" 550 lbs.             |
| TGC-50500-R          | 5" 2" 700 lbs.             |
| TGC-50600-R          | 6" 2" 800 lbs.             |
| TGC-50800-R          | 8" 2" 900 lbs.             |

#### SWIVEL CASTERS

|             |                |
|-------------|----------------|
| TGC-50400-S | 4" 2" 550 lbs. |
| TGC-50500-S | 5" 2" 700 lbs. |
| TGC-50600-S | 6" 2" 800 lbs. |
| TGC-50800-S | 8" 2" 900 lbs. |

#### SWIVEL W/BRAKE

|             |                |
|-------------|----------------|
| TGC-50402-S | 4" 2" 550 lbs. |
| TGC-50502-S | 5" 2" 700 lbs. |
| TGC-50602-S | 6" 2" 800 lbs. |
| TGC-50802-S | 8" 2" 900 lbs. |

### TUFF GRADE



#### TUFFGRADE® Casters Sets

- with (2) rigid and (2) swivel casters
- with mounting hardware

| Part No.   | Size |
|------------|------|
| CASTER4SET | 4"   |
| CASTER5SET | 5"   |
| CASTER6SET | 6"   |
| CASTER8SET | 8"   |

## SHRINK WRAP & BALL VALVES



### Shrink (Stretch) Wrap

- 1500' per roll

| Part No. | Description |
|----------|-------------|
| SWC      | clear wrap  |
| SWB      | black wrap  |



### Shrink (Stretch) Wrap Dispensing Tool

| Part No. | Description       |
|----------|-------------------|
| SWD      | with rubber grips |



### Pipe Rap-Around

- made of flexible gasket material
- used by pipe fitters & welders
- marking straight lines around pipe

| Part No. | Size      | Pipe     |
|----------|-----------|----------|
| 150-TE   | 2.5" x 2' | 1" - 3"  |
| 160-TE   | 4" x 4'   | 3" - 6"  |
| 170-TE   | 4" x 6'   | 3" - 10" |

**TUFF  
GRADE**



### TUFFGRADE® Brass Ball Valves Lead-Free Full Port Threaded for Potable Water

| Part No.          | Size   |
|-------------------|--------|
| TG-BBVT-1/4-L/F   | 1/4"   |
| TG-BBVT-3/8-L/F   | 3/8"   |
| TG-BBVT-1/2-L/F   | 1/2"   |
| TG-BBVT-3/4-L/F   | 3/4"   |
| TG-BBVT-1-L/F     | 1"     |
| TG-BBVT-1-1/4-L/F | 1-1/4" |
| TG-BBVT-1-1/2-L/F | 1-1/2" |
| TG-BBVT-2-L/F     | 2"     |
| TG-BBVT-3-L/F     | 3"     |
| TG-BBVT-4-L/F     | 4"     |



### Booster Cables

- w/insulated alligator clamps
- tangle free
- flexible in cold weather

| Part No. | Description  |
|----------|--------------|
| BOOSTER  | 10 ga. x 12' |



**PIPE AND TUBE  
SOCKET CLAMPS  
AVAILABLE ON  
REQUEST**



### TUFFGRADE® Brass Ball Valves Full Port Threaded

| Part No.      | Size   |
|---------------|--------|
| TG-BBVT-1/4   | 1/4"   |
| TG-BBVT-3/8   | 3/8"   |
| TG-BBVT-1/2   | 1/2"   |
| TG-BBVT-3/4   | 3/4"   |
| TG-BBVT-1     | 1"     |
| TG-BBVT-1-1/4 | 1-1/4" |
| TG-BBVT-1-1/2 | 1-1/2" |
| TG-BBVT-2     | 2"     |
| TG-BBVT-3     | 3"     |
| TG-BBVT-4     | 4"     |



### TUFFGRADE® Brass Ball Valves w/Lock-Out Full Port Threaded

| Part No.          | Size   |
|-------------------|--------|
| TG-BBVT-1/4-L/O   | 1/4"   |
| TG-BBVT-3/8-L/O   | 3/8"   |
| TG-BBVT-1/2-L/O   | 1/2"   |
| TG-BBVT-3/4-L/O   | 3/4"   |
| TG-BBVT-1-L/O     | 1"     |
| TG-BBVT-1-1/4-L/O | 1-1/4" |
| TG-BBVT-1-1/2-L/O | 1-1/2" |
| TG-BBVT-2-L/O     | 2"     |
| TG-BBVT-3-L/O     | 3"     |
| TG-BBVT-4-L/O     | 4"     |

**TUFF  
GRADE**



# ENERGIZER BATTERIES, FLASHLIGHTS & LANTERNS



## ENERGIZER® Explosion-Proof Mine Safety Flashlight (2 D Cell)

- built-in hanging ring
- impact resistant case
- chemical & water resistant case
- 2 D batteries not included

| Part No.  | Description   |
|-----------|---------------|
| ENER-1259 | safety orange |



## ENERGIZER® 7-LED Headlight

- for hands free applications
- provides 125 lumens of light
- suitable for outdoor activities
- with 5 light modes
- (3) AAA batteries included

| Part No.      | Description |
|---------------|-------------|
| ENER-HD7L33AE | (3) AAA     |



## ENERGIZER® LED Penlight Aluminum Body w/Pocket Clip

- with push button tail switch
- (2) AAA batteries included

| Part No.     | Description |
|--------------|-------------|
| ENER-PLD23AE | (2) AAA     |



## ENERGIZER® Flashlight (2 D Cell) Eveready Industrial Economy

- built-in hanging ring
- impact resistant case
- chemical & water resistant case
- (2) D batteries not included

| Part No.  | Description   |
|-----------|---------------|
| ENER-1251 | bright yellow |



## ENERGIZER® Floating Lantern

- waterproof with shatterproof lens
- one-hand push-button operation
- accepts (4) D cells or (1) 6V lantern battery
- batteries not included

| Part No.  | Description   |
|-----------|---------------|
| ENER-1700 | bright yellow |



## ENERGIZER® Floating Lantern Economy, w/6V Battery

- waterproof polyethylene case
- shatterproof lens

| Part No.    | Description   |
|-------------|---------------|
| ENER-5190LS | bright yellow |



## ENERGIZER® Flashlight Batteries Industrial, Alkaline

| Part No. | Description    |
|----------|----------------|
| PC1300   | D cell, 1.5V   |
| PC1400   | C cell, 1.5V   |
| PC1500   | AA cell, 1.5V  |
| PC2400   | AAA cell, 1.5V |
| PC1604   | 9V             |



PC908



## ENERGIZER® Lantern Battery 6-Volt, Alkaline

| Part No. | Size |
|----------|------|
| PC908    | 6V   |
| PC918    | 6V   |



## ENERGIZER® Flashlight (2 AA Cell)

- built-in hanging ring
- impact resistant case
- chemical & water resistant
- 2 AA batteries not included
- 153mm long x 35mm wide

| Part No.  | Description   |
|-----------|---------------|
| ENER-1151 | bright yellow |

## WATER COOLER, FANS, TABLES & CHAIRS



### 42" Belt Drive Drum Fan BE™ Pressure Supply


- 4 blade, 2 speeds, belt drive
- with wheels
- 735 watts, 1HP, 6 amp

| Part No. | Description    |
|----------|----------------|
| BE-FD42B | 17,700 Max CFM |

### 48" Belt Drive Drum Fan BE™ Pressure Supply

- 4 blade, 2 speeds, belt drive
- with wheels
- 1120 watts, 1.5 HP, 9 amp

| Part No. | Description    |
|----------|----------------|
| BE-FD48B | 19,500 Max CFM |



### 30" Pedestal Fan

- 3 blade, 2 speeds
- 226 watts, 0.2 HP,

| Part No. | Description  |
|----------|--------------|
| BE-FD30  | 8750 Max CFM |



### Jobsite Microwave Oven

- (not exactly as pictured)
- easy clean interior

| Part No.    | Description |
|-------------|-------------|
| MICROWAVE-1 | 1.5 cu. ft. |



### 24" Drum Fan BE™ Pressure Supply

- 3 blade, 2 speeds
- with wheels
- 220 watts, 0.17 HP, 1.96 amp

| Part No. | Description   |
|----------|---------------|
| BE-FD24  | 7,700 Max CFM |

### 36" Drum Fan BE™ Pressure Supply

- 3 blade, 2 speeds
- with wheels & handle
- 423 watts, 0.33 HP, 8.8 amp

| Part No. | Description  |
|----------|--------------|
| BE-FD30  | 8750 Max CFM |

### 42" Drum Fan BE™ Pressure Supply

- 4 blade, 2 speeds
- with wheels & handle
- 586 watts, 0.5 HP, 5.5 amp

| Part No. | Description    |
|----------|----------------|
| BE-FD42  | 15,400 Max CFM |



### Compact Refrigerator

- (not exactly as pictured)
- approximately 2.7 cu. ft. of storage
  - fits into small work area

| Part No.     | Description  |
|--------------|--------------|
| MINIFRIDGE-1 | with freezer |



### Water Cooler

- fully insulated
- built-in cup dispenser bracket
- with screw-on lid
- fast flow faucet
- graduated lines inside liner

| Part No.      | Description     |
|---------------|-----------------|
| TWY-1785      | 5 gallon cooler |
| TWY-8257-UN92 | cup dispenser   |



### Paper Cups 4 Ounce Cone Shaped

| Part No.    | Description |
|-------------|-------------|
| TWY-CONECUP | 200/sleeve  |



### Plastic Folding Chair

- moulded seat & seat back
- 34" assembled height

| Part No. | Description |
|----------|-------------|
| CHAIR    | steel frame |



### Folding Banquet Table

| Part No. | Description                    |
|----------|--------------------------------|
| TABLE    | 30"w x 72" L x 29"H<br>Plastic |

## GEAR CLAMPS



### HAS Gear (Hose) Clamps All Stainless Steel

- 5/16" hex slotted screw, 410 stainless steel
- #200 stainless steel 1/2" band
- #200 stainless steel housing

| Part No. | Min. Range (inches) | Nom. Range (inches) | Max Range (inches) |
|----------|---------------------|---------------------|--------------------|
| HAS-6    | 3/8                 | 7/16                | 7/8                |
| HAS-8    | 7/16                | 1/2                 | 1                  |
| HAS-10   | 1/2                 | 5/8                 | 1-1/16             |
| HAS-12   | 1/2                 | 3/4                 | 1-1/4              |
| HAS-16   | 11/16               | 1                   | 1-1/2              |
| HAS-20   | 3/4                 | 1-1/4               | 1-3/4              |
| HAS-24   | 1                   | 1-1/2               | 2                  |
| HAS-28   | 1-1/4               | 1-3/4               | 2-1/4              |
| HAS-32   | 1-1/2               | 2                   | 2-1/2              |
| HAS-36   | 1-3/4               | 2-1/4               | 2-3/4              |
| HAS-40   | 2                   | 2-1/2               | 3                  |
| HAS-44   | 2-1/4               | 2-3/4               | 3-1/4              |
| HAS-48   | 2-1/2               | 3                   | 3-1/2              |
| HAS-52   | 2-3/4               | 3-1/4               | 3-3/4              |
| HAS-56   | 3                   | 3-1/2               | 4                  |
| HAS-60   | 3-1/4               | 3-3/4               | 4-1/4              |
| HAS-64   | 2-1/2               | 3-1/2               | 4-1/2              |
| HAS-72   | 3                   | 4                   | 5                  |
| HAS-80   | 3-1/2               | 4-1/2               | 5-1/2              |
| HAS-84   | 3-3/4               | 4+3/4               | 5-3/4              |
| HAS-88   | 4                   | 5                   | 6                  |
| HAS-96   | 4-1/2               | 6                   | 6-1/2              |
| HAS-104  | 5                   | 6-1/2               | 7                  |
| HAS-116  | 5-3/4               | 7                   | 7-3/4              |
| HAS-128  | 2-1/2               | 8                   | 8-1/2              |
| HAS-152  | 2                   | 6                   | 10                 |
| HAS-164  | 1-3/4               | 6-1/4               | 10-3/4             |
| HAS-188  | 2-1/16              | 7-3/16              | 12-1/4             |
| HAS-200  | 11                  | 12-1/2              | 13                 |
| HAS-212  | 11-3/4              | 13-1/4              | 13-3/4             |
| HAS-224  | 12-1/2              | 14                  | 14-1/2             |
| HAS-236  | 13-5/16             | 14-3/4              | 15-1/4             |
| HAS-248  | 1-3/4               | 8-7/8               | 16                 |
| HAS-270  | 15-7/16             | 16-5/8              | 17-3/8             |
| HAS-312  | 18-1/16             | 19-1/2              | 20                 |
| HAS-390  | 22-7/8              | 24                  | 24-7/8             |



### HS Gear (Hose) Clamps General Service

- 5/16" hex slotted screw, carbon steel
- #200 stainless steel 1/2" band
- #200 stainless steel housing

| Part No. | Min. Range (inches) | Nom. Range (inches) | Max Range (inches) |
|----------|---------------------|---------------------|--------------------|
| HS-6     | 3/8                 | 7/16                | 7/8                |
| HS-8     | 7/16                | 1/2                 | 1                  |
| HS-10    | 1/2                 | 5/8                 | 1-1/16             |
| HS-12    | 1/2                 | 3/4                 | 1-1/4              |
| HS-16    | 11/16               | 1                   | 1-1/2              |
| HS-20    | 3/4                 | 1-1/4               | 1-3/4              |
| HS-24    | 1                   | 1-1/2               | 2                  |
| HS-28    | 1-1/4               | 1-3/4               | 2-1/4              |
| HS-32    | 1-1/2               | 2                   | 2-1/2              |
| HS-36    | 1-3/4               | 2-1/4               | 2-3/4              |
| HS-40    | 2                   | 2-1/2               | 3                  |
| HS-44    | 2-1/4               | 2-3/4               | 3-1/4              |
| HS-48    | 2-1/2               | 3                   | 3-1/2              |
| HS-52    | 2-3/4               | 3-1/4               | 3-3/4              |
| HS-56    | 3                   | 3-1/2               | 4                  |
| HS-60    | 3-1/4               | 3-3/4               | 4-1/4              |
| HS-64    | 2-1/2               | 3-1/2               | 4-1/2              |
| HS-72    | 3                   | 4                   | 5                  |
| HS-80    | 3-1/2               | 4-1/2               | 5-1/2              |
| HS-84    | 3-3/4               | 4+3/4               | 5-3/4              |
| HS-88    | 4                   | 5                   | 6                  |
| HS-96    | 4-1/2               | 6                   | 6-1/2              |
| HS-104   | 5                   | 6-1/2               | 7                  |
| HS-116   | 5-3/4               | 7                   | 7-3/4              |
| HS-128   | 2-1/2               | 8                   | 8-1/2              |
| HS-152   | 2                   | 6                   | 10                 |
| HS-164   | 1-3/4               | 6-1/4               | 10-3/4             |
| HS-188   | 2-1/16              | 7-3/16              | 12-1/4             |
| HS-200   | 11                  | 12-1/2              | 13                 |
| HS-212   | 11-3/4              | 13-1/4              | 13-3/4             |
| HS-224   | 12-1/2              | 14                  | 14-1/2             |
| HS-236   | 13-5/16             | 14-3/4              | 15-1/4             |
| HS-248   | 1-3/4               | 8-7/8               | 16                 |
| HS-270   | 15-7/16             | 16-5/8              | 17-3/8             |
| HS-312   | 18-1/16             | 19-1/2              | 20                 |
| HS-390   | 22-7/8              | 24                  | 24-7/8             |